


# MKP385411085JIM2T0

### MKP385411085JIM2T0 Information



### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



## MKP385411085JIM2T0 Specifications

Manufacturer Part NumberMKP385411085JIM2T0ManufacturerVishay BC ComponentsCategoryCapacitorsPackageRadialPackageRadialSeriesMKP385Capacitance0.11µFTolerance±5%Voltage Rating - AC300VVoltage Rating - DC90ypropylene (PP), MetallizedDielectric Material-ESR (Equivalent Series Resistance)-Operating Type55°C ~ 110°CMounting TypeRadialPackage / CaseRadialIncug HoleRadialSer / Dimension1.024" L x 0.276" W (26.00mm x 7.00mm)
CategoryCapacitorsCapacitorsFilm CapacitorsPackageRadialSeriesMKP385Capacitance0.11μFTolerance±5%Voltage Rating - AC300VVoltage Rating - DC850VDielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeRadialPackage / CaseRadialSize / Dimension1.024" L x 0.276" W (26.00mm x 7.00mm)
Film CapacitorsPackageRadialSeriesMKP385Capacitance0.11µFTolerance±5%Voltage Rating - AC300VVoltage Rating - DC850VDielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension1.024" L x 0.276" W (26.00mm x 7.00mm)
PackageRadialPackageRadialSeriesMKP385Capacitance0.11µFTolerance±5%Voltage Rating - AC300VVoltage Rating - DC850VDielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension1.024" L x 0.276" W (26.00mm x 7.00mm)
SeriesMKP385Capacitance0.11μFTolerance±5%Voltage Rating - AC300VVoltage Rating - DC850VDielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension1.024" L x 0.276" W (26.00mm x 7.00mm)
Capacitance0.11µFTolerance±5%Voltage Rating - AC300VVoltage Rating - DC850VDielectric MaterialPolypropylene (PP), MetallizedDielectric Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension1.024" L x 0.276" W (26.00mm x 7.00mm)
Tolerance±5%Voltage Rating - AC300VVoltage Rating - DC850VDielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension1.024" L x 0.276" W (26.00mm x 7.00mm)
Voltage Rating - AC300VVoltage Rating - DC850VDielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension1.024" L x 0.276" W (26.00mm x 7.00mm)
Voltage Rating - DC850VDielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension1.024" L x 0.276" W (26.00mm x 7.00mm)
Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension1.024" L x 0.276" W (26.00mm x 7.00mm)
ESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension1.024" L x 0.276" W (26.00mm x 7.00mm)
Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension1.024" L x 0.276" W (26.00mm x 7.00mm)
Mounting TypeThrough HolePackage / CaseRadialSize / Dimension1.024" L x 0.276" W (26.00mm x 7.00mm)
Package / CaseRadialSize / Dimension1.024" L x 0.276" W (26.00mm x 7.00mm)
Size / Dimension 1.024" L x 0.276" W (26.00mm x 7.00mm)
Height - Seated (Max) 0.650" (16.50mm)
Termination PC Pins
Lead Spacing 0.886" (22.50mm)
Applications DC Link, DC Filtering; High Frequency, Switching; High Pulse, DV/DT
Features -
Report errors?

### MKP385411085JIM2T0 Guarantees



**Quality Guarantees** 

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

### MKP385411085JIM2T0 Payment Methods





If you have any question about MKP385411085JIM2T0, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com