



MKS1XTI-10 DC12 Information

Heisener.com

Part Number MKS1XTI-10 DC12

Manufacturer Omron Automation and Safety

Category Relays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE SPST 10A 12V

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com

Request a Quote



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









MKS1XTI-10 DC12 Specifications

Manufacturer Part Number Manufacturer Omron Automation and Safety Relays Power Relays, Over 2 Amps Package - Series MKS-X Relay Type General Purpose Coil Type Non Latching Coil Current 126mA Coil Voltage Contact Form SPST-NO (1 Form A) Contact Rating (Current) Switching Voltage Turn On Voltage (Max) Turn Off Voltage (Min) Onerate Time MKS1XTI-10 DC12 MKS1XTI-10 DC12 MKS1XTI-10 DC12 Relays Power Relays, Over 2 Amps - Series NKS-X General Purpose 1-26mA 12VDC SPST-NO (1 Form A) 12VDC 220VDC - Max 9.6 VDC Turn Off Voltage (Max) 1.8 VDC Operate Time		
Category Relays Power Relays, Over 2 Amps Package - Series MKS-X Relay Type General Purpose Coil Type Non Latching Coil Current 126mA Coil Voltage 12VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) Switching Voltage 220VDC - Max Turn On Voltage (Max) Turn Off Voltage (Min) 1.8 VDC	Manufacturer Part Number	MKS1XTI-10 DC12
Package - Series MKS-X Relay Type General Purpose Coil Type Non Latching Coil Current 126mA Coil Voltage 12VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 10A Switching Voltage 220VDC - Max Turn On Voltage (Max) 9.6 VDC Turn Off Voltage (Min) 1.8 VDC	Manufacturer	Omron Automation and Safety
Package - Series MKS-X Relay Type General Purpose Coil Type Non Latching Coil Current 126mA Coil Voltage 12VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 10A Switching Voltage 220VDC - Max Turn On Voltage (Max) 9.6 VDC Turn Off Voltage (Min) 1.8 VDC	Category	Relays
Series MKS-X Relay Type General Purpose Coil Type Non Latching Coil Current 126mA Coil Voltage 12VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 10A Switching Voltage 220VDC - Max Turn On Voltage (Max) 9.6 VDC Turn Off Voltage (Min) 1.8 VDC		Power Relays, Over 2 Amps
Relay Type Coil Type Non Latching Coil Current 126mA Coil Voltage 12VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) Switching Voltage 220VDC - Max Turn On Voltage (Max) 9.6 VDC Turn Off Voltage (Min) Seneral Purpose Seneral Purpose 12VDC Non Latching 126mA 12VDC 12VDC 12VDC 40VDC	Package	-
Coil TypeNon LatchingCoil Current126mACoil Voltage12VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)10ASwitching Voltage220VDC - MaxTurn On Voltage (Max)9.6 VDCTurn Off Voltage (Min)1.8 VDC	Series	MKS-X
Coil Current 126mA Coil Voltage 12VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 10A Switching Voltage 220VDC - Max Turn On Voltage (Max) 9.6 VDC Turn Off Voltage (Min) 1.8 VDC	Relay Type	General Purpose
Coil Voltage 12VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 10A Switching Voltage 220VDC - Max Turn On Voltage (Max) 9.6 VDC Turn Off Voltage (Min) 1.8 VDC	Coil Type	Non Latching
Contact Form SPST-NO (1 Form A) Contact Rating (Current) 10A Switching Voltage 220VDC - Max Turn On Voltage (Max) 9.6 VDC Turn Off Voltage (Min) 1.8 VDC	Coil Current	126mA
Contact Rating (Current) Switching Voltage 220VDC - Max Turn On Voltage (Max) 9.6 VDC Turn Off Voltage (Min) 1.8 VDC	Coil Voltage	12VDC
Switching Voltage 220VDC - Max Turn On Voltage (Max) 9.6 VDC Turn Off Voltage (Min) 1.8 VDC	Contact Form	SPST-NO (1 Form A)
Turn On Voltage (Max) 9.6 VDC Turn Off Voltage (Min) 1.8 VDC	Contact Rating (Current)	10A
Turn Off Voltage (Min) 1.8 VDC	Switching Voltage	220VDC - Max
	Turn On Voltage (Max)	9.6 VDC
Operate Time 30ms	Turn Off Voltage (Min)	1.8 VDC
Special Time	Operate Time	30ms
Release Time 20ms	Release Time	20ms
Features Test Button	Features	Test Button
Mounting Type Socketable	Mounting Type	Socketable
Termination Style Plug In	Termination Style	Plug In
Report errors?		Report errors?

MKS1XTI-10 DC12 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

MKS1XTI-10 DC12 Payment Methods



















MKS1XTI-10 DC12 Shipping Methods













If you have any question about MKS1XTI-10 DC12, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com