



MLH010BGB06A Information

Heisener.com

Part Number MLH010BGB06A

Manufacturer Honeywell Sensing and Productivity Solutions

Category Sensors, Transducers

Pressure Sensors, Transducers

Description SENSOR GAUGE 0-10 BAR

Package Cylinder, Metal

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









MLH010BGB06A Specifications

Manufacturer Part NumberMLH010BGB06AManufacturerHoneywell Sensing and Productivity SolutionsCategorySensors, TransducersPackageCylinder, MetalSeriesMLHPressure TypeVented GaugeOperating Pressure145.04 PSI (1000 kPa)Output TypeAnalog VoltageOutput0.5 V ~ 4.5 VAccuracy±0.25%Voltage - Supply5 V ~ 6 VPort SizeMale - 1/8" (3.18mm) NPTPort StyleThreadedFeaturesAmplified Output, Temperature CompensatedTermination StylePackard Metripak 150Maximum Pressure435.11 PSI (3000 kPa)
CategorySensors, TransducersPackageCylinder, MetalSeriesMLHPressure TypeVented GaugeOperating Pressure145.04 PSI (1000 kPa)Output TypeAnalog VoltageOutput0.5 V ~ 4.5 VAccuracy±0.25%Voltage - Supply5 V ~ 6 VPort SizeMale - 1/8" (3.18mm) NPTPort StyleThreadedFeaturesAmplified Output, Temperature CompensatedTermination StylePackard Metripak 150
Package Cylinder, Metal Series MLH Pressure Type Vented Gauge Operating Pressure Output Type Analog Voltage Output 4.5 V ~ 4.5 V Accuracy ±0.25% Voltage - Supply 5 V ~ 6 V Port Size Male - 1/8" (3.18mm) NPT Port Style Threaded Features Amplified Output, Temperature Compensated Termination Style Pessure Sensors, Transducers Other Metal Amelian Sensors, Transducers Cylinder, Metal Amelian Sensors, Transducers All H Amelian Sensors, Transducers Male 4 Features Amplified Output, Temperature Compensated Packard Metripak 150
PackageCylinder, MetalSeriesMLHPressure TypeVented GaugeOperating Pressure145.04 PSI (1000 kPa)Output TypeAnalog VoltageOutput0.5 V ~ 4.5 VAccuracy±0.25%Voltage - Supply5 V ~ 6 VPort SizeMale - 1/8" (3.18mm) NPTPort StyleThreadedFeaturesAmplified Output, Temperature CompensatedTermination StylePackard Metripak 150
SeriesMLHPressure TypeVented GaugeOperating Pressure145.04 PSI (1000 kPa)Output TypeAnalog VoltageOutput0.5 V ~ 4.5 VAccuracy±0.25%Voltage - Supply5 V ~ 6 VPort SizeMale - 1/8" (3.18mm) NPTPort StyleThreadedFeaturesAmplified Output, Temperature CompensatedTermination StylePackard Metripak 150
Pressure TypeVented GaugeOperating Pressure $145.04 \text{ PSI } (1000 \text{ kPa})$ Output TypeAnalog VoltageOutput $0.5 \text{ V} \sim 4.5 \text{ V}$ Accuracy $\pm 0.25\%$ Voltage - Supply $5 \text{ V} \sim 6 \text{ V}$ Port SizeMale - $1/8$ " $(3.18 \text{mm}) \text{ NPT}$ Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedTermination StylePackard Metripak 150
Operating Pressure 145.04 PSI (1000 kPa) Output Type Analog Voltage Output 0.5 V ~ 4.5 V Accuracy ±0.25% Voltage - Supply 5 V ~ 6 V Port Size Male - 1/8" (3.18mm) NPT Port Style Features Amplified Output, Temperature Compensated Termination Style 145.04 PSI (1000 kPa) Analog Voltage 5 V ~ 6 V Analog Voltage 40.25% 5 V ~ 6 V Accuracy Analog Voltage 5 V ~ 6 V Accuracy 40.25% 5 V ~ 6 V Port Size Amplified Output, Temperature Compensated Packard Metripak 150
Output TypeAnalog VoltageOutput $0.5 \text{ V} \sim 4.5 \text{ V}$ Accuracy $\pm 0.25\%$ Voltage - Supply $5 \text{ V} \sim 6 \text{ V}$ Port SizeMale - $1/8$ " (3.18mm) NPTPort StyleThreadedFeaturesAmplified Output, Temperature CompensatedTermination StylePackard Metripak 150
Output $0.5 \text{ V} \sim 4.5 \text{ V}$ Accuracy $\pm 0.25\%$ Voltage - Supply $5 \text{ V} \sim 6 \text{ V}$ Port SizeMale - $1/8$ " (3.18mm) NPTPort StyleThreadedFeaturesAmplified Output, Temperature CompensatedTermination StylePackard Metripak 150
Accuracy $\pm 0.25\%$ Voltage - Supply $5 \text{ V} \sim 6 \text{ V}$ Port Size $\text{Male - 1/8" (3.18mm) NPT}$ Port Style Threaded Features $\text{Amplified Output, Temperature Compensated}$ Termination Style $\text{Packard Metripak 150}$
Voltage - Supply 5 V ~ 6 V Port Size Male - 1/8" (3.18mm) NPT Port Style Threaded Features Amplified Output, Temperature Compensated Termination Style Packard Metripak 150
Port Size Male - 1/8" (3.18mm) NPT Port Style Threaded Features Amplified Output, Temperature Compensated Termination Style Packard Metripak 150
Port Style Threaded Features Amplified Output, Temperature Compensated Termination Style Packard Metripak 150
Features Amplified Output, Temperature Compensated Termination Style Packard Metripak 150
Termination Style Packard Metripak 150
·
Maximum Pressure 435.11 PSI (3000 kPa)
Operating Temperature $-40^{\circ}\text{C} \sim 125^{\circ}\text{C}$
Package / Case Cylinder, Metal
Supplier Device Package -
Report errors?

MLH010BGB06A Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

MLH010BGB06A Payment Methods





















MLH010BGB06A Shipping Methods













If you have any question about MLH010BGB06A, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com