



MPC3BWD Information



For Reference Only

Part Number MPC3BWD
Manufacturer Bivar Inc.

Category Optoelectronics

Panel Indicators, Pilot Lights

Description PNL MNT W/ WIRE 430NM 10MCD BLUE

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









MPC3BWD Specifications

Manufacturer Part Number MPC3BWD Manufacturer Bivar Inc. Category Optoelectronics Package - Series MPC3 Type LED Lamp Color Blue Lens Color Blue Lens Transparency Diffused Ratings Vf (Typ), If (Max) Voltage 4V Current 25mA Panel Cutout Shape Round Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 10mcd Wavelength - Peak 430nm Viewing Angle 35° Termination Style PC Pin Ingress Protection - Features -		
Category Optoelectronics Panel Indicators, Pilot Lights Package - Series MPC3 Type LED Lamp Color Blue Lens Color Blue Lens Transparency Diffused Ratings Vf (Typ), If (Max) Voltage 4V Current 25mA Panel Cutout Shape Round Panel Cutout Dimensions Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating New Yoltange Wavelength - Peak Viewing Angle Signal Signa	Manufacturer Part Number	MPC3BWD
Package - Series MPC3 Type LED Lamp Color Blue Lens Color Blue Lens Transparency Diffused Ratings Vf (Typ), If (Max) Voltage 4V Current 25mA Panel Cutout Shape Round Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 10mcd Wavelength - Peak 430nm Viewing Angle 35° Termination Style PC Pin Ingress Protection - Features -	Manufacturer	Bivar Inc.
Package - Series MPC3 Type LED Lamp Color Blue Lens Color Blue Lens Transparency Diffused Ratings Vf (Typ), If (Max) Voltage 4V Current 25mA Panel Cutout Shape Round Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 10mcd Wavelength - Peak 430nm Viewing Angle 35° Termination Style PC Pin Ingress Protection - Features -	Category	Optoelectronics
Series MPC3 Type LED Lamp Color Blue Lens Color Blue Lens Transparency Diffused Ratings Vf (Typ), If (Max) Voltage 4V Current 25mA Panel Cutout Shape Round Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 10mcd Wavelength - Peak 430nm Viewing Angle 35° Termination Style PC Pin Ingress Protection - Features -		Panel Indicators, Pilot Lights
TypeLEDLamp ColorBlueLens ColorBlueLens TransparencyDiffusedRatingsVf (Typ), If (Max)Voltage4VCurrent25mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.24" (6.10mm)Lens Style/SizeRound with Domed Top, 3mm (T-1)Millicandela Rating10mcdWavelength - Peak430nmViewing Angle35°Termination StylePC PinIngress Protection-Features-	Package	-
Lamp Color Lens Color Blue Lens Transparency Diffused Ratings Vf (Typ), If (Max) Voltage 4V Current 25mA Panel Cutout Shape Round Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 10mcd Wavelength - Peak 430nm Viewing Angle 35° Termination Style Ingress Protection Features - Blue Blue Blue Blue Blue Blue Blue Blu	Series	MPC3
Lens ColorBlueLens TransparencyDiffusedRatingsVf (Typ), If (Max)Voltage4VCurrent25mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.24" (6.10mm)Lens Style/SizeRound with Domed Top, 3mm (T-1)Millicandela Rating10mcdWavelength - Peak430nmViewing Angle35°Termination StylePC PinIngress Protection-Features-	Type	LED
Lens Transparency Ratings Vf (Typ), If (Max) Voltage 4V Current 25mA Panel Cutout Shape Round Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 10mcd Wavelength - Peak 430nm Viewing Angle 35° Termination Style PC Pin Ingress Protection Features - Diffused PV (Max) 4V Avv 25mA Round Round Round Round Panel Cutout Dimensions 0.24" (6.10mm) Features PC Pin Features	Lamp Color	Blue
Ratings Vf (Typ), If (Max) Voltage 4V Current 25mA Panel Cutout Shape Round Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 10mcd Wavelength - Peak 430nm Viewing Angle 35° Termination Style PC Pin Ingress Protection Features -	Lens Color	Blue
Voltage 4V Current 25mA Panel Cutout Shape Round Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 10mcd Wavelength - Peak 430nm Viewing Angle 35° Termination Style PC Pin Ingress Protection - Features -	Lens Transparency	Diffused
Current 25mA Panel Cutout Shape Round Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 10mcd Wavelength - Peak 430nm Viewing Angle 35° Termination Style PC Pin Ingress Protection - Features -	Ratings	Vf (Typ), If (Max)
Panel Cutout Shape Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 10mcd Wavelength - Peak 430nm Viewing Angle 35° Termination Style Ingress Protection - Features - Round Pond Pond Pond Pond Pond Pond Pond Po	Voltage	4V
Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 10mcd Wavelength - Peak 430nm Viewing Angle 35° Termination Style PC Pin Ingress Protection - Features -	Current	25mA
Lens Style/SizeRound with Domed Top, 3mm (T-1)Millicandela Rating10mcdWavelength - Peak430nmViewing Angle35°Termination StylePC PinIngress Protection-Features-	Panel Cutout Shape	Round
Millicandela Rating Wavelength - Peak Viewing Angle Termination Style Ingress Protection Features 10mcd 430nm 75° PC Pin - - - - - - - - - - - - -	Panel Cutout Dimensions	0.24" (6.10mm)
Wavelength - Peak Viewing Angle Termination Style Ingress Protection Features 430nm PC Pin - - - - - - - - - - - - -	Lens Style/Size	Round with Domed Top, 3mm (T-1)
Viewing Angle35°Termination StylePC PinIngress Protection-Features-	Millicandela Rating	10mcd
Termination Style PC Pin Ingress Protection - Features -	Wavelength - Peak	430nm
Ingress Protection - Features -	Viewing Angle	35°
Features -	Termination Style	PC Pin
	Ingress Protection	-
Report errors?	Features	-
		Report errors?

MPC3BWD Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

MPC3BWD Payment Methods



















MPC3BWD Shipping Methods













If you have any question about MPC3BWD, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com