

## **MPI-650-24 Information**

Heisener.com

For Reference Only

Part Number MPI-650-24

Manufacturer Signal Transformer

Category

Transformers **Power Transformers** 

**Description** 

XFRMR LAMINATED 650VA CHAS MOUNT

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **MPI-650-24 Specifications**

Manufacturer Part Number  Manufacturer  Signal Transformer  Category  Transformers  Power Transformers  Package  Series  MPI  Type  Laminated Core  Voltage - Primary  Voltage - Secondary (Full Load)  Current - Output (Max)  Primary Winding(s)  MPI  Laminated Core  100V, 115V, 200V, 215V, 230V  Parallel 12V, Series 24V  Parallel 54.2A, Series 27.1A  Primary Winding(s)  Dual, Multiple Taps
Category  Transformers  Power Transformers  Package  Series  MPI  Type  Laminated Core  Voltage - Primary  100V, 115V, 200V, 215V, 230V  Voltage - Secondary (Full Load)  Parallel 12V, Series 24V  Current - Output (Max)  Parallel 54.2A, Series 27.1A  Primary Winding(s)  Dual, Multiple Taps
Power Transformers  Package - Series MPI  Type Laminated Core Voltage - Primary 100V, 115V, 200V, 215V, 230V  Voltage - Secondary (Full Load) Parallel 12V, Series 24V  Current - Output (Max) Parallel 54.2A, Series 27.1A  Primary Winding(s) Dual, Multiple Taps
Package - Series MPI Type Laminated Core Voltage - Primary 100V, 115V, 200V, 215V, 230V Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Parallel 54.2A, Series 27.1A Primary Winding(s) Dual, Multiple Taps
Series MPI Type Laminated Core Voltage - Primary 100V, 115V, 200V, 215V, 230V Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Parallel 54.2A, Series 27.1A Primary Winding(s) Dual, Multiple Taps
Type  Voltage - Primary  Voltage - Secondary (Full Load)  Current - Output (Max)  Primary Winding(s)  Laminated Core  100V, 115V, 200V, 215V, 230V  Parallel 12V, Series 24V  Parallel 54.2A, Series 27.1A  Dual, Multiple Taps
Voltage - Primary  Voltage - Secondary (Full Load)  Parallel 12V, Series 24V  Current - Output (Max)  Primary Winding(s)  Dual, Multiple Taps
Voltage - Secondary (Full Load)  Parallel 12V, Series 24V  Current - Output (Max)  Primary Winding(s)  Parallel 54.2A, Series 27.1A  Dual, Multiple Taps
Current - Output (Max) Primary Winding(s) Parallel 54.2A, Series 27.1A Dual, Multiple Taps
Primary Winding(s)  Dual, Multiple Taps
Secondary Winding(s)  Dual
Center Tap No
Power - Max 650 VA
Mounting Type Chassis Mount
Termination Style Terminal Block
Size / Dimension 133.30mm L x 119.40mm W
Height - Seated (Max) 117.80mm
Voltage - Isolation 4000Vrms
Weight 15 lbs (6.8kg)
Report errors

#### **MPI-650-24 Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# **MPI-650-24 Payment Methods**





















## **MPI-650-24 Shipping Methods**













If you have any question about MPI-650-24, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com