



MS24264R16T24PN Information

Heisener.com

Part Number MS24264R16T24PN

Manufacturer Cinch Connectivity Solutions

Category Connectors, Interconnects
Circular Connectors

Description CONN RCPT MALE 24POS GOLD CRIMP

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









MS24264R16T24PN Specifications

Manufacturer MS24264R16T24PN Manufacturer Cinch Connectivity Solutions Category Connectors, Interconnects Package - Series Millitary, MIL-DTL-26500 Connector Type Receptacle, Male Pins Number of Positions 24 Shell Size - Insert 16-24 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating -		
CategoryConnectors, InterconnectsPackage-SeriesMilitary, MIL-DTL-26500Connector TypeReceptacle, Male PinsNumber of Positions24Shell Size - Insert16-24Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Manufacturer Part Number	MS24264R16T24PN
Circular Connectors Package - Series Military, MIL-DTL-26500 Connector Type Receptacle, Male Pins Number of Positions 24 Shell Size - Insert 16-24 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated Current Rating - Military, MIL-DTL-26500 Receptacle, Male Pins Aluminum, Flange Packet Pins Aluminum, Flange - Contact Finish Gold - Current Rating Current Rating	Manufacturer	Cinch Connectivity Solutions
Package-SeriesMilitary, MIL-DTL-26500Connector TypeReceptacle, Male PinsNumber of Positions24Shell Size - Insert16-24Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Category	Connectors, Interconnects
Series Military, MIL-DTL-26500 Connector Type Receptacle, Male Pins Number of Positions 24 Shell Size - Insert 16-24 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated Current Rating		Circular Connectors
Connector TypeReceptacle, Male PinsNumber of Positions24Shell Size - Insert16-24Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Package	-
Number of Positions Shell Size - Insert 16-24 Shell Size, MIL Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated Current Rating - Shell Material Current Rating - Current Rating - Shell Material Current Rating - Shell	Series	Military, MIL-DTL-26500
Shell Size - Insert Shell Size, MIL Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated Current Rating - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-24 - 16-2	Connector Type	Receptacle, Male Pins
Shell Size, MIL Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated Current Rating - Current Rating	Number of Positions	24
Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Shell Size - Insert	16-24
Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating -	Shell Size, MIL	-
Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating	Mounting Type	Panel Mount, Flange
Orientation N (Normal) Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating -	Termination	Crimp
Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating -	Fastening Type	Threaded
Shell Material, Finish Contact Finish Gold Features - Voltage - Rated Current Rating - Aluminum, Anodized	Orientation	N (Normal)
Contact Finish Gold Features - Voltage - Rated - Current Rating -	Ingress Protection	Environment Sealed
Features - Voltage - Rated - Current Rating -	Shell Material, Finish	Aluminum, Anodized
Voltage - Rated - Current Rating -	Contact Finish	Gold
Current Rating -	Features	-
	Voltage - Rated	-
Report errors?	Current Rating	-
		Report errors?

MS24264R16T24PN Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

MS24264R16T24PN Payment Methods



















MS24264R16T24PN Shipping Methods













If you have any question about MS24264R16T24PN, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com