



MS24266R16B24PY Information

Heisener.com

Part Number MS24266R16B24PY

Manufacturer Cinch Connectivity Solutions
Category Connectors, Interconnects

Circular Connectors

Description CONN PLUG MALE 24POS GOLD CRIMP

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









MS24266R16B24PY Specifications

Manufacturer Part Number MS24266R16B24PY Manufacturer Cinch Connectivity Solutions Category Connectors, Interconnects Package - Series Military, MIL-DTL-26500 Connector Type Plug, Male Pins Number of Positions 24 Shell Size - Insert 16-24 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation Y Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating - Report errors?		
CategoryConnectors, InterconnectsPackage-SeriesMilitary, MIL-DTL-26500Connector TypePlug, Male PinsNumber of Positions24Shell Size - Insert16-24Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationYIngress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Manufacturer Part Number	MS24266R16B24PY
PackageCircular ConnectorsSeriesMilitary, MIL-DTL-26500Connector TypePlug, Male PinsNumber of Positions24Shell Size - Insert16-24Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationYIngress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Manufacturer	Cinch Connectivity Solutions
Package-SeriesMilitary, MIL-DTL-26500Connector TypePlug, Male PinsNumber of Positions24Shell Size - Insert16-24Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationYIngress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Category	Connectors, Interconnects
SeriesMilitary, MIL-DTL-26500Connector TypePlug, Male PinsNumber of Positions24Shell Size - Insert16-24Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationYIngress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-		Circular Connectors
Connector TypePlug, Male PinsNumber of Positions24Shell Size - Insert16-24Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationYIngress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Package	-
Number of Positions24Shell Size - Insert16-24Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationYIngress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Series	Military, MIL-DTL-26500
Shell Size - Insert16-24Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationYIngress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Connector Type	Plug, Male Pins
Shell Size, MIL Mounting Type Free Hanging (In-Line) Crimp Fastening Type Bayonet Lock Orientation Y Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Features - Voltage - Rated - Current Rating - Current Rating - Free Hanging (In-Line) Free Hangi	Number of Positions	24
Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationYIngress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Shell Size - Insert	16-24
Termination Crimp Fastening Type Bayonet Lock Orientation Y Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating -	Shell Size, MIL	-
Fastening Type Bayonet Lock Orientation Y Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating	Mounting Type	Free Hanging (In-Line)
Orientation Y Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating -	Termination	Crimp
Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating -	Fastening Type	Bayonet Lock
Shell Material, Finish Contact Finish Gold Features - Voltage - Rated Current Rating - Aluminum, Anodized	Orientation	Y
Contact Finish Gold Features - Voltage - Rated - Current Rating -	Ingress Protection	Environment Sealed
Features - Voltage - Rated - Current Rating -	Shell Material, Finish	Aluminum, Anodized
Voltage - Rated - Current Rating -	Contact Finish	Gold
Current Rating -	Features	-
	Voltage - Rated	-
Report errors?	Current Rating	-
		Report errors?

MS24266R16B24PY Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

MS24266R16B24PY Payment Methods



















MS24266R16B24PY Shipping Methods













If you have any question about MS24266R16B24PY, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com