



#### MS27473T12A3P Information

Heisener.com

Part Number MS27473T12A3P

Manufacturer Amphenol Aerospace Operations

Category Connectors, Interconnects

**Circular Connectors** 

**Description** CONN PLUG 3POS STRAIGHT W/PINS

**Package** 

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **MS27473T12A3P Specifications**

Manufacturer Part NumberMS27473T12A3PManufacturerAmphenol Aerospace OperationsCategoryConnectors, InterconnectsPackage-SeriesMilitary, MIL-DTL-38999 Series IIConnector TypePlug, Male PinsNumber of Positions3Shell Size - Insert12-3Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Cadmium over Nickel PlatedContact FinishGoldFeatures-Voltage - Rated900VAC, 1250VDCCurrent Rating13A		
Category Connectors, Interconnects Circular Connectors  Package - Series Military, MIL-DTL-38999 Series II Connector Type Plug, Male Pins Number of Positions Shell Size - Insert 12-3 Shell Size, MIL - Mounting Type Free Hanging (In-Line)  Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Shell Material, Finish Aluminum, Cadmium over Nickel Plated Contact Finish Gold Features - Voltage - Rated One Circular Connectors Military, MIL-DTL-38999 Series II Circular Connector  Bug, Male Pins  Allitary, MIL-DTL-38999 Series II  Allitary, MIL-DTL-38999 Series II  Circular Connectors  Allitary, MIL-DTL-38999 Series II  Free Hanging (In-Line)  Free Hanging (In-Line)  Crimp  Gold  Gold Features - Voltage - Rated	Manufacturer Part Number	MS27473T12A3P
Circular Connectors  Package - Series Military, MIL-DTL-38999 Series II Connector Type Plug, Male Pins Number of Positions 3 Shell Size - Insert 12-3 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Shell Material, Finish Aluminum, Cadmium over Nickel Plated Contact Finish Gold Features - Voltage - Rated  Contact Fasted  Circular Connectors Military, MIL-DTL-38999 Series II Connectors II Connector II C	Manufacturer	Amphenol Aerospace Operations
Package - Series Military, MIL-DTL-38999 Series II Connector Type Plug, Male Pins Number of Positions 3 Shell Size - Insert 12-3 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Cadmium over Nickel Plated Contact Finish Gold Features Voltage - Rated 900VAC, 1250VDC	Category	Connectors, Interconnects
Series Military, MIL-DTL-38999 Series II  Connector Type Plug, Male Pins  Number of Positions 3  Shell Size - Insert 12-3  Shell Size, MIL -  Mounting Type Free Hanging (In-Line)  Termination Crimp  Fastening Type Bayonet Lock  Orientation N (Normal)  Ingress Protection Environment Resistant  Shell Material, Finish Aluminum, Cadmium over Nickel Plated  Contact Finish Gold  Features  Voltage - Rated 900VAC, 1250VDC		Circular Connectors
Connector TypePlug, Male PinsNumber of Positions3Shell Size - Insert12-3Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Cadmium over Nickel PlatedContact FinishGoldFeatures-Voltage - Rated900VAC, 1250VDC	Package	-
Number of Positions3Shell Size - Insert12-3Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Cadmium over Nickel PlatedContact FinishGoldFeatures-Voltage - Rated900VAC, 1250VDC	Series	Military, MIL-DTL-38999 Series II
Shell Size - Insert  Shell Size, MIL  Mounting Type  Free Hanging (In-Line)  Termination  Crimp  Fastening Type  Bayonet Lock  Orientation  N (Normal)  Ingress Protection  Environment Resistant  Shell Material, Finish  Aluminum, Cadmium over Nickel Plated  Contact Finish  Features  Voltage - Rated  12-3  12-3  Aluminum, Cimmon (Insert Plated)  Free Hanging (In-Line)  Free Hanging (In-Line)  Aluminum  Crimp  Bayonet Lock  N (Normal)  Environment Resistant  Aluminum, Cadmium over Nickel Plated  Ontact Finish  Gold  Features  -  Voltage - Rated	Connector Type	Plug, Male Pins
Shell Size, MIL  Mounting Type Free Hanging (In-Line)  Termination Crimp  Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Cadmium over Nickel Plated Contact Finish Gold Features - Voltage - Rated 900VAC, 1250VDC	Number of Positions	3
Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Cadmium over Nickel PlatedContact FinishGoldFeatures-Voltage - Rated900VAC, 1250VDC	Shell Size - Insert	12-3
Termination Crimp  Fastening Type Bayonet Lock Orientation N (Normal)  Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Cadmium over Nickel Plated Contact Finish Gold Features - Voltage - Rated 900VAC, 1250VDC	Shell Size, MIL	-
Fastening Type  Bayonet Lock Orientation  N (Normal)  Ingress Protection  Environment Resistant  Shell Material, Finish  Aluminum, Cadmium over Nickel Plated  Contact Finish  Gold  Features  -  Voltage - Rated  Pastening Type  Bayonet Lock  N (Normal)  Environment Resistant  Aluminum, Cadmium over Nickel Plated  Gold  Footage - Rated  900VAC, 1250VDC	Mounting Type	Free Hanging (In-Line)
Orientation N (Normal)  Ingress Protection Environment Resistant  Shell Material, Finish Aluminum, Cadmium over Nickel Plated  Contact Finish Gold  Features -  Voltage - Rated 900VAC, 1250VDC	Termination	Crimp
Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Cadmium over Nickel Plated Contact Finish Gold Features - Voltage - Rated 900VAC, 1250VDC	Fastening Type	Bayonet Lock
Shell Material, Finish  Contact Finish  Gold  Features  - Voltage - Rated  Aluminum, Cadmium over Nickel Plated  Gold  900VAC, 1250VDC	Orientation	N (Normal)
Contact Finish Gold Features - Voltage - Rated 900VAC, 1250VDC	Ingress Protection	Environment Resistant
Features - Voltage - Rated 900VAC, 1250VDC	Shell Material, Finish	Aluminum, Cadmium over Nickel Plated
Voltage - Rated 900VAC, 1250VDC	Contact Finish	Gold
	Features	-
Current Rating 13A	Voltage - Rated	900VAC, 1250VDC
	Current Rating	13A
Report errors?		Report errors?

### MS27473T12A3P Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# MS27473T12A3P Payment Methods



















## MS27473T12A3P Shipping Methods













If you have any question about MS27473T12A3P, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com