



### MS27497T14F97P Information

Heisener.com

Part Number MS27497T14F97P

Manufacturer Amphenol Aerospace Operations

Category Connectors, Interconnects

**Circular Connectors** 

**Description** CONN RCPT 12POS WALL MNT W/PINS

**Package** 

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **MS27497T14F97P Specifications**

| Manufacturer Part Number       MS27497T14F97P         Manufacturer       Amphenol Aerospace Operations         Category       Connectors, Interconnects         Package       -         Series       Military, MIL-DTL-38999 Series II         Connector Type       Receptacle, Male Pins         Number of Positions       12         Shell Size - Insert       14-97         Shell Size, MIL       -         Mounting Type       Panel Mount, Flange         Termination       Crimp         Fastening Type       Bayonet Lock         Orientation       N (Normal)         Ingress Protection       Environment Resistant         Shell Material, Finish       Aluminum, Nickel Plated, Electroless         Contact Finish       Gold         Features       -         Voltage - Rated       600VAC, 850VDC         Current Rating       7.5A, 13A         Report errors?   |                          |                                      |
|--|--------------------------|--------------------------------------|
| Category Connectors, Interconnects Circular Connectors  Package - Series Military, MIL-DTL-38999 Series II Connector Type Receptacle, Male Pins Number of Positions 12 Shell Size - Insert 14-97 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated Output Description Connectors  Connectors Military, MIL-DTL-38999 Series II Alitary, MIL | Manufacturer Part Number | MS27497T14F97P                       |
| Package-SeriesMilitary, MIL-DTL-38999 Series IIConnector TypeReceptacle, Male PinsNumber of Positions12Shell Size - Insert14-97Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated600VAC, 850VDCCurrent Rating7.5A, 13A   | Manufacturer             | Amphenol Aerospace Operations        |
| Package - Military, MIL-DTL-38999 Series II Connector Type Receptacle, Male Pins Number of Positions 12 Shell Size - Insert 14-97 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated 600VAC, 850VDC Current Rating 7,55, 13A   | Category                 | Connectors, Interconnects            |
| Series Military, MIL-DTL-38999 Series II  Connector Type Receptacle, Male Pins  Number of Positions 12  Shell Size - Insert 14-97  Shell Size, MIL   |                          | Circular Connectors                  |
| Connector TypeReceptacle, Male PinsNumber of Positions12Shell Size - Insert14-97Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated600VAC, 850VDCCurrent Rating7.5A, 13A  | Package                  | -                                    |
| Number of Positions12Shell Size - Insert14-97Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated600VAC, 850VDCCurrent Rating7.5A, 13A   | Series                   | Military, MIL-DTL-38999 Series II    |
| Shell Size - Insert  Shell Size, MIL  Mounting Type  Panel Mount, Flange  Termination  Crimp  Fastening Type  Bayonet Lock  Orientation  N (Normal)  Ingress Protection  Environment Resistant  Shell Material, Finish  Aluminum, Nickel Plated, Electroless  Contact Finish  Gold  Features  -  Voltage - Rated  600VAC, 850VDC  Current Rating  14-97  Aunioum, Flange  Panel Mount, Flange  Aluminum, Flange  600VAC, 850VDC  7.5A, 13A   | Connector Type           | Receptacle, Male Pins                |
| Shell Size, MIL  Mounting Type Panel Mount, Flange  Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Features - Voltage - Rated 600VAC, 850VDC Current Rating 7.5A, 13A  | Number of Positions      | 12                                   |
| Mounting Type Panel Mount, Flange  Termination Crimp  Fastening Type Bayonet Lock Orientation N (Normal)  Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold  Features - Voltage - Rated 600VAC, 850VDC  Current Rating 7.5A, 13A  | Shell Size - Insert      | 14-97                                |
| Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated 600VAC, 850VDC Current Rating 7.5A, 13A   | Shell Size, MIL          | -                                    |
| Fastening Type  Orientation  N (Normal)  Ingress Protection  Environment Resistant  Shell Material, Finish  Aluminum, Nickel Plated, Electroless  Contact Finish  Gold  Features  -  Voltage - Rated  600VAC, 850VDC  Current Rating  7.5A, 13A  | Mounting Type            | Panel Mount, Flange                  |
| Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated 600VAC, 850VDC Current Rating 7.5A, 13A   | Termination              | Crimp                                |
| Ingress Protection  Environment Resistant  Aluminum, Nickel Plated, Electroless  Contact Finish  Gold  Features  Voltage - Rated  600VAC, 850VDC  Current Rating  7.5A, 13A  | Fastening Type           | Bayonet Lock                         |
| Shell Material, Finish  Contact Finish  Gold  Features  Voltage - Rated  Current Rating  Aluminum, Nickel Plated, Electroless  Gold  -  7.5A, 13A  | Orientation              | N (Normal)                           |
| Contact Finish Gold Features - Voltage - Rated 600VAC, 850VDC Current Rating 7.5A, 13A   | Ingress Protection       | Environment Resistant                |
| Features - Voltage - Rated 600VAC, 850VDC Current Rating 7.5A, 13A   | Shell Material, Finish   | Aluminum, Nickel Plated, Electroless |
| Voltage - Rated 600VAC, 850VDC Current Rating 7.5A, 13A  | Contact Finish           | Gold                                 |
| Current Rating 7.5A, 13A   | Features                 | -                                    |
| -  | Voltage - Rated          | 600VAC, 850VDC                       |
| Report errors?   | Current Rating           | 7.5A, 13A                            |
|  |                          | Report errors?                       |

#### MS27497T14F97P Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# MS27497T14F97P Payment Methods





















### MS27497T14F97P Shipping Methods













If you have any question about MS27497T14F97P, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com