



### MS27508E12F22SD Information

Heisener.com

Part Number MS27508E12F22SD

Manufacturer Amphenol Aerospace Operations

Category Connectors, Interconnects

Circular Connectors

**Description** CONN RCPT 22POS BOX MNT W/SCKT

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com

Request a Quote



## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## MS27508E12F22SD Specifications

Manufacturer Part Number       MS27508E12F22SD         Manufacturer       Amphenol Aerospace Operations         Category       Connectors, Interconnects         Package       -         Series       Military, MIL-DTL-38999 Series II         Connector Type       Receptacle, Female Sockets         Number of Positions       22         Shell Size - Insert       12-22         Shell Size, MIL       -         Mounting Type       Panel Mount, Flange         Termination       Crimp         Fastening Type       Bayonet Lock         Orientation       D         Ingress Protection       Environment Resistant         Shell Material, Finish       Aluminum, Nickel Plated, Electroless         Contact Finish       Gold         Features       -         Voltage - Rated       400VAC, 500VDC		
Category Circular Connectors Circular Connectors  Package - Series Military, MIL-DTL-38999 Series II Connector Type Receptacle, Female Sockets Number of Positions 22 Shell Size - Insert 12-22 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Bayonet Lock Orientation D Ingress Protection Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated  Circular Connectors  Military, MIL-DTL-38999 Series II Receptacle, Female Sockets  Nilitary, MIL-DTL-38999 Series II Receptacle II	Manufacturer Part Number	MS27508E12F22SD
Circular Connectors  Package - Series Military, MIL-DTL-38999 Series II Connector Type Receptacle, Female Sockets  Number of Positions 22 Shell Size - Insert 12-22 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Bayonet Lock Orientation D Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated  Military, MIL-DTL-38999 Series II Receptacles II Receptacles II Receptacle, Female Sockets  Military, MIL-DTL-38999 Series II Receptacles II Receptacles II Receptacle, Female Sockets  Aluminum, Flange - Voltage - Rated	Manufacturer	Amphenol Aerospace Operations
Package - Military, MIL-DTL-38999 Series II  Connector Type Receptacle, Female Sockets  Number of Positions 22  Shell Size - Insert 12-22  Shell Size, MIL Panel Mount, Flange  Termination Crimp  Fastening Type Bayonet Lock  Orientation D  Ingress Protection Environment Resistant  Shell Material, Finish Aluminum, Nickel Plated, Electroless  Contact Finish Gold  Features - Voltage - Rated 400VAC, 500VDC	Category	Connectors, Interconnects
Series Military, MIL-DTL-38999 Series II  Connector Type Receptacle, Female Sockets  Number of Positions 22  Shell Size - Insert 12-22  Shell Size, MIL -  Mounting Type Panel Mount, Flange  Termination Crimp  Fastening Type Bayonet Lock  Orientation D  Ingress Protection Environment Resistant  Shell Material, Finish Aluminum, Nickel Plated, Electroless  Contact Finish Gold  Features -  Voltage - Rated 400VAC, 500VDC		Circular Connectors
Connector Type Receptacle, Female Sockets  Number of Positions 22  Shell Size - Insert 12-22  Shell Size, MIL -  Mounting Type Panel Mount, Flange  Termination Crimp  Fastening Type Bayonet Lock  Orientation D  Ingress Protection Environment Resistant  Shell Material, Finish Aluminum, Nickel Plated, Electroless  Contact Finish Gold  Features  Voltage - Rated 400VAC, 500VDC	Package	-
Number of Positions  Shell Size - Insert  12-22  Shell Size, MIL  Mounting Type  Panel Mount, Flange  Termination  Crimp  Fastening Type  Bayonet Lock  Orientation  D  Ingress Protection  Shell Material, Finish  Aluminum, Nickel Plated, Electroless  Contact Finish  Gold  Features  Voltage - Rated  22   Voltage - Rated  12-22  Panel Mount, Flange  Crimp  Bayonet Lock  D  Bayonet Lock  D  Gold  400VAC, 500VDC	Series	Military, MIL-DTL-38999 Series II
Shell Size - Insert  Shell Size, MIL  Mounting Type  Panel Mount, Flange  Termination  Crimp  Fastening Type  Bayonet Lock  Orientation  D  Ingress Protection  Environment Resistant  Shell Material, Finish  Aluminum, Nickel Plated, Electroless  Contact Finish  Gold  Features  Voltage - Rated  12-22  12-22  Panel Mount, Flange  Environment  Grimp  Bayonet Lock  D  Gold  Fouriers  -  Voltage - Rated	Connector Type	Receptacle, Female Sockets
Shell Size, MIL  Mounting Type Panel Mount, Flange  Termination Crimp  Fastening Type Bayonet Lock Orientation D Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold  Features - Voltage - Rated  400VAC, 500VDC	Number of Positions	22
Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationDIngress ProtectionEnvironment ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated400VAC, 500VDC	Shell Size - Insert	12-22
Termination Crimp Fastening Type Bayonet Lock Orientation D Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated 400VAC, 500VDC	Shell Size, MIL	-
Fastening Type  Orientation  D  Ingress Protection  Environment Resistant  Shell Material, Finish  Aluminum, Nickel Plated, Electroless  Contact Finish  Gold  Features  -  Voltage - Rated  AuovAC, 500VDC	Mounting Type	Panel Mount, Flange
Orientation D Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated 400VAC, 500VDC	Termination	Crimp
Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated 400VAC, 500VDC	Fastening Type	Bayonet Lock
Shell Material, Finish  Contact Finish  Gold  Features  - Voltage - Rated  Aluminum, Nickel Plated, Electroless  Gold  400VAC, 500VDC	Orientation	D
Contact Finish Gold Features - Voltage - Rated 400VAC, 500VDC	Ingress Protection	Environment Resistant
Features - Voltage - Rated 400VAC, 500VDC	Shell Material, Finish	Aluminum, Nickel Plated, Electroless
Voltage - Rated 400VAC, 500VDC	Contact Finish	Gold
-	Features	-
Comment Paris	Voltage - Rated	400VAC, 500VDC
Current Rating 5A	Current Rating	3A
Report errors?		Report errors?

#### MS27508E12F22SD Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### MS27508E12F22SD Payment Methods



















# MS27508E12F22SD Shipping Methods













If you have any question about MS27508E12F22SD, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com