



MS3452L16-10P Information

Heisener.com

Part Number MS3452L16-10P

Manufacturer Amphenol Aerospace Operations

Category Connectors, Interconnects

Circular Connectors

Description CONN RCPT 3POS BOX MNT W/PINS

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









MS3452L16-10P Specifications

| Manufacturer Part Number MS3452L16-10P Manufacturer Amphenol Aerospace Operations Category Connectors, Interconnects Package - Series Military, MIL-DTL-5015 Connector Type Receptacle, Male Pins Number of Positions 3 Shell Size - Insert 16-10 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Fluid Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated - Current Rating 23A | | |
|--|--------------------------|--------------------------------------|
| Category Connectors, Interconnects Circular Connectors Package - Series Military, MIL-DTL-5015 Connector Type Receptacle, Male Pins Number of Positions 3 Shell Size - Insert 16-10 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features Voltage - Rated Current Rating 23A | Manufacturer Part Number | MS3452L16-10P |
| Package-SeriesMilitary, MIL-DTL-5015Connector TypeReceptacle, Male PinsNumber of Positions3Shell Size - Insert16-10Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionFluid ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated-Current Rating23A | Manufacturer | Amphenol Aerospace Operations |
| Package - Series Military, MIL-DTL-5015 Connector Type Receptacle, Male Pins Number of Positions 3 Shell Size - Insert 16-10 Shell Size, MIL - CMOUNTING Panel Mount, Flange Termination Crimp Fastening Type Panel Mount, Flange Termination N(Normal) Ingress Protection Fluid Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - CVoltage - Rated - Current Rating 23A | Category | Connectors, Interconnects |
| SeriesMilitary, MIL-DTL-5015Connector TypeReceptacle, Male PinsNumber of Positions3Shell Size - Insert16-10Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionFluid ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated-Current Rating23A | | Circular Connectors |
| Connector TypeReceptacle, Male PinsNumber of Positions3Shell Size - Insert16-10Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionFluid ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated-Current Rating23A | Package | - |
| Number of Positions3Shell Size - Insert16-10Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionFluid ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated-Current Rating23A | Series | Military, MIL-DTL-5015 |
| Shell Size - Insert16-10Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionFluid ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated-Current Rating23A | Connector Type | Receptacle, Male Pins |
| Shell Size, MIL Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Fluid Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Features - Voltage - Rated - Current Rating - Shell Mount, Flange - Crimp Crim | Number of Positions | 3 |
| Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Fluid Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated - Current Rating 23A | Shell Size - Insert | 16-10 |
| Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Fluid Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated - Current Rating 23A | Shell Size, MIL | - |
| Fastening Type Orientation N (Normal) Ingress Protection Shell Material, Finish Contact Finish Gold Features - Voltage - Rated Current Rating Threaded N (Normal) Fluid Resistant Aluminum, Nickel Plated, Electroless Gold - 23A | Mounting Type | Panel Mount, Flange |
| Orientation N (Normal) Ingress Protection Fluid Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated - Current Rating 23A | Termination | Crimp |
| Ingress Protection Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated Current Rating Fluid Resistant Aluminum, Nickel Plated, Electroless - 23A | Fastening Type | Threaded |
| Shell Material, Finish Contact Finish Gold Features - Voltage - Rated Current Rating Aluminum, Nickel Plated, Electroless Gold - 23A | Orientation | N (Normal) |
| Contact Finish Gold Features - Voltage - Rated - Current Rating 23A | Ingress Protection | Fluid Resistant |
| Features - Voltage - Rated - Current Rating 23A | Shell Material, Finish | Aluminum, Nickel Plated, Electroless |
| Voltage - Rated - Current Rating 23A | Contact Finish | Gold |
| Current Rating 23A | Features | - |
| • | Voltage - Rated | - |
| Report errors? | Current Rating | 23A |
| | | Report errors? |

MS3452L16-10P Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

MS3452L16-10P Payment Methods



















MS3452L16-10P Shipping Methods













If you have any question about MS3452L16-10P, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com