



### MS3471L14-5P Information

Heisener.com

Part Number MS3471L14-5P

Manufacturer Amphenol Aerospace Operations

Category Connectors, Interconnects

**Circular Connectors** 

**Description** CONN RCPT 5POS INLINE PIN

**Package** 

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# MS3471L14-5P Specifications

| Manufacturer Part Number       MS3471L14-5P         Manufacturer       Amphenol Aerospace Operations         Category       Connectors, Interconnects         Package       -         Series       Military, MIL-DTL-26482 Series II         Connector Type       Receptacle, Male Pins         Number of Positions       5         Shell Size - Insert       14-5         Shell Size, MIL       -         Mounting Type       Free Hanging (In-Line)         Termination       Crimp         Fastening Type       Bayonet Lock         Orientation       N (Normal)         Ingress Protection       Environment Resistant         Shell Material, Finish       Aluminum, Nickel Plated, Electroless         Contact Finish       Gold         Features       -         Voltage - Rated       1000VAC         Current Rating       13A |                          |                                      |
|---|--------------------------|--------------------------------------|
| Category Connectors, Interconnects Circular Connectors  Package - Series Military, MIL-DTL-26482 Series II Connector Type Receptacle, Male Pins Number of Positions 5 Shell Size - Insert 14-5 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated Low Current Rating 13A   | Manufacturer Part Number | MS3471L14-5P                         |
| Package-SeriesMilitary, MIL-DTL-26482 Series IIConnector TypeReceptacle, Male PinsNumber of Positions5Shell Size - Insert14-5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated1000VACCurrent Rating13A  | Manufacturer             | Amphenol Aerospace Operations        |
| Package - Series Military, MIL-DTL-26482 Series II Connector Type Receptacle, Male Pins Number of Positions 5 Shell Size - Insert 14-5 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated 1000VAC Current Rating 13A   | Category                 | Connectors, Interconnects            |
| SeriesMilitary, MIL-DTL-26482 Series IIConnector TypeReceptacle, Male PinsNumber of Positions5Shell Size - Insert14-5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated1000VACCurrent Rating13A  |                          | Circular Connectors                  |
| Connector TypeReceptacle, Male PinsNumber of Positions5Shell Size - Insert14-5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated1000VACCurrent Rating13A   | Package                  | -                                    |
| Number of Positions5Shell Size - Insert14-5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated1000VACCurrent Rating13A  | Series                   | Military, MIL-DTL-26482 Series II    |
| Shell Size - Insert14-5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated1000VACCurrent Rating13A  | Connector Type           | Receptacle, Male Pins                |
| Shell Size, MIL  Mounting Type Free Hanging (In-Line)  Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal)  Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless  Contact Finish Features - Voltage - Rated 1000VAC  Current Rating 13A  | Number of Positions      | 5                                    |
| Mounting Type Free Hanging (In-Line)  Termination Crimp  Fastening Type Bayonet Lock  Orientation N (Normal)  Ingress Protection Environment Resistant  Shell Material, Finish Aluminum, Nickel Plated, Electroless  Contact Finish Gold  Features -  Voltage - Rated 1000VAC  Current Rating 13A   | Shell Size - Insert      | 14-5                                 |
| Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated 1000VAC Current Rating 13A   | Shell Size, MIL          | -                                    |
| Fastening Type  Orientation  N (Normal)  Ingress Protection  Environment Resistant  Shell Material, Finish  Aluminum, Nickel Plated, Electroless  Contact Finish  Gold  Features  -  Voltage - Rated  1000VAC  Current Rating  Bayonet Lock  N (Normal)  Environment Resistant  Aluminum, Nickel Plated, Electroless  1000VAC   | Mounting Type            | Free Hanging (In-Line)               |
| Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated 1000VAC Current Rating 13A   | Termination              | Crimp                                |
| Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated 1000VAC Current Rating 13A  | Fastening Type           | Bayonet Lock                         |
| Shell Material, Finish Contact Finish Gold Features - Voltage - Rated Current Rating Aluminum, Nickel Plated, Electroless Gold 1000VAC 13A  | Orientation              | N (Normal)                           |
| Contact Finish Gold Features - Voltage - Rated 1000VAC Current Rating 13A   | Ingress Protection       | Environment Resistant                |
| Features - Voltage - Rated 1000VAC Current Rating 13A   | Shell Material, Finish   | Aluminum, Nickel Plated, Electroless |
| Voltage - Rated 1000VAC Current Rating 13A  | Contact Finish           | Gold                                 |
| Current Rating 13A  | Features                 | -                                    |
| •   | Voltage - Rated          | 1000VAC                              |
| Report errors?  | Current Rating           | 13A                                  |
|   |                          | Report errors?                       |

#### MS3471L14-5P Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# MS3471L14-5P Payment Methods





















### MS3471L14-5P Shipping Methods













If you have any question about MS3471L14-5P, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com