

# MS3476L8-33P Information

Heisener.com

Part Number MS3476L8-33P

Manufacturer Amphenol Aerospace Operations

Category Connectors, Interconnects

**Circular Connectors** 

**Description** CONN PLUG 3POS INLINE PIN

**Package** 

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **MS3476L8-33P Specifications**

Manufacturer Part NumberMS3476L8-33PManufacturerAmphenol Aerospace OperationsCategoryConnectors, InterconnectsPackage-SeriesMilitary, MIL-DTL-26482 Series IIConnector TypePlug, Male PinsNumber of Positions3Shell Size - Insert8-33Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Nickel Plated, Electroless		
Category Connectors, Interconnects Circular Connectors  Package - Series Military, MIL-DTL-26482 Series II Connector Type Plug, Male Pins Number of Positions 3 Shell Size - Insert 8-33 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant	Manufacturer Part Number	MS3476L8-33P
Circular Connectors  Package - Series Military, MIL-DTL-26482 Series II  Connector Type Plug, Male Pins  Number of Positions 3 Shell Size - Insert 8-33 Shell Size, MIL  Mounting Type Free Hanging (In-Line)  Termination Crimp  Fastening Type Bayonet Lock  Orientation N (Normal)  Ingress Protection Environment Resistant	Manufacturer	Amphenol Aerospace Operations
Package - Series Military, MIL-DTL-26482 Series II Connector Type Plug, Male Pins Number of Positions 3 Shell Size - Insert 8-33 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant	Category	Connectors, Interconnects
Series Military, MIL-DTL-26482 Series II  Connector Type Plug, Male Pins  Number of Positions 3  Shell Size - Insert 8-33  Shell Size, MIL -  Mounting Type Free Hanging (In-Line)  Termination Crimp  Fastening Type Bayonet Lock  Orientation N (Normal)  Ingress Protection Environment Resistant		Circular Connectors
Connector Type Plug, Male Pins  Number of Positions 3  Shell Size - Insert 8-33  Shell Size, MIL -  Mounting Type Free Hanging (In-Line)  Termination Crimp  Fastening Type Bayonet Lock  Orientation N (Normal)  Ingress Protection Environment Resistant	Package	-
Number of Positions3Shell Size - Insert8-33Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment Resistant	Series	Military, MIL-DTL-26482 Series II
Shell Size - Insert  Shell Size, MIL  Mounting Type  Free Hanging (In-Line)  Termination  Crimp  Fastening Type  Bayonet Lock  Orientation  N (Normal)  Ingress Protection  8-33  Known and American Service Stant  Brown and American Service Stant  Environment Resistant	Connector Type	Plug, Male Pins
Shell Size, MIL  Mounting Type Free Hanging (In-Line)  Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant	Number of Positions	3
Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment Resistant	Shell Size - Insert	8-33
Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant	Shell Size, MIL	-
Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant	Mounting Type	Free Hanging (In-Line)
Orientation N (Normal) Ingress Protection Environment Resistant	Termination	Crimp
Ingress Protection Environment Resistant	Fastening Type	Bayonet Lock
	Orientation	N (Normal)
Shell Material, Finish Aluminum, Nickel Plated, Electroless	Ingress Protection	Environment Resistant
	Shell Material, Finish	Aluminum, Nickel Plated, Electroless
Contact Finish Gold	Contact Finish	Gold
Features -	Features	-
Voltage - Rated 600VAC	Voltage - Rated	600VAC
Current Rating 7.5A	Current Rating	7.5A
Report errors?		Report errors?

#### MS3476L8-33P Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### MS3476L8-33P Payment Methods



















### MS3476L8-33P Shipping Methods













If you have any question about MS3476L8-33P, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com