



## MSP430F5258IZQE Information



For Reference Only

Category Integrated Circuits (ICs) Embedded - Microcontrollers **Description** 

Part Number MSP430F5258IZQE Manufacturer Texas Instruments

IC MCU 16BIT 128KB FLASH 80BGA

**Package** 80-VFBGA

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# MSP430F5258IZQE Specifications

Manufacturer Part NumberMSP430F5258IZQEManufacturerTexas InstrumentsCategoryIntegrated Circuits (ICs)Embedded - MicrocontrollersPackage80-VFBGASeriesMSP430F5xxCore ProcessorCPUXV2Core Size16-BitSpeed25MHzConnectivityI2C, IrDA, SCI, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, DMA, POR, PWM, WDTNumber of I/O53Program Memory Size128KB (128K x 8)
Category Integrated Circuits (ICs)  Embedded - Microcontrollers  Package 80-VFBGA  Series MSP430F5xx  Core Processor CPUXV2  Core Size 16-Bit  Speed 25MHz  Connectivity I2C, IrDA, SCI, SPI, UART/USART  Peripherals Brown-out Detect/Reset, DMA, POR, PWM, WDT  Number of I/O 53
Embedded - Microcontrollers  Package 80-VFBGA  Series MSP430F5xx  Core Processor CPUXV2  Core Size 16-Bit  Speed 25MHz  Connectivity I2C, IrDA, SCI, SPI, UART/USART  Peripherals Brown-out Detect/Reset, DMA, POR, PWM, WDT  Number of I/O 53
Package 80-VFBGA  Series MSP430F5xx  Core Processor CPUXV2  Core Size 16-Bit  Speed 25MHz  Connectivity I2C, IrDA, SCI, SPI, UART/USART  Peripherals Brown-out Detect/Reset, DMA, POR, PWM, WDT  Number of I/O 53
SeriesMSP430F5xxCore ProcessorCPUXV2Core Size16-BitSpeed25MHzConnectivityI2C, IrDA, SCI, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, DMA, POR, PWM, WDTNumber of I/O53
Core Processor CPUXV2 Core Size 16-Bit Speed 25MHz Connectivity I2C, IrDA, SCI, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, POR, PWM, WDT Number of I/O 53
Core Size 16-Bit  Speed 25MHz  Connectivity 12C, IrDA, SCI, SPI, UART/USART  Peripherals Brown-out Detect/Reset, DMA, POR, PWM, WDT  Number of I/O 53
Speed25MHzConnectivityI2C, IrDA, SCI, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, DMA, POR, PWM, WDTNumber of I/O53
Connectivity I2C, IrDA, SCI, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, POR, PWM, WDT Number of I/O 53
Peripherals Brown-out Detect/Reset, DMA, POR, PWM, WDT Number of I/O 53
Number of I/O 53
Program Memory Size 128KB (128K x 8)
Togram Memory Size
Program Memory Type FLASH
EEPROM Size -
RAM Size 32K x 8
Voltage - Supply (Vcc/Vdd) 1.8 V ~ 3.6 V
Data Converters -
Oscillator Type Internal
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C} \text{ (TA)}$
Mounting Type -
Package / Case 80-VFBGA
Supplier Device Package 80-BGA MICROSTAR JUNIOR (5x5)
Report errors?

## **MSP430F5258IZQE Guarantees**



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### MSP430F5258IZQE Payment Methods





















## MSP430F5258IZQE Shipping Methods













If you have any question about MSP430F5258IZQE, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com