

MV8333

MV8333 Information



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



MV8333 Specifications

ManufacturerEverlight Electronics Co LtdCategoryOptoelectronicsLED Indication - DiscretePackageRadialSeries-ColorYellowConfiguration-ConfigurationColorlessLens ColorColorlesMillicandela Rating1500mcdVoltage - Forward (Vf) (Typ)2.1VCurrent - Test20mAViewing Angle30°Mounting TypeForough HoleWavelength - Peaka590nmFeatures-Package / CaseRadialSupplier Device Package7.1 3/4Size / Dimension-Height (Max)889mm		
Category Optoelectronics LED Indication - Discrete Package Radial Series - Color Yellow Configuration - Lens Color Colorless Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 4.83mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 20mA Mounting Type Through Hole Wavelength - Dominant - Features - Package / Case Radial Supplier Device Package Fadial Supplier Device Package T-1 3/4 Size / Dimension - Height (Max) 889mm	Manufacturer Part Number	MV8333
LED Indication - DiscretePackageRadialSeries-ColorYellowConfiguration-Lens ColorColorlessLens TansparencyClearMillicandela Rating1500mcdLens Style/SizeRound with Domed Top, 5mm (T-1 3/4), 4.83mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test20mAViewing Angle30°Mounting TypeThrough HoleWavelength - Dominant-Features-Package / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)8.89mm	Manufacturer	Everlight Electronics Co Ltd
PackageRadialSeries-ColorYellowConfiguration-Lens ColorColorlessMillicandela Rating500mcdVoltage - Forward (Vf) (Typ)210VVoltage - Forward (Vf) (Typ)20mAViewing Angle30°Wonting Type30°Wavelength - Ponkant500mntVardength - Peaka500mntPackage / Case60mntSpiplier Device Package-Size / Dimension-Size / Dimension-Height (Max)630mmtSize / Dimension-Size / Dime	Category	Optoelectronics
Series-ColorYellowConfiguration-Lens ColorColorlessLens TransparencyClearMillicandela Rating1500mcdLens Style/SizeRound with Domed Top, 5mm (T-1 3/4), 4.83mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test20mAYolwing Angle30°Mounting TypeThrough HoleWavelength - Poaka590nmFeatures-Package / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)889mm		LED Indication - Discrete
ColorYellowConfiguration-Lens ColorColorlessLens TransparencyClearMillicandela Rating1500mcdLens Style/SizeRound with Domed Top, 5mm (T-1 3/4), 4.83mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test20mAVoluming TypeThrough HoleWavelength - Dominant-Verkage / CaseS90nmPackage / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)889mm	Package	Radial
Configuration-Lens ColorColorlessLens TransparencyClearMillicandela Rating1500mcdLens Style/SizeRound with Domed Top, 5mm (T-1 3/4), 4.83mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test20mAViewing Angle30°Mounting TypeThrough HoleWavelength - Dominant-Features-Package / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)889mm	Series	-
Lens ColorColorlessLens TransparencyClearMillicandela Rating1500mcdLens Style/SizeRound with Domed Top, 5mm (T-1 3/4), 4.83mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test20mACurrent - Test20mAMounting TypeThrough HoleWavelength - Dominant-Features-Package / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)8.89mm	Color	Yellow
Lens TransparencyClearMillicandela Rating1500mcdLens Style/SizeRound with Domed Top, 5mm (T-1 3/4), 4.83mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test20mACurrent - Test30°Viewing Angle30°Mounting TypeThrough HoleWavelength - Dominant-Features590nmFeatures-Package / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)8.89mm	Configuration	-
Millicandela Rating1500mcdLens Style/SizeRound with Domed Top, 5mm (T-1 3/4), 4.83mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test20mAViewing Angle30°Mounting TypeThrough HoleWavelength - Dominant-Features590nmFeatures-Package / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)8.89mm	Lens Color	Colorless
Lens Style/SizeRound with Domed Top, 5mm (T-1 3/4), 4.83mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test20mAViewing Angle30°Mounting TypeThrough HoleWavelength - Dominant-Wavelength - Peak590nmFeatures-Package / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)8.89mm	Lens Transparency	Clear
Voltage - Forward (Vf) (Typ)2.1VCurrent - Test20mAViewing Angle30°Mounting TypeThrough HoleWavelength - Dominant-Wavelength - Peak590nmFeatures-Package / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)8.89mm	Millicandela Rating	1500mcd
Current - Test20mAViewing Angle30°Mounting TypeThrough HoleWavelength - Dominant-Wavelength - Peak590nmFeatures-Package / CaseRadialSupplier Device Package-13/4Size / Dimension-Height (Max)889mm	Lens Style/Size	Round with Domed Top, 5mm (T-1 3/4), 4.83mm
Viewing Angle30°Mounting TypeThrough HoleWavelength - Dominant-Wavelength - Peak590nmFeatures-Package / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)889mm	Voltage - Forward (Vf) (Typ)	2.1V
Mounting TypeThrough HoleWavelength - Dominant-Wavelength - Peak590nmFeatures-Package / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)8.89mm	Current - Test	20mA
Wavelength - Dominant-Wavelength - Peak590nmFeatures-Package / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)8.89mm	Viewing Angle	30°
Wavelength - Peak590nmFeatures-Package / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)8.89mm	Mounting Type	Through Hole
Features-Package / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)8.89mm	Wavelength - Dominant	-
Package / CaseRadialSupplier Device PackageT-1 3/4Size / Dimension-Height (Max)8.89mm	Wavelength - Peak	590nm
Supplier Device PackageT-1 3/4Size / Dimension-Height (Max)8.89mm	Features	-
Size / Dimension-Height (Max)8.89mm	Package / Case	Radial
Height (Max) 8.89mm	Supplier Device Package	T-1 3/4
	Size / Dimension	-
	Height (Max)	8.89mm
Report errors?		Report errors?

MV8333 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.



If you have any question about MV8333, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com