

MX1.5KE56CAE3

MX1.5KE56CAE3 Information

| Heisener.com | MX1.5KE56CAE3 Microsemi Corporation Circuit Protection TVS - Diodes TVS DIODE 47.8VWM 77VC CASE1 DO-201AA, DO-27, Axial For the pricing/inventory/lead time, please contact | |
|--------------------|---|-----------------|
| For Reference Only | us Website: https://www.heisener.com E-mail: salesdept@heisener.com | Request a Quote |

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



MX1.5KE56CAE3 Specifications

| Manufacturer Part NumberMX1.5KE56CAE3ManufacturerMicrosemi CorporationCategoryCircui ProtectionCategoryTVS - DiodesPackageDO-201AA, DO-27, AxialSeriesMiltary, MIL-PRF-19500TypeZenerUnidirectional Channels1Soltage - Reverse Standoff (Typ)47.8VVoltage - Breakdown (Min)53.2VVoltage - Clamping (Max) @ Ipp77V |
|---|
| CategoryCircui ProtectionTVS - DiodesPackageDO-201AA, DO-27, AxialSeriesMilitary, MIL-PRF-19500TypeZenerUnidirectional Channels-Bidirectional Channels1Voltage - Reverse Standoff (Typ)47.8VVoltage - Breakdown (Min)Silven |
| TVS - DiodesPackageDO-201AA, DO-27, AxialSeriesMilitary, MIL-PRF-19500TypeZenerUnidirectional Channels-Bidirectional Channels1Voltage - Reverse Standoff (Typ)47.8VVoltage - Breakdown (Min)53.2V |
| PackageDO-201AA, DO-27, AxialSeriesMilitary, MIL-PRF-19500TypeZenerUnidirectional Channels-Bidirectional Channels1Voltage - Reverse Standoff (Typ)47.8VVoltage - Breakdown (Min)53.2V |
| SeriesMilitary, MIL-PRF-19500TypeZenerUnidirectional Channels-Bidirectional Channels1Voltage - Reverse Standoff (Typ)47.8VVoltage - Breakdown (Min)53.2V |
| TypeZenerUnidirectional Channels-Bidirectional Channels1Voltage - Reverse Standoff (Typ)47.8VVoltage - Breakdown (Min)53.2V |
| Vnidirectional Channels-Bidirectional Channels1Voltage - Reverse Standoff (Typ)47.8VVoltage - Breakdown (Min)53.2V |
| Bidirectional Channels1Voltage - Reverse Standoff (Typ)47.8VVoltage - Breakdown (Min)53.2V |
| Voltage - Reverse Standoff (Typ)47.8VVoltage - Breakdown (Min)53.2V |
| Voltage - Breakdown (Min) 53.2V |
| |
| Voltage - Clamping (Max) @ Ipp 77V |
| |
| Current - Peak Pulse (10/1000µs) 19.5A |
| Power - Peak Pulse 1500W (1.5kW) |
| Power Line Protection No |
| Applications General Purpose |
| Capacitance @ Frequency - |
| Operating Temperature $-65^{\circ}C \sim 150^{\circ}C$ (TJ) |
| Mounting Type Through Hole |
| Package / Case DO-201AA, DO-27, Axial |
| Supplier Device Package CASE-1 |
| Report error |

MX1.5KE56CAE3 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

MX1.5KE56CAE3 Payment Methods



MX1.5KE56CAE3 Shipping Methods



If you have any question about MX1.5KE56CAE3, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com