



### MY2-02-AC100/110 Information

Heisener.com

Part Number MY2-02-AC100/110

Manufacturer Omron Automation and Safety

**Category** Relays

Power Relays, Over 2 Amps

**Description** RELAY GEN PURPOSE DPDT 5A 110V

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com

Request a Quote



## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## MY2-02-AC100/110 Specifications

Manufacturer Part Number     MY2-02-AC100/110       Manufacturer     Omron Automation and Safety       Category     Relays       Power Relays, Over 2 Amps       Package     -       Series     MY       Relay Type     General Purpose       Coil Type     Non Latching       Coil Current     10mA       Coil Voltage     110VAC       Contact Form     DPDT (2 Form C)       Contact Rating (Current)     5A       Switching Voltage     250VAC, 125VDC - Max       Turn On Voltage (Max)     88 VAC       Turn Off Voltage (Min)     33 VAC       Operate Time     20ms       Release Time     20ms       Features     -       Mounting Type     Through Hole       Termination Style     PC Pin		
Category Relays Power Relays, Over 2 Amps Package	Manufacturer Part Number	MY2-02-AC100/110
Package-SeriesMYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current10mACoil Voltage110VACContact FormDPDT (2 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)88 VACTurn Off Voltage (Min)33 VACOperate Time20msRelease Time20msFeatures-Mounting TypeThrough HoleTermination StylePC Pin	Manufacturer	Omron Automation and Safety
Package         -           Series         MY           Relay Type         General Purpose           Coil Type         Non Latching           Coil Current         10mA           Coil Voltage         110VAC           Contact Form         DPDT (2 Form C)           Contact Rating (Current)         5A           Switching Voltage         250VAC, 125VDC - Max           Turn On Voltage (Max)         88 VAC           Turn Off Voltage (Min)         33 VAC           Operate Time         20ms           Release Time         20ms           Features         -           Mounting Type         Through Hole           Termination Style         PC Pin	Category	Relays
SeriesMYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current10mACoil Voltage110VACContact FormDPDT (2 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)88 VACTurn Off Voltage (Min)33 VACOperate Time20msRelease Time20msFeatures-Mounting TypeThrough HoleTermination StylePC Pin		Power Relays, Over 2 Amps
Relay Type General Purpose Coil Type Non Latching Coil Current 10mA Coil Voltage 110VAC Contact Form DPDT (2 Form C) Contact Rating (Current) 5A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 88 VAC Turn Off Voltage (Min) 33 VAC Operate Time 20ms Release Time 20ms Features - Mounting Type Through Hole Termination Style PC Pin	Package	-
Coil TypeNon LatchingCoil Current10mACoil Voltage110VACContact FormDPDT (2 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)88 VACTurn Off Voltage (Min)33 VACOperate Time20msRelease Time20msFeatures-Mounting TypeThrough HoleTermination StylePC Pin	Series	MY
Coil Current10mACoil Voltage110VACContact FormDPDT (2 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)88 VACTurn Off Voltage (Min)33 VACOperate Time20msRelease Time20msFeatures-Mounting TypeThrough HoleTermination StylePC Pin	Relay Type	General Purpose
Coil Voltage110VACContact FormDPDT (2 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)88 VACTurn Off Voltage (Min)33 VACOperate Time20msRelease Time20msFeatures-Mounting TypeThrough HoleTermination StylePC Pin	Coil Type	Non Latching
Contact Form DPDT (2 Form C)  Contact Rating (Current) 5A  Switching Voltage 250VAC, 125VDC - Max  Turn On Voltage (Max) 88 VAC  Turn Off Voltage (Min) 33 VAC  Operate Time 20ms  Release Time 20ms  Features - Mounting Type Through Hole  Termination Style PC Pin	Coil Current	10mA
Contact Rating (Current)  Switching Voltage  250VAC, 125VDC - Max  Turn On Voltage (Max)  88 VAC  Turn Off Voltage (Min)  33 VAC  Operate Time  20ms  Release Time  20ms  Features  -  Mounting Type  Through Hole  Termination Style	Coil Voltage	110VAC
Switching Voltage 250VAC, 125VDC - Max  Turn On Voltage (Max) 88 VAC  Turn Off Voltage (Min) 33 VAC  Operate Time 20ms  Release Time 20ms  Features -  Mounting Type Through Hole  Termination Style PC Pin	Contact Form	DPDT (2 Form C)
Turn On Voltage (Max)  Turn Off Voltage (Min)  Operate Time  20ms  Release Time  20ms  Features  -  Mounting Type  Through Hole  Termination Style  88 VAC  20ms  20ms  PC Pin	Contact Rating (Current)	5A
Turn Off Voltage (Min)  Operate Time  20ms  Release Time  20ms  Features  - Mounting Type  Through Hole  Termination Style  33 VAC  20ms  Through Hole  PC Pin	Switching Voltage	250VAC, 125VDC - Max
Operate Time 20ms  Release Time 20ms  Features -  Mounting Type Through Hole  Termination Style PC Pin	Turn On Voltage (Max)	88 VAC
Release Time 20ms  Features - Mounting Type Through Hole Termination Style PC Pin	Turn Off Voltage (Min)	33 VAC
Features - Mounting Type Through Hole Termination Style PC Pin	Operate Time	20ms
Mounting Type Through Hole Termination Style PC Pin	Release Time	20ms
Termination Style PC Pin	Features	-
•	Mounting Type	Through Hole
Report errors?	Termination Style	PC Pin
		Report errors?

#### MY2-02-AC100/110 Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# MY2-02-AC100/110 Payment Methods



















## MY2-02-AC100/110 Shipping Methods













If you have any question about MY2-02-AC100/110, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com