

NBPLLNN030PAUNV

NBPLLNN030PAUNV Information



For Reference Only

Part Number NBPLLNN030PAUNV

Manufacturer Honeywell Sensing and Productivity Solutions

Category Sensors, Transducers

Pressure Sensors, Transducers

Description SENSOR PRES 30PSI ABSO 12V SMT

Package 6-SMD, No Lead, Top Port

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









NBPLLNN030PAUNV Specifications

Manufacturer Part NumberNBPLLNN030PAUNVManufacturerHoneywell Sensing and Productivity SolutionsCategorySensors, TransducersPressure Sensors, TransducersPackage6-SMD, No Lead, Top PortSeriesNBPPressure TypeAbsoluteOperating Pressure30 PSI (206.84 kPa)Output TypeWheatstone BridgeOutput0 mV ~ 105 mV (5V)Accuracy±0.25%Voltage - Supply1.8 V ~ 12 VPort SizeMale - 0.13" (3.18mm) Tube
Category Sensors, Transducers Pressure Sensors, Transducers Package 6-SMD, No Lead, Top Port Series NBP Pressure Type Absolute Operating Pressure 30 PSI (206.84 kPa) Output Type Wheatstone Bridge Output 0 mV ~ 105 mV (5V) Accuracy ±0.25% Voltage - Supply Sensors, Transducers Pressure Sensors, Transducers 0 MP 0 TOP PORT NBP Absolute 30 PSI (206.84 kPa) 10 mV ~ 105 mV (5V)
Pressure Sensors, Transducers Package 6-SMD, No Lead, Top Port Series NBP Pressure Type Absolute Operating Pressure 30 PSI (206.84 kPa) Output Type Wheatstone Bridge Output 0 mV ~ 105 mV (5V) Accuracy $\pm 0.25\%$ Voltage - Supply $1.8 \text{ V} \sim 12 \text{ V}$
Package6-SMD, No Lead, Top PortSeriesNBPPressure TypeAbsoluteOperating Pressure $30 \text{ PSI } (206.84 \text{ kPa})$ Output TypeWheatstone BridgeOutput $0 \text{ mV} \sim 105 \text{ mV } (5\text{V})$ Accuracy $\pm 0.25\%$ Voltage - Supply $1.8 \text{ V} \sim 12 \text{ V}$
SeriesNBPPressure TypeAbsoluteOperating Pressure $30 \text{ PSI } (206.84 \text{ kPa})$ Output TypeWheatstone BridgeOutput $0 \text{ mV} \sim 105 \text{ mV } (5\text{V})$ Accuracy $\pm 0.25\%$ Voltage - Supply $1.8 \text{ V} \sim 12 \text{ V}$
Pressure Type Absolute Operating Pressure 30 PSI (206.84 kPa) Output Type Wheatstone Bridge Output 0 mV ~ 105 mV (5V) Accuracy $\pm 0.25\%$ Voltage - Supply 1.8 V ~ 12 V
Operating Pressure 30 PSI (206.84 kPa) Output Type Wheatstone Bridge Output 0 mV \sim 105 mV (5V) Accuracy \pm 0.25% Voltage - Supply 1.8 V \sim 12 V
Output Type Wheatstone Bridge $0 \text{ mV} \sim 105 \text{ mV } (5\text{V})$ Accuracy $\pm 0.25\%$ Voltage - Supply $1.8 \text{ V} \sim 12 \text{ V}$
Output $0 \text{ mV} \sim 105 \text{ mV} (5\text{V})$ Accuracy $\pm 0.25\%$ Voltage - Supply $1.8 \text{ V} \sim 12 \text{ V}$
Accuracy $\pm 0.25\%$ Voltage - Supply $1.8 \text{ V} \sim 12 \text{ V}$
Voltage - Supply 1.8 V ~ 12 V
Port Size Male - 0.13" (3.18mm) Tube
Port Style Barbless
Features -
Termination Style Surface Mount
Maximum Pressure 60 PSI (413.69 kPa)
Operating Temperature $-40^{\circ}\text{C} \sim 125^{\circ}\text{C}$
Package / Case 6-SMD, No Lead, Top Port
Supplier Device Package -
Report errors

NBPLLNN030PAUNV Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

NBPLLNN030PAUNV Payment Methods





















NBPLLNN030PAUNV Shipping Methods













If you have any question about NBPLLNN030PAUNV, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com