

Heisener.com

NCP163AFCS180T2G

NCP163AFCS180T2G Information

Part NumberNCP163AFCS180T2GManufacturerON SemiconductorCategoryIntegrated Circuits (ICs)

PMIC - Voltage Regulators - Linear

Description IC REG LINEAR 250MA 4WLCSP

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









NCP163AFCS180T2G Specifications

Category Integrated Circuits (ICs) PMIC - Voltage Regulators - Linear Package - Series - Output Configuration Positive Output Type Fixed Number of Regulators 1 Voltage - Input (Max) 5.5 V Voltage - Output (Min/Fixed) 1.8 V Voltage - Output (Max) - Voltage Dropout (Max) 0.25 V @ 250mA Current - Output 250mA Current - Quiescent (Iq) - Current - Supply (Max) 20μA PSRR 91dB ~ 60dB (100Hz ~ 100kHz) Control Features Enable Protection Features Over Current, Over Temperature, Soft Start Operating Temperature -40°C ~ 125°C (TA) Mounting Type - Package / Case -		
Category Integrated Circuits (ICs) PMIC - Voltage Regulators - Linear Package - Series - Output Configuration Positive Output Type Fixed Number of Regulators 1 Voltage - Input (Max) 5.5 V Voltage - Output (Min/Fixed) 1.8 V Voltage - Output (Max) - Voltage Dropout (Max) 0.25 V @ 250mA Current - Output 250mA Current - Quiescent (Iq) - Current - Supply (Max) 20μA PSRR 91dB ~ 60dB (100Hz ~ 100kHz) Control Features Enable Protection Features Over Current, Over Temperature, Soft Start Operating Temperature -40°C ~ 125°C (TA) Mounting Type - Package / Case -	Manufacturer Part Number	NCP163AFCS180T2G
PMIC - Voltage Regulators - Linear Package - Series - Output Configuration Positive Output Type Fixed Number of Regulators 1 Voltage - Input (Max) 5.5V Voltage - Output (Min/Fixed) 1.8V Voltage - Output (Max) - Voltage Dropout (Max) 0.25V @ 250mA Current - Output 250mA Current - Quiescent (Iq) - Current - Supply (Max) 20μA PSRR 91dB ~ 60dB (100Hz ~ 100kHz) Control Features Enable Protection Features Over Current, Over Temperature, Soft Start Operating Temperature -40°C ~ 125°C (TA) Mounting Type - Package / Case -	Manufacturer	ON Semiconductor
Package - Series - Output Configuration Positive Output Type Fixed Number of Regulators 1 Voltage - Input (Max) 5.5V Voltage - Output (Min/Fixed) 1.8V Voltage - Output (Max) - Voltage Dropout (Max) 0.25V @ 250mA Current - Output 250mA Current - Quiescent (Iq) - Current - Supply (Max) 20μA PSRR 91dB ~ 60dB (100Hz ~ 100kHz) Control Features Enable Protection Features Over Current, Over Temperature, Soft Start Operating Temperature -40°C ~ 125°C (TA) Mounting Type - Package / Case -	Category	Integrated Circuits (ICs)
Series - Output Configuration Positive Output Type Fixed Number of Regulators 1 Voltage - Input (Max) 5.5V Voltage - Output (Min/Fixed) 1.8V Voltage - Output (Max) - Voltage Dropout (Max) 0.25V @ 250mA Current - Output 250mA Current - Quiescent (Iq) - Current - Supply (Max) 20μA PSRR 91dB ~ 60dB (100Hz ~ 100kHz) Control Features Enable Protection Features Over Current, Over Temperature, Soft Start Operating Temperature -40°C ~ 125°C (TA) Mounting Type - Package / Case -		PMIC - Voltage Regulators - Linear
Output ConfigurationPositiveOutput TypeFixedNumber of Regulators1Voltage - Input (Max)5.5VVoltage - Output (Min/Fixed)1.8VVoltage - Output (Max)-Voltage Dropout (Max)0.25V @ 250mACurrent - Output250mACurrent - Quiescent (Iq)-Current - Supply (Max)20μAPSRR91dB ~ 60dB (100Hz ~ 100kHz)Control FeaturesEnableProtection FeaturesOver Current, Over Temperature, Soft StartOperating Temperature-40°C ~ 125°C (TA)Mounting Type-Package / Case-	Package	-
Output TypeFixedNumber of Regulators1Voltage - Input (Max)5.5VVoltage - Output (Min/Fixed)1.8VVoltage - Output (Max)-Voltage Dropout (Max)0.25V @ 250mACurrent - Output250mACurrent - Quiescent (Iq)-Current - Supply (Max)20μAPSRR91dB ~ 60dB (100Hz ~ 100kHz)Control FeaturesEnableProtection FeaturesOver Current, Over Temperature, Soft StartOperating Temperature-40°C ~ 125°C (TA)Mounting Type-Package / Case-	Series	-
Number of Regulators 1 Voltage - Input (Max) 5.5 V Voltage - Output (Min/Fixed) 1.8 V Voltage - Output (Max) - Voltage Dropout (Max) 0.25 V @ 250mA Current - Output 250mA Current - Quiescent (Iq) - Current - Supply (Max) 20μA PSRR 91dB ~ 60dB (100Hz ~ 100kHz) Control Features Enable Protection Features Over Current, Over Temperature, Soft Start Operating Temperature -40°C ~ 125°C (TA) Mounting Type - Package / Case -	Output Configuration	Positive
Voltage - Input (Max) Voltage - Output (Min/Fixed) 1.8V Voltage - Output (Max) - Voltage Dropout (Max) Current - Output 250mA Current - Quiescent (Iq) - Current - Supply (Max) PSRR 91dB ~ 60dB (100Hz ~ 100kHz) Control Features Protection Features Over Current, Over Temperature, Soft Start Operating Temperature -40°C ~ 125°C (TA) Mounting Type Package / Case - 5.5V 5.5V 5.5V 5.5V 6.5V 6.5	Output Type	Fixed
Voltage - Output (Min/Fixed) Voltage - Output (Max) - Voltage Dropout (Max) Current - Output 250mA Current - Quiescent (Iq) - Current - Supply (Max) PSRR 91dB ~ 60dB (100Hz ~ 100kHz) Control Features Protection Features Over Current, Over Temperature, Soft Start -40°C ~ 125°C (TA) Mounting Type Package / Case - 1.8V	Number of Regulators	1
Voltage - Output (Max) Voltage Dropout (Max) Current - Output 250mA Current - Quiescent (Iq) - Current - Supply (Max) PSRR 91dB ~ 60dB (100Hz ~ 100kHz) Control Features Protection Features Over Current, Over Temperature, Soft Start Operating Temperature 40°C ~ 125°C (TA) Mounting Type Package / Case	Voltage - Input (Max)	5.5V
Voltage Dropout (Max) Current - Output 250mA Current - Quiescent (Iq) - Current - Supply (Max) PSRR 91dB ~ 60dB (100Hz ~ 100kHz) Control Features Protection Features Operating Temperature Operating Type Package / Case - Current - Supply (Max) - 20μA - 20μA 91dB ~ 60dB (100Hz ~ 100kHz) - 20μA	Voltage - Output (Min/Fixed)	1.8V
Current - Output 250mA Current - Quiescent (Iq) - Current - Supply (Max) 20μA PSRR 91dB ~ 60dB (100Hz ~ 100kHz) Control Features Enable Protection Features Over Current, Over Temperature, Soft Start Operating Temperature -40°C ~ 125°C (TA) Mounting Type - Package / Case -	Voltage - Output (Max)	-
Current - Quiescent (Iq)-Current - Supply (Max)20μAPSRR91dB ~ 60dB (100Hz ~ 100kHz)Control FeaturesEnableProtection FeaturesOver Current, Over Temperature, Soft StartOperating Temperature-40°C ~ 125°C (TA)Mounting Type-Package / Case-	Voltage Dropout (Max)	0.25V @ 250mA
Current - Supply (Max)20μAPSRR91dB ~ 60dB (100Hz ~ 100kHz)Control FeaturesEnableProtection FeaturesOver Current, Over Temperature, Soft StartOperating Temperature-40°C ~ 125°C (TA)Mounting Type-Package / Case-	Current - Output	250mA
PSRR 91dB ~ 60dB (100Hz ~ 100kHz) Control Features Enable Protection Features Over Current, Over Temperature, Soft Start Operating Temperature -40°C ~ 125°C (TA) Mounting Type - Package / Case -	Current - Quiescent (Iq)	-
Control Features Protection Features Over Current, Over Temperature, Soft Start -40°C ~ 125°C (TA) Mounting Type Package / Case -	Current - Supply (Max)	20μΑ
Protection Features Over Current, Over Temperature, Soft Start -40°C ~ 125°C (TA) Mounting Type - Package / Case -	PSRR	91dB ~ 60dB (100Hz ~ 100kHz)
Operating Temperature -40°C ~ 125°C (TA) Mounting Type - Package / Case -	Control Features	Enable
Mounting Type - Package / Case -	Protection Features	Over Current, Over Temperature, Soft Start
Package / Case -	Operating Temperature	-40°C ~ 125°C (TA)
	Mounting Type	-
Supplier Device Package	Package / Case	-
Supplier Device Luckuge	Supplier Device Package	-
Report errors?		Report errors?

NCP163AFCS180T2G Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

NCP163AFCS180T2G Payment Methods



















NCP163AFCS180T2G Shipping Methods













If you have any question about NCP163AFCS180T2G, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com