



NPC-1210-030A-3-L Information



For Reference Only

Part Number NPC-1210-030A-3-L

Manufacturer Amphenol Advanced Sensors

Category Sensors, Transducers

Pressure Sensors, Transducers

Description SENSOR PRES 30PSIA 0-100MV DIP

Package 8-DIP Module

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









NPC-1210-030A-3-L Specifications

Manufacturer NPC-1210-030A-3-L Manufacturer Amphenol Advanced Sensors Category Sensors, Transducers Package 8-DIP Module Series NPC-1210 Pressure Type Absolute Operating Pressure 30 PSI (206.84 kPa) Output Type Wheatstone Bridge Output 0 mV ~ 100 mV Accuracy ±0.1% Voltage - Supply - Port Size Male - 0.13" (3.23mm) Tube Port Style Barbless Features Temperature Compensated Termination Style PC Pin Maximum Pressure 90 PSI (620.53 kPa) Operating Temperature -40°C ~ 125°C Package / Case 8-DIP Module Supplier Device Package - Report errors?		
CategorySensors, TransducersPackage8-DIP ModuleSeriesNPC-1210Pressure TypeAbsoluteOperating Pressure30 PSI (206.84 kPa)Output TypeWheatstone BridgeOutput0 mV ~ 100 mVAccuracy±0.1%Voltage - Supply-Port SizeMale - 0.13" (3.23mm) TubePort StyleBarblessFeaturesTemperature CompensatedTermination StylePC PinMaximum Pressure90 PSI (620.53 kPa)Operating Temperature-40°C ~ 125°CPackage / Case8-DIP ModuleSupplier Device Package-	Manufacturer Part Number	NPC-1210-030A-3-L
Package 8-DIP Module Series NPC-1210 Pressure Type Absolute Operating Pressure Operating Pressure Output Type Wheatstone Bridge Output Output Quality	Manufacturer	Amphenol Advanced Sensors
Package 8-DIP Module Series NPC-1210 Pressure Type Absolute Operating Pressure 30 PSI (206.84 kPa) Output Type Wheatstone Bridge Output 0 mV ~ 100 mV Accuracy ±0.1% Voltage - Supply - Port Size Male - 0.13" (3.23mm) Tube Port Style Barbless Features Temperature Compensated Termination Style PC Pin Maximum Pressure 90 PSI (620.53 kPa) Operating Temperature -40°C ~ 125°C Package / Case 8-DIP Module Supplier Device Package -	Category	Sensors, Transducers
SeriesNPC-1210Pressure TypeAbsoluteOperating Pressure30 PSI (206.84 kPa)Output TypeWheatstone BridgeOutput0 mV ~ 100 mVAccuracy±0.1%Voltage - Supply-Port SizeMale - 0.13" (3.23mm) TubePort StyleBarblessFeaturesTemperature CompensatedTermination StylePC PinMaximum Pressure90 PSI (620.53 kPa)Operating Temperature-40°C ~ 125°CPackage / Case8-DIP ModuleSupplier Device Package-		Pressure Sensors, Transducers
Pressure Type Absolute Operating Pressure 30 PSI (206.84 kPa) Output Type Wheatstone Bridge Output 0 mV ~ 100 mV Accuracy ±0.1% Voltage - Supply - Port Size Male - 0.13" (3.23mm) Tube Port Style Barbless Features Temperature Compensated Termination Style PC Pin Maximum Pressure 90 PSI (620.53 kPa) Operating Temperature -40°C ~ 125°C Package / Case 8-DIP Module Supplier Device Package	Package	8-DIP Module
Operating Pressure Output Type Wheatstone Bridge Output Ou	Series	NPC-1210
Output TypeWheatstone BridgeOutput0 mV ~ 100 mVAccuracy±0.1%Voltage - Supply-Port SizeMale - 0.13" (3.23mm) TubePort StyleBarblessFeaturesTemperature CompensatedTermination StylePC PinMaximum Pressure90 PSI (620.53 kPa)Operating Temperature-40°C ~ 125°CPackage / Case8-DIP ModuleSupplier Device Package-	Pressure Type	Absolute
Output 0 mV ~ 100 mV Accuracy ±0.1% Voltage - Supply - Port Size Male - 0.13" (3.23mm) Tube Port Style Barbless Features Temperature Compensated Termination Style PC Pin Maximum Pressure 90 PSI (620.53 kPa) Operating Temperature -40°C ~ 125°C Package / Case 8-DIP Module Supplier Device Package	Operating Pressure	30 PSI (206.84 kPa)
Accuracy ±0.1% Voltage - Supply - Port Size Male - 0.13" (3.23mm) Tube Port Style Barbless Features Temperature Compensated Termination Style PC Pin Maximum Pressure 90 PSI (620.53 kPa) Operating Temperature -40°C ~ 125°C Package / Case 8-DIP Module Supplier Device Package	Output Type	Wheatstone Bridge
Voltage - Supply Port Size Male - 0.13" (3.23mm) Tube Barbless Features Temperature Compensated Termination Style PC Pin Maximum Pressure 90 PSI (620.53 kPa) Operating Temperature -40°C ~ 125°C Package / Case 8-DIP Module Supplier Device Package	Output	0 mV ~ 100 mV
Port Size Male - 0.13" (3.23mm) Tube Port Style Barbless Features Temperature Compensated Termination Style PC Pin Maximum Pressure 90 PSI (620.53 kPa) Operating Temperature -40°C ~ 125°C Package / Case 8-DIP Module Supplier Device Package	Accuracy	±0.1%
Port Style Features Temperature Compensated Termination Style PC Pin Maximum Pressure 90 PSI (620.53 kPa) Operating Temperature -40°C ~ 125°C Package / Case 8-DIP Module Supplier Device Package	Voltage - Supply	-
Features Temperature Compensated PC Pin Maximum Pressure 90 PSI (620.53 kPa) Operating Temperature -40°C ~ 125°C Package / Case 8-DIP Module Supplier Device Package	Port Size	Male - 0.13" (3.23mm) Tube
Termination Style PC Pin Maximum Pressure 90 PSI (620.53 kPa) Operating Temperature -40°C ~ 125°C Package / Case 8-DIP Module Supplier Device Package -	Port Style	Barbless
Maximum Pressure 90 PSI (620.53 kPa) Operating Temperature -40°C ~ 125°C Package / Case 8-DIP Module Supplier Device Package -	Features	Temperature Compensated
Operating Temperature-40°C ~ 125°CPackage / Case8-DIP ModuleSupplier Device Package-	Termination Style	PC Pin
Package / Case 8-DIP Module Supplier Device Package -	Maximum Pressure	90 PSI (620.53 kPa)
Supplier Device Package -	Operating Temperature	-40°C ~ 125°C
	Package / Case	8-DIP Module
Report errors?	Supplier Device Package	-
		Report errors?

NPC-1210-030A-3-L Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

NPC-1210-030A-3-L Payment Methods



















NPC-1210-030A-3-L Shipping Methods













If you have any question about NPC-1210-030A-3-L, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com