



OP191GS Information



For Reference Only

Part Number OP191GS

Manufacturer Analog Devices Inc.

Category Integrated Circuits (ICs)

Linear - Amplifiers - Instrumentation, OP Amps,

Buffer Amps

Description IC OPAMP GP 3MHZ RRO 8SOIC **Package** 8-SOIC (0.154", 3.90mm Width)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









OP191GS Specifications

Manufacturer Part Number OP191GS Manufacturer Analog Devices Inc. Category Integrated Circuits (ICs) Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps Package 8-SOIC (0.154", 3.90mm Width) Series - Amplifier Type General Purpose Number of Circuits 1 Output Type Rail-to-Rail Slew Rate 0.5 V/μs Gain Bandwidth Product 3MHz -3db Bandwidth - Current - Input Bias 30nA Voltage - Input Offset 80μV	
Category Integrated Circuits (ICs) Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps Package 8-SOIC (0.154", 3.90mm Width) Series - Amplifier Type General Purpose Number of Circuits 1 Output Type Rail-to-Rail Slew Rate 0.5 V/µs Gain Bandwidth Product 3MHz -3db Bandwidth - Current - Input Bias 30nA	
Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps Package 8-SOIC (0.154", 3.90mm Width) Series - Amplifier Type General Purpose Number of Circuits 1 Output Type Rail-to-Rail Slew Rate 0.5 V/μs Gain Bandwidth Product 3MHz -3db Bandwidth - Current - Input Bias 30nA	
Package8-SOIC (0.154", 3.90mm Width)Series-Amplifier TypeGeneral PurposeNumber of Circuits1Output TypeRail-to-RailSlew Rate0.5 V/μsGain Bandwidth Product3MHz-3db Bandwidth-Current - Input Bias30nA	
Series - Amplifier Type General Purpose Number of Circuits 1 Output Type Rail-to-Rail Slew Rate 0.5 V/µs Gain Bandwidth Product 3MHz -3db Bandwidth - Current - Input Bias 30nA	
Amplifier TypeGeneral PurposeNumber of Circuits1Output TypeRail-to-RailSlew Rate0.5 V/μsGain Bandwidth Product3MHz-3db Bandwidth-Current - Input Bias30nA	
Number of Circuits Output Type Rail-to-Rail Slew Rate 0.5 V/µs Gain Bandwidth Product -3db Bandwidth - Current - Input Bias 1 Rail-to-Rail 0.5 V/µs 3MHz -3db Bandwidth -	
Output Type Rail-to-Rail Slew Rate 0.5 V/µs Gain Bandwidth Product 3MHz -3db Bandwidth - Current - Input Bias 30nA	
Slew Rate 0.5 V/μs Gain Bandwidth Product 3MHz -3db Bandwidth - Current - Input Bias 30nA	
Gain Bandwidth Product -3db Bandwidth - Current - Input Bias 30nA	
-3db Bandwidth - Current - Input Bias 30nA	
Current - Input Bias 30nA	
-	
Voltage - Input Offset 80uV	
Current - Supply 260µA	
Current - Output / Channel 16mA	
Voltage - Supply, Single/Dual (\pm) 2.7 V ~ 12 V, \pm 1.35 V ~ 6 V	
Operating Temperature $-40^{\circ}\text{C} \sim 125^{\circ}\text{C}$	
Mounting Type Surface Mount	
Package / Case 8-SOIC (0.154", 3.90mm Width)	
Supplier Device Package 8-SOIC	
Report e	rrors?

OP191GS Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

OP191GS Payment Methods



















OP191GS Shipping Methods













If you have any question about OP191GS, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com