



OPA234E/2K5 Information



For Reference Only

Part Number OPA234E/2K5

Manufacturer Texas Instruments

Category Integrated Circuits (ICs)

Linear - Amplifiers - Instrumentation, OP Amps,

Buffer Amps

Description IC OPAMP GP 350KHZ 8VSSOP

Package 8-TSSOP, 8-MSOP (0.118", 3.00mm Width)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









OPA234E/2K5 Specifications

Manufacturer Part NumberOPA234E/2K5ManufacturerTexas InstrumentsCategoryIntegrated Circuits (ICs)Linear - Amplifiers - Instrumentation, OP Amps, Buffer AmpsPackage8-TSSOP, 8-MSOP (0.118", 3.00mm Width)Series-Amplifier TypeGeneral PurposeNumber of Circuits1Output Type-Slew Rate0.2 V/μsGain Bandwidth Product350kHz-3db Bandwidth-Current - Input Bias12nAVoltage - Input Offset70μV	
Category Integrated Circuits (ICs) Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps Package 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Series - Amplifier Type General Purpose Number of Circuits 1 Output Type - Slew Rate 0.2 V/µs Gain Bandwidth Product -3db Bandwidth - Current - Input Bias 12nA	
Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps Package 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Series - Amplifier Type General Purpose Number of Circuits 1 Output Type - Slew Rate 0.2 V/μs Gain Bandwidth Product 350kHz -3db Bandwidth - Current - Input Bias 12nA	
Package8-TSSOP, 8-MSOP (0.118", 3.00mm Width)Series-Amplifier TypeGeneral PurposeNumber of Circuits1Output Type-Slew Rate0.2 V/μsGain Bandwidth Product350kHz-3db Bandwidth-Current - Input Bias12nA	
Series - Amplifier Type General Purpose Number of Circuits 1 Output Type - Slew Rate 0.2 V/μs Gain Bandwidth Product 350kHz -3db Bandwidth - Current - Input Bias 12nA	
Amplifier Type Number of Circuits 1 Output Type - Slew Rate 0.2 V/µs Gain Bandwidth Product -3db Bandwidth - Current - Input Bias General Purpose 1 - Curpose - Seneral Purpose - 1 - 1 - 1 1 1 1 1 1 1 1	
Number of Circuits 1 Output Type - Slew Rate 0.2 V/μs Gain Bandwidth Product 350kHz -3db Bandwidth - Current - Input Bias 12nA	
Output Type - Slew Rate 0.2 V/µs Gain Bandwidth Product 350kHz -3db Bandwidth - Current - Input Bias 12nA	
Slew Rate 0.2 V/μs Gain Bandwidth Product 350kHz -3db Bandwidth - Current - Input Bias 12nA	
Gain Bandwidth Product -3db Bandwidth -Current - Input Bias	
-3db Bandwidth - Current - Input Bias 12nA	
Current - Input Bias 12nA	
-	
Voltage - Input Offset 70μV	
Current - Supply 275μA	
Current - Output / Channel 22mA	
Voltage - Supply, Single/Dual (\pm) 2.7 V ~ 36 V, \pm 1.35 V ~ 18 V	
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	
Mounting Type Surface Mount	
Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	
Supplier Device Package 8-VSSOP	
Report err	ors?

OPA234E/2K5 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

OPA234E/2K5 Payment Methods





















OPA234E/2K5 Shipping Methods













If you have any question about OPA234E/2K5, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com