

P01-12C-2E Information

Part Number P01-12C-2E Manufacturer NKK Switches Category Optoelectronics Heisener.com

Panel Indicators, Pilot Lights

Description INCAND PANEL INDICATOR RED 12V

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









P01-12C-2E Specifications

Manufacturer Part Number P01-12C-2E Manufacturer NKK Switches Category Optoelectronics Panel Indicators, Pilot Lights Package - Series - Type Incandescent Lamp Color Red Lens Color Red Lens Transparency Diffused Ratings Vf (Typ), If (Max) Voltage 12V Current 50mA Panel Cutout Shape Square Panel Cutout Dimensions 0.76" x 0.76" (19.30mm x 19.30mm) Lens Style/Size Rectangle with Flat Top, 16.20mm x 16.00mm Millicandela Rating - Wavelength - Peak - Viewing Angle - Termination Style - Ingress Protection - Features - Report errors?		
Category Optoelectronics Panel Indicators, Pilot Lights Package - Series - Type Incandescent Lamp Color Red Lens Color Red Lens Transparency Diffused Ratings Vf (Typ), If (Max) Voltage 12V Current 50mA Panel Cutout Shape Square Panel Cutout Dimensions 0.76" x 0.76" (19.30mm x 19.30mm) Lens Style/Size Rectangle with Flat Top, 16.20mm x 16.00mm Millicandela Rating - Wavelength - Peak - Viewing Angle - Termination Style - Ingress Protection - Features -	Manufacturer Part Number	P01-12C-2E
Package Series Type Incandescent Lamp Color Red Lens Color Red Lens Transparency Diffused Ratings Vf (Typ), If (Max) Voltage 12V Current 50mA Panel Cutout Shape Square Panel Cutout Dimensions 0.76" x 0.76" (19.30mm x 19.30mm) Lens Style/Size Rectangle with Flat Top, 16.20mm x 16.00mm Millicandela Rating Wavelength - Peak Viewing Angle Termination Style Ingress Protection Features	Manufacturer	NKK Switches
Package - Series - Type Incandescent Lamp Color Red Lens Color Red Lens Transparency Diffused Ratings Vf (Typ), If (Max) Voltage 12V Current 50mA Panel Cutout Shape Square Panel Cutout Dimensions 0.76" x 0.76" (19.30mm x 19.30mm) Lens Style/Size Rectangle with Flat Top, 16.20mm x 16.00mm Millicandela Rating - Wavelength - Peak - Viewing Angle - Termination Style - Ingress Protection - Features -	Category	Optoelectronics
Series - Type Incandescent Lamp Color Red Lens Color Red Lens Transparency Diffused Ratings Vf (Typ), If (Max) Voltage 12V Current 50mA Panel Cutout Shape Square Panel Cutout Dimensions 0.76" x 0.76" (19.30mm x 19.30mm) Lens Style/Size Rectangle with Flat Top, 16.20mm x 16.00mm Millicandela Rating - Wavelength - Peak - Viewing Angle - Termination Style - Ingress Protection - Features -		Panel Indicators, Pilot Lights
TypeIncandescentLamp ColorRedLens ColorRedLens TransparencyDiffusedRatingsVf (Typ), If (Max)Voltage12VCurrent50mAPanel Cutout ShapeSquarePanel Cutout Dimensions0.76" x 0.76" (19.30mm x 19.30mm)Lens Style/SizeRectangle with Flat Top, 16.20mm x 16.00mmMillicandela Rating-Wavelength - Peak-Viewing Angle-Termination Style-Ingress Protection-Features-	Package	-
Lamp Color Lens Color Red Lens Transparency Diffused Ratings Vf (Typ), If (Max) Voltage 12V Current 50mA Panel Cutout Shape Panel Cutout Dimensions Lens Style/Size Rectangle with Flat Top, 16.20mm x 16.00mm Millicandela Rating Wavelength - Peak Viewing Angle Termination Style Ingress Protection Features Red Diffused Red Red Red Red Red Red Red Red Red R	Series	-
Lens ColorRedLens TransparencyDiffusedRatingsVf (Typ), If (Max)Voltage12VCurrent50mAPanel Cutout ShapeSquarePanel Cutout Dimensions0.76" x 0.76" (19.30mm x 19.30mm)Lens Style/SizeRectangle with Flat Top, 16.20mm x 16.00mmMillicandela Rating-Wavelength - Peak-Viewing Angle-Termination Style-Ingress Protection-Features-	Type	Incandescent
Lens TransparencyDiffusedRatingsVf (Typ), If (Max)Voltage12VCurrent50mAPanel Cutout ShapeSquarePanel Cutout Dimensions0.76" x 0.76" (19.30mm x 19.30mm)Lens Style/SizeRectangle with Flat Top, 16.20mm x 16.00mmMillicandela Rating-Wavelength - Peak-Viewing Angle-Termination Style-Ingress Protection-Features-	Lamp Color	Red
Ratings Vf (Typ), If (Max) Voltage 12V Current 50mA Panel Cutout Shape Panel Cutout Dimensions 0.76" x 0.76" (19.30mm x 19.30mm) Lens Style/Size Rectangle with Flat Top, 16.20mm x 16.00mm Millicandela Rating - Wavelength - Peak Viewing Angle - Termination Style Ingress Protection Features - Vi (Typ), If (Max) Vi (Max) Analy Analy Square Analy Analy Analy - Ingress Protection - Features - Features - Commanda Analy	Lens Color	Red
Voltage 12V Current 50mA Panel Cutout Shape Square Panel Cutout Dimensions 0.76" x 0.76" (19.30mm x 19.30mm) Lens Style/Size Rectangle with Flat Top, 16.20mm x 16.00mm Millicandela Rating - Wavelength - Peak - Viewing Angle - Termination Style - Ingress Protection - Features -	Lens Transparency	Diffused
Current 50mA Panel Cutout Shape Square Panel Cutout Dimensions 0.76" x 0.76" (19.30mm x 19.30mm) Lens Style/Size Rectangle with Flat Top, 16.20mm x 16.00mm Millicandela Rating - Wavelength - Peak - Viewing Angle - Termination Style - Ingress Protection - Features -	Ratings	Vf (Typ), If (Max)
Panel Cutout Dimensions 0.76" x 0.76" (19.30mm x 19.30mm) Lens Style/Size Rectangle with Flat Top, 16.20mm x 16.00mm Millicandela Rating - Wavelength - Peak - Viewing Angle - Termination Style - Ingress Protection - Features - Square Rectangle with Flat Top, 16.20mm x 16.00mm - - Square Rectangle with Flat Top, 16.20mm x 16.00mm - - Square Rectangle with Flat Top, 16.20mm x 16.00mm - Square - Square - Rectangle with Flat Top, 16.20mm x 16.00mm - Square - Squar	Voltage	12V
Panel Cutout Dimensions 0.76" x 0.76" (19.30mm x 19.30mm) Rectangle with Flat Top, 16.20mm x 16.00mm Millicandela Rating - Wavelength - Peak Viewing Angle Termination Style Ingress Protection Features - 0.76" x 0.76" (19.30mm x 19.30mm) - Rectangle with Flat Top, 16.20mm x 16.00mm - - - - - - - - - - - -	Current	50mA
Lens Style/SizeRectangle with Flat Top, 16.20mm x 16.00mmMillicandela Rating-Wavelength - Peak-Viewing Angle-Termination Style-Ingress Protection-Features-	Panel Cutout Shape	Square
Millicandela Rating - Wavelength - Peak - Viewing Angle - Termination Style - Ingress Protection - Features -	Panel Cutout Dimensions	0.76" x 0.76" (19.30mm x 19.30mm)
Wavelength - Peak Viewing Angle Termination Style Ingress Protection Features - - - - - - - - - - - - -	Lens Style/Size	Rectangle with Flat Top, 16.20mm x 16.00mm
Viewing Angle-Termination Style-Ingress Protection-Features-	Millicandela Rating	-
Termination Style - Ingress Protection - Features -	Wavelength - Peak	-
Ingress Protection - Features -	Viewing Angle	-
Features -	Termination Style	-
	Ingress Protection	-
Report errors?	Features	-
		Report errors?

P01-12C-2E Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

P01-12C-2E Payment Methods



















P01-12C-2E Shipping Methods













If you have any question about P01-12C-2E, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com