

# P51-15-A-N-P-20MA

#### P51-15-A-N-P-20MA Information

Heisener.com	Part Number	P51-15-A-N-P-20MA	
	Manufacturer	SSI Technologies Inc	En la Page
	Category	Sensors, Transducers Pressure Sensors, Transducers	
	Description	SENSOR 15PSI 1.2-20 UNF-2A 20MA	1524
	Package	Cylinder	- AU
		For the pricing/inventory/lead time, please contact	E 1997 A
For Reference Only		us	
		Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



Quote

## P51-15-A-N-P-20MA Specifications

Manufacturer Part Number     P51-15-A-N-P-20MA       Manufacturer     SSI Technologies Inc       Category     Sensors, Transducers       Package     Cylinder       Package     Cylinder       Series     MediaSensor?       Pressure Type     Absolute       Operating Pressure     15 PSI (103.42 kPa)       Output Type     Analog Current       Output     4 mA ~ 20 mA       Accuracy     ±1%       Voltage - Supply     8 V ~ 30 V       Port Style     Threaded       Features     Amplified Output, Temperature Compensated       Maximum Pressure     -       Operating Temperature     40°C ~ 105°C       Package / Case     Cylinder		
CategorySensors, TransducersPackageCylinderPackageCylinderSeriesMediaSensor?Pressure TypeAbsoluteOperating Pressure15 PSI (103.42 kPa)Output TypeAnalog CurrentOutput4 mA ~ 20 mAAccuracy±1%Voltage - Supply8 V ~ 30 VPort Size-Port StyleInreadedFeaturesAmplified Output, Temperature CompensatedMaximum Pressure-Operating Temperature-Operating Temperature-Operating Temperature-Operating Temperature-Operating Temperature-Operating Temperature-Operating Temperature-Operating Temperature-Operating Temperature-Supplier Device Package-Supplier Device Package-	Manufacturer Part Number	P51-15-A-N-P-20MA
PackagePressure Sensors, TransducersPackageCylinderSeriesMediaSensor?Pressure TypeAbsolueOperating Pressure15 PSI (103.42 kPa)Output TypeAnalog CurrentOutput4 mA ~ 20 mAAccuracy±1%Voltage - Supply8 V ~ 30 VPort Size-Port StyleThreadedTermination StyleAnaplified Output, Temperature CompensatedMaximum Pressure-Operating Temperature-Port Size-StyleSuplified Output, Temperature CompensatedMaximum Pressure-Operating Temperature-Operating Temperature-Supplier Device Package-Supplier Device Package-	Manufacturer	SSI Technologies Inc
PackageCylinderSeriesMediaSensor?Pressure TypeAbsoluteOperating Pressure15 PSI (103.42 kPa)Output TypeAnalog CurrentOutput Type4 mA ~ 20 mAAccuracy±1%Voltage - Supply8 V ~ 30 VPort Size-Port StyleManified Output, Temperature CompensatedFeaturesManified Output, Temperature CompensatedMaximum Pressure-Operating Temperature40°C ~ 105°CPackage / Case-Supplier Device Package-Supplier Device Package-	Category	Sensors, Transducers
SeriesMediaSensor?Pressure TypeAbsoluteOperating Pressure15 PSI (103.42 kPa)Output TypeAnalog CurrentOutput Queut4 mA ~ 20 mAAccuracy±1%Voltage - Supply8 V ~ 30 VPort Size-Port StyleMmalfield Output, Temperature CompensatedFeaturesAmplifield Output, Temperature CompensatedMaximum Pressure-Operating Temperature-40°C ~ 105°CPackage / Case-Supplier Device Package-Supplier Device Package-		Pressure Sensors, Transducers
Pressure TypeAbsoluteOperating Pressure15 PSI (103.42 kPa)Output TypeAnalog CurrentOutput Output4 mA ~ 20 mAAccuracy±1%Voltage - Supply8 V ~ 30 VPort Size-Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedPremination Style-Operating Temperature-Operating Temperature-Supplier Device Package-Supplier Device Package- <t< td=""><td>Package</td><td>Cylinder</td></t<>	Package	Cylinder
Operating Pressure15 PSI (103.42 kPa)Output TypeAnalog CurrentOutput4 mA ~ 20 mAAccuracy±1%Voltage - Supply8 V ~ 30 VPort Size-Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedMaximum Pressure-Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Series	MediaSensor?
Output TypeAnalog CurrentOutput4 mA ~ 20 mAAccuracy±1%Voltage - Supply8 V ~ 30 VPort Size-Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedMaximum Pressure-Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Pressure Type	Absolute
Output4 mA ~ 20 mAAccuracy±1%Voltage - Supply8 V ~ 30 VPort Size-Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedTermination StylePackard, 3 PinMaximum Pressure-Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Operating Pressure	15 PSI (103.42 kPa)
Accuracy±1%Voltage - Supply8 V ~ 30 VPort Size-Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedTermination StylePackard, 3 PinMaximum Pressure-Operating Temperature40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Output Type	Analog Current
Voltage - Supply8 V ~ 30 VPort Size-Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedTermination StylePackard, 3 PinMaximum Pressure-Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Output	4 mA ~ 20 mA
Port Size-Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedTermination StylePackard, 3 PinMaximum Pressure-Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Accuracy	$\pm 1\%$
Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedTermination StylePackard, 3 PinMaximum Pressure-Operating Temperature40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Voltage - Supply	8 V ~ 30 V
FeaturesAmplified Output, Temperature CompensatedTermination StylePackard, 3 PinMaximum Pressure-Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Port Size	-
Termination StylePackard, 3 PinMaximum Pressure-Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Port Style	Threaded
Maximum Pressure-Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Features	Amplified Output, Temperature Compensated
Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Termination Style	Packard, 3 Pin
Package / Case Cylinder   Supplier Device Package -	Maximum Pressure	-
Supplier Device Package -	Operating Temperature	$-40^{\circ}\text{C} \sim 105^{\circ}\text{C}$
	Package / Case	Cylinder
Report en	Supplier Device Package	-
		Report errors?

#### P51-15-A-N-P-20MA Guarantees



**Quality Guarantees** 

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

#### P51-15-A-N-P-20MA Payment Methods



### P51-15-A-N-P-20MA Shipping Methods



If you have any question about P51-15-A-N-P-20MA, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com