

## P51-75-S-N-P-4.5V

#### P51-75-S-N-P-4.5V Information

| Heisener.com       | <br>P51-75-S-N-P-4.5V<br>SSI Technologies Inc<br>Sensors, Transducers<br>Pressure Sensors, Transducers<br>SENSOR 75PSI 1.2-20 UNF-2A 4.5V<br>Cylinder<br>For the pricing/inventory/lead time, please contact |                 |
|--------------------|--|-----------------|
| For Reference Only | us<br>Website: https://www.heisener.com<br>E-mail: salesdept@heisener.com  | Request a Quote |

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



## P51-75-S-N-P-4.5V Specifications

| Manufacturer     SSI Technologies Inc       Category     Sensors, Transducers       Pressure Sensors, Transducers     Pressure Sensors, Transducers       Package     Cylinder       Series     MediaSensor?       Pressure Type     Sealed Gauge       Operating Pressure     75 PSI (517.11 kPa)       Output Type     Analog Voltage       Output Type     0.5 V ~ 4.5 V       Accuracy     ±0.5%       Voltage - Supply     5V       Port Size     -       Port Style     Amplified Output, Temperature Compensated       Features     Amplified Output, Temperature Compensated       Port Style     -       Permination Style     -       Maximum Pressure     -       Operating Temperature     -       Package / Case     Cylinder   |                          |   |
|--|--------------------------|---|
| CategorySensors, TransducersPressure Sensors, TransducersPackageCylinderSeriesMediaSensor?Pressure TypeSealed GaugeOperating Pressure75 PSI (517.11 kPa)Output TypeAnalog VoltageOutput Type0.5 V ~ 4.5 VAccuracy±0.5%Voltage - Supply5VPort StyleThreadedFeaturesAmplified Output, Temperature CompensatedFeatures-Operating Trensere-Operating Trensere-StyleCutput, Temperature CompensatedFeatures-Analog Collage-Operating Temperature-Operating Temperature-Operating Temperature-Operating Temperature-Supplier Device Package-Supplier Device Package-   | Manufacturer Part Number | P51-75-S-N-P-4.5V                         |
| Pressure Sensors, TransducersPackageCylinderSeriesMediaSensor?Pressure TypeSealed GaugeOperating Pressure75 PSI (517.11 kPa)Output TypeAnalog VoltageOutput Type0.5 V ~ 4.5 VAccuracy±0.5%Voltage - Supply5VPort Size-Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedFeatures-Operating Temperature-Operating Temperature-Operating Temperature-Supplier Device Package-Supplier Device Package-   | Manufacturer             | SSI Technologies Inc                      |
| PackageCylinderSeriesMediaSensor?Pressure TypeSealed GaugeOperating PressureSPSI (517.11 kPa)Output TypeAnalog VoltageOutput Type0.5 V ~ 4.5 VAccuracy90.5 %Voltage - Supply5VPort Size-PresturesMilfied Output, Temperature CompensatedFeaturesAnaly Sing Pin StylePrentintion Style-Operating Temperature-Package / Case-Supplier Device Package-Supplier De | Category                 | Sensors, Transducers                      |
| SeriesMediaSensor?Pressure TypeSealed GaugeOperating Pressure75 PSI (517.11 kPa)Output TypeAnalog VoltageOutput Type0.5 V ~ 4.5 VAccuracy±0.5%Voltage - Supply5VPort Size-Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedFeatures-Maximum Pressure-Operating Temperature-40°C ~ 105°CPackage / Case-Supplier Device Package-   |                          | Pressure Sensors, Transducers             |
| Pressure TypeSealed GaugeOperating Pressure75 PSI (517.11 kPa)Output TypeAnalog VoltageOutput Output0.5 V ~ 4.5 VAccuracy±0.5%Voltage - Supply5VPort Size-Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedPertination Style-Axianum Pressure-Operating Temperature-Operating Temperature-Supplier Device Package-Supplier Device Package-   | Package                  | Cylinder                                  |
| Operating Pressure75 PSI (517.11 kPa)Output TypeAnalog VoltageOutput Output0.5 V ~ 4.5 VAccuracy±0.5%Voltage - Supply5VPort Size-Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedPermination Style-Operating Temperature-Operating Temperature-Opera                            | Series                   | MediaSensor?                              |
| Output TypeAnalog VoltageOutput Type0.5 V ~ 4.5 VOutput0.5 V ~ 4.5 VAccuracy±0.5%Voltage - Supply5VPort Size-Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedPermination StylePackard, 3 PinMaximum Pressure-Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-   | Pressure Type            | Sealed Gauge                              |
| Dutput0.5 V ~ 4.5 VAccuracy±0.5%Voltage - Supply5VPort Size-Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedFermination StylePackard, 3 PinMaximum Pressure-Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-  | Operating Pressure       | 75 PSI (517.11 kPa)                       |
| Accuracy±0.5%Accuracy5VVoltage - Supply5VPort Size-Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedFermination StylePackard, 3 PinMaximum Pressure-Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-   | Output Type              | Analog Voltage                            |
| Voltage - Supply5VPort Size-Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedFermination StylePackard, 3 PinMaximum Pressure-Operating Temperature40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-   | Output                   | 0.5 V ~ 4.5 V                             |
| Port Size-Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedTermination StylePackard, 3 PinMaximum Pressure-Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-  | Accuracy                 | $\pm 0.5\%$                               |
| Port StyleThreadedFeaturesAmplified Output, Temperature CompensatedTermination StylePackard, 3 PinMaximum Pressure-Operating Temperature40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-   | Voltage - Supply         | 5V  |
| FeaturesAmplified Output, Temperature CompensatedTermination StylePackard, 3 PinMaximum Pressure-Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-  | Port Size                | -   |
| Termination StylePackard, 3 PinMaximum Pressure-Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-   | Port Style               | Threaded                                  |
| Maximum Pressure-Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-  | Features                 | Amplified Output, Temperature Compensated |
| Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-   | Termination Style        | Packard, 3 Pin                            |
| Package / Case Cylinder   Supplier Device Package -  | Maximum Pressure         | -   |
| Supplier Device Package -  | Operating Temperature    | -40°C ~ 105°C                             |
|  | Package / Case           | Cylinder                                  |
| Report errors?   | Supplier Device Package  | -   |
|  |                          | Report errors?                            |

#### P51-75-S-N-P-4.5V Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE SUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

## P51-75-S-N-P-4.5V Payment Methods



### P51-75-S-N-P-4.5V Shipping Methods



If you have any question about P51-75-S-N-P-4.5V, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com