


P61-2000-S-A-I12-20MA-A Information



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



P61-2000-S-A-I12-20MA-A Specifications

ManufacturerSSI Technologies IncCategorySensors, TransducersPressure Sensors, TransducersPackageCylinderSeriesMediaSensor?Pressure TypeSealed GaugeOperating Pressure2000 PSI (13789.51 kPa)Output TypeAnalog CurrentOutput Type4 mA ~ 20 mAAccuracy±0.5%Voltage - Supply8 V ~ 30 VPort SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeatures-Termination Style12" Integral HarnessMaximum Pressure6000 PSI (41368.54 kPa)Operating Temperature+40°C ~ 105°CPackage / CaseCylinder		
CategorySensors, TransducersPackagePressure Sensors, TransducersPackageCylinderSeriesMediaSensor?Pressure TypeSealed GaugeOperating Pressure2000 PSI (13789.51 kPa)Output TypeAnalog CurrentOutput Type4 mA ~ 20 mAAccuracy±0.5%Voltage - Supply8 V ~ 30 VPort SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeatures-Termination Style12" Integral HarnessMaximum Pressure6000 PSI (41368.54 kPa)Operating Temperature-40°C ~ 105°CPackage / Case-Supplier Device Package-	Manufacturer Part Number	P61-2000-S-A-I12-20MA-A
PackagePressure Sensors, TransducersPackageCylinderSeriesMediaSensor?Pressure TypeSealed GaugeOperating Pressure2000 PSI (13789.51 kPa)Output TypeAnalog CurrentOutput4 mA ~ 20 mAAccuracy±0.5%Voltage - Supply8 V ~ 30 VPort SizeMale - 1/4" (6.35mm) NPTPort Style-Termination Style12" Integral HarnessMaximum Pressure6000 PSI (41368.54 kPa)Operating Temperature-40°C ~ 105°CPackage / CasecylinderSupplier Device Package-	Manufacturer	SSI Technologies Inc
PackageCylinderSeriesMediaSensor?Pressure TypeSealed GaugeOperating Pressure2000 PSI (13789.51 kPa)Output TypeAnalog CurrentOutput Type4 mA ~ 20 mAAccuracy±0.5%Voltage - Supply8 V ~ 30 VPort SizeMale - 1/4" (6.35mm) NPTPort Syle-Features-Termination Style12" Integral HarnessOperating Temperature6000 PSI (41368.54 kPa)Operating Temperature-Package / CaseCylinderSupplier Device Package-Supplier Device Package-	Category	Sensors, Transducers
SeriesMediaSensor?Pressure TypeSealed GaugeOperating Pressure2000 PSI (13789.51 kPa)Output TypeAnalog CurrentOutput Queue4 mA ~ 20 mAAccuracy±0.5%Voltage - Supply8 V ~ 30 VPort SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeatures-Termination Style12" Integral HarnessMaximum Pressure6000 PSI (41368.54 kPa)Operating Temperature-40°C ~ 105°CPackage / Case-Supplier Device Package-		Pressure Sensors, Transducers
Pressure TypeSealed GaugeOperating Pressure2000 PSI (13789.51 kPa)Output TypeAnalog CurrentOutput Quest4 mA ~ 20 mAAccuracy±0.5%Voltage - Supply8 V ~ 30 VPort SizeMale - 1/4" (6.35mm) NPTPort Style-Features-Termination Style6000 PSI (41368.54 kPa)Operating Temperature-Port Size6000 PSI (41368.54 kPa)Operating Temperature-Supplier Device Package-Supplier Device Package-Supplier Device Package-	Package	Cylinder
Operating Pressure2000 PSI (13789.51 kPa)Output TypeAnalog CurrentOutput4 mA ~ 20 mAAccuracy±0.5%Voltage - Supply8 V ~ 30 VPort SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeatures-Termination Style12" Integral HarnessMaximum Pressure6000 PSI (41368.54 kPa)Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Series	MediaSensor?
OutputAnalog CurrentOutput4 mA ~ 20 mAAccuracy±0.5%Voltage - Supply8 V ~ 30 VPort SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeatures-Termination Style6000 PSI (41368.54 kPa)Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Pressure Type	Sealed Gauge
Output4 mA ~ 20 mAAccuracy±0.5%Voltage - Supply8 V ~ 30 VPort SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeatures-Termination Style12" Integral HarnessMaximum Pressure6000 PSI (41368.54 kPa)Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Operating Pressure	2000 PSI (13789.51 kPa)
Accuracy±0.5%Accuracy\$V ~ 30 VVoltage - Supply8 V ~ 30 VPort SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeatures-Termination Style12" Integral HarnessMaximum Pressure6000 PSI (41368.54 kPa)Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Output Type	Analog Current
Voltage - Supply8 V ~ 30 VPort SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeatures-Termination Style12" Integral HarnessMaximum Pressure6000 PSI (41368.54 kPa)Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Output	4 mA ~ 20 mA
Port SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeatures-Termination Style12" Integral HarnessMaximum Pressure6000 PSI (41368.54 kPa)Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Accuracy	±0.5%
Port StyleThreadedFeatures-Termination Style12" Integral HarnessMaximum Pressure6000 PSI (41368.54 kPa)Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Voltage - Supply	8 V ~ 30 V
Features-Termination Style12" Integral HarnessMaximum Pressure6000 PSI (41368.54 kPa)Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Port Size	Male - 1/4" (6.35mm) NPT
Termination Style12" Integral HarnessMaximum Pressure6000 PSI (41368.54 kPa)Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Port Style	Threaded
Maximum Pressure6000 PSI (41368.54 kPa)Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Features	-
Operating Temperature-40°C ~ 105°CPackage / CaseCylinderSupplier Device Package-	Termination Style	12" Integral Harness
Package / Case Cylinder Supplier Device Package -	Maximum Pressure	6000 PSI (41368.54 kPa)
Supplier Device Package	Operating Temperature	-40°C ~ 105°C
	Package / Case	Cylinder
Report errors?	Supplier Device Package	-
		Report errors?

P61-2000-S-A-I12-20MA-A Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

P61-2000-S-A-I12-20MA-A Payment Methods





If you have any question about P61-2000-S-A-I12-20MA-A, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com