

P6KE33A

P6KE33A Information



Part NumberP6KE33AManufacturerSTMicroelectronicsCategoryCircuit Protection
TVS - DiodesDescriptionTVS DIODE 28VWM 59VCPackageDO-204AC, DO-15, Axial
For the pricing/inventory/lead time, please contact
us
Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

For Reference Only

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



P6KE33A Specifications

Manufacturer Part Number P6KE33A Manufacturer STMicroelectronics Category Circuit Protection Package D0-204AC, DO-15, Axial Package D0-204AC, DO-15, Axial Series P6KE, TRANSIL? Type Zener Unidirectional Channels 1 Bidirectional Channels - Voltage - Reverse Standoff (Typ) 28V Voltage - Reverse Standoff (Typ) 31.4V Voltage - Clamping (Max) @ Ipp 59V Current - Peak Pulse (10/1000µs) 68A (8/20µs) Power Line Protection No Applications General Purpose Capacitance @ Frequency 1000pF @ IMHz Operating Type - Mounting Type Through Hole Package / Case DO-204AC, DO-15, Axial		
CategoryCircuit ProtectionTVS - DiodesPackageDO-204AC, DO-15, AxialSeriesP6KE, TRANSIL?TypeZenerUnidrectional Channels1Bidirectional Channels28VVoltage - Reverse Standoff (Typ)31.4VVoltage - Breakdown (Min)59VOutrent - Peak Pulse (10/100µs)68A (8/2µs)Power - Peak PulseMountApplicationsGeneral PurposeApplicationsGeneral PurposeApplicationsGoorge - MangeApplicationsGoorge - MangeApplicationsGoorge - MangeApplications-Applications-Applications-Applications-Applications-Applenge - Peak Pulse-Applications-Applex - Peak Pulse-Applications-Applex - Peak Pulse-Applications-Applex - Peak Pulse-Applex - Peak Pulse- <td>Manufacturer Part Number</td> <td>РбКЕЗЗА</td>	Manufacturer Part Number	РбКЕЗЗА
PackageTVS - DiodesPackageDO-204AC, DO-15, AxialSeriesP6KE, TRANSIL?TypeZenerUnidirectional Channels1Bidirectional Channels-Voltage - Reverse Standoff (Typ)28VVoltage - Breakdown (Min)31.4VVoltage - Clamping (Max) @ Ipp59VCurrent - Peak Pulse (10/1000µs)68A (8/20µs)Power - Peak Pulse600WPower Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency1000pF @ 11MHzOperating Temperature-Mounting TypeThrough HolePackage / CaseDO-204AC, DO-15, AxialSupplier Device PackageDO-15	Manufacturer	STMicroelectronics
PackageDO-204AC, DO-15, AxialSeriesP6KE, TRANSIL?TypeZenerUnidirectional Channels1Bidirectional Channels-Voltage - Reverse Standoff (Typ)28VVoltage - Breakdown (Min)31.4VVoltage - Clamping (Max) @ Ipp59VCurrent - Peak Pulse (10/1000µs)68A (8/20µs)Power - Peak Pulse600WPower Line ProtectionNoApplicationsGeneral PurposeCuprating Temperature1000pF @ 11MHzOperating TemperatureThrough HolePackage / CaseDO-204AC, DO-15, AxialSupplier Device PackageDO-15	Category	Circuit Protection
SeriesP6KE, TRANSIL?TypeZenerUnidirectional Channels1Bidirectional Channels-Voltage - Reverse Standoff (Typ)28VVoltage - Breakdown (Min)31.4VVoltage - Clamping (Max) @ Ipp59VCurrent - Peak Pulse (10/100µs)68A (8/20µs)Power - Peak Pulse000WPower Line ProtectionNoApplicationsGeneral PurposeOperating Temperature-Mounting Type1000pF @ 1MHzPackage / CaseDO-204AC, DO-15, AxialSupplier Device PackageDO-15		TVS - Diodes
TypeZenerUnidirectional Channels1Bidirectional Channels-Voltage - Reverse Standoff (Typ)28VVoltage - Breakdown (Min)31.4VVoltage - Clamping (Max) @ Ipp59VCurrent - Peak Pulse (10/100µs)68A (8/20µs)Power - Peak Pulse000WPower Line ProtectionNoApplicationsGeneral PurposeOperating Temperature-Operating Temperature-Power Line ProtectionD00PF @ 11MHzOperating Temperature-Mounting TypeDnogh MaleStage / CaseD0-204AC, DO-15, AxialSupplier Device PackageD0-15	Package	DO-204AC, DO-15, Axial
NInstrumentUnidirectional Channels1Bidirectional Channels-Voltage - Reverse Standoff (Typ)28VVoltage - Breakdown (Min)31.4VVoltage - Clamping (Max) @ Ipp59VCurrent - Peak Pulse (10/1000µs)68A (8/20µs)Power - Peak Pulse600WPower - Peak Pulse600WPower Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency1000pF @ 1MHzOperating Temperature-Mounting TypeThrough HolePackage / CaseDO-204AC, DO-15, AxialSupplier Device PackageDO-15	Series	P6KE, TRANSIL?
Bidirectional Channels-Voltage - Reverse Standoff (Typ)28VVoltage - Breakdown (Min)31.4VVoltage - Clamping (Max) @ Ipp59VCurrent - Peak Pulse (10/100µs)68A (8/20µs)Power - Peak Pulse600WPower Line ProtectionNoApplicationsGeneral PurposeOperating Temperature-Mounting Type1000pF @ 11MHzPackage / CaseDo-204AC, DO-15, AxialSupplier Device PackageDo-15	Туре	Zener
Voltage - Reverse Standoff (Typ)28VVoltage - Breakdown (Min)31.4VVoltage - Clamping (Max) @ Ipp59VCurrent - Peak Pulse (10/1000µs)68A (8/20µs)Power - Peak Pulse600WPower Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency1000pF @ 1MHzOperating Temperature-Mounting TypeThrough HolePackage / CaseDO-204AC, DO-15, AxialSupplier Device PackageDO-15	Unidirectional Channels	1
Voltage - Breakdown (Min)31.4VVoltage - Clamping (Max) @ Ipp59VCurrent - Peak Pulse (10/1000µs)68A (8/20µs)Power - Peak Pulse600WPower Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency1000pF @ 1MHzOperating Temperature-Mounting TypeThrough HolePackage / CaseDO-204AC, DO-15, AxialSupplier Device PackageDO-15	Bidirectional Channels	-
Voltage - Clamping (Max) @ Ipp59VCurrent - Peak Pulse (10/1000µs)68A (8/20µs)Power - Peak Pulse600WPower Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency1000pF @ 1MHzOperating Temperature-Mounting TypeThrough HolePackage / CaseDO-204AC, DO-15, AxialSupplier Device PackageDO-15	Voltage - Reverse Standoff (Typ)	28V
Current - Peak Pulse (10/1000µs)68A (8/20µs)Power - Peak Pulse600WPower Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency1000pF @ 1MHzOperating Temperature-Mounting TypeThrough HolePackage / CaseDO-204AC, DO-15, AxialSupplier Device PackageDO-15	Voltage - Breakdown (Min)	31.4V
Power - Peak Pulse600WPower Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency1000pF @ 1MHzOperating Temperature-Mounting TypeThrough HolePackage / CaseDO-204AC, DO-15, AxialSupplier Device PackageDO-15	Voltage - Clamping (Max) @ Ipp	59V
Power Line ProtectionNoApplicationsGeneral PurposeCapacitance @ Frequency1000pF @ 1MHzOperating Temperature-Mounting TypeThrough HolePackage / CaseDO-204AC, DO-15, AxialSupplier Device PackageDO-15	Current - Peak Pulse (10/1000µs)	68A (8/20µs)
ApplicationsGeneral PurposeCapacitance @ Frequency1000pF @ 1MHzOperating Temperature-Mounting TypeThrough HolePackage / CaseDO-204AC, DO-15, AxialSupplier Device PackageDO-15	Power - Peak Pulse	600W
Capacitance @ Frequency1000pF @ 1MHzOperating Temperature-Mounting TypeThrough HolePackage / CaseDO-204AC, DO-15, AxialSupplier Device PackageDO-15	Power Line Protection	No
Operating Temperature-Mounting TypeThrough HolePackage / CaseDO-204AC, DO-15, AxialSupplier Device PackageDO-15	Applications	General Purpose
Mounting TypeThrough HolePackage / CaseDO-204AC, DO-15, AxialSupplier Device PackageDO-15	Capacitance @ Frequency	1000pF @ 1MHz
Package / CaseDO-204AC, DO-15, AxialSupplier Device PackageDO-15	Operating Temperature	-
Supplier Device Package DO-15	Mounting Type	Through Hole
	Package / Case	DO-204AC, DO-15, Axial
Report erro	Supplier Device Package	DO-15
		Report errors

P6KE33A Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE SUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.



If you have any question about P6KE33A, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com