

PBA50F-5-RN1 Information

Part Number PBA50F-5-RN1 **Manufacturer** Cosel USA, Inc.

Category Power Supplies - External/Internal (Off-Board)

AC DC Converters

Description AC/DC PS (ENCLOSED TYPE)

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









PBA50F-5-RN1 Specifications

| Manufacturer Part Number PBA50F-5-RNI Manufacturer Cosel USA, Inc. Category Power Supplies - External/Internal (Off-Board) AC DC Converters Package - Series * Type - Number of Outputs - Voltage - Input - Voltage - Output 1 - Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) - Power (Watts) - Applications - Voltage - Isolation - Efficiency - Operating Temperature - Features - Mounting Type - Size / Dimension - Report errors? | | |
|--|--------------------------|--|
| Category Power Supplies - External/Internal (Off-Board) AC DC Converters Package - Series * Type - Number of Outputs - Voltage - Input - Voltage - Output 1 - Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) - Power (Watts) - Applications - Voltage - Isolation - Efficiency - Operating Temperature - Features - Mounting Type - Size / Dimension - | Manufacturer Part Number | PBA50F-5-RN1 |
| Package - Series * Type - Number of Outputs - Voltage - Input - Voltage - Output 1 - Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) - Power (Watts) - Applications - Voltage - Isolation - Efficiency - Operating Temperature - Features - Mounting Type - Size / Dimension - | Manufacturer | Cosel USA, Inc. |
| Package - Series * Type - Number of Outputs - Voltage - Input - Voltage - Output 1 - Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) - Power (Watts) - Applications - Voltage - Isolation - Efficiency - Operating Temperature - Features - Mounting Type - Size / Dimension - | Category | Power Supplies - External/Internal (Off-Board) |
| Series * Type - Number of Outputs - Voltage - Input - Voltage - Output 1 - Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) - Power (Watts) - Applications - Voltage - Isolation - Efficiency - Operating Temperature - Features - Mounting Type - Size / Dimension - | | AC DC Converters |
| Type | Package | - |
| Number of Outputs-Voltage - Input-Voltage - Output 1-Voltage - Output 2-Voltage - Output 3-Voltage - Output 4-Current - Output (Max)-Power (Watts)-Applications-Voltage - Isolation-Efficiency-Operating Temperature-Features-Mounting Type-Size / Dimension- | Series | * |
| Voltage - Input-Voltage - Output 1-Voltage - Output 2-Voltage - Output 3-Voltage - Output 4-Current - Output (Max)-Power (Watts)-Applications-Voltage - Isolation-Efficiency-Operating Temperature-Features-Mounting Type-Size / Dimension- | Туре | - |
| Voltage - Output 1-Voltage - Output 2-Voltage - Output 3-Voltage - Output 4-Current - Output (Max)-Power (Watts)-Applications-Voltage - Isolation-Efficiency-Operating Temperature-Features-Mounting Type-Size / Dimension- | Number of Outputs | - |
| Voltage - Output 2-Voltage - Output 3-Voltage - Output 4-Current - Output (Max)-Power (Watts)-Applications-Voltage - Isolation-Efficiency-Operating Temperature-Features-Mounting Type-Size / Dimension- | Voltage - Input | - |
| Voltage - Output 3 Voltage - Output 4 Current - Output (Max) Power (Watts) Applications Voltage - Isolation Efficiency Operating Temperature Features Mounting Type Size / Dimension - Control of the second of the sec | Voltage - Output 1 | - |
| Voltage - Output 4 Current - Output (Max) - Power (Watts) - Applications - Voltage - Isolation - Efficiency - Operating Temperature Features - Mounting Type - Size / Dimension | Voltage - Output 2 | - |
| Current - Output (Max)-Power (Watts)-Applications-Voltage - Isolation-Efficiency-Operating Temperature-Features-Mounting Type-Size / Dimension- | Voltage - Output 3 | - |
| Power (Watts) - Applications - Voltage - Isolation - Efficiency - Operating Temperature - Features - Mounting Type - Size / Dimension Size / Dimension | Voltage - Output 4 | - |
| Applications Voltage - Isolation Efficiency Operating Temperature Features Mounting Type Size / Dimension - - - - - - - - - - - - - | Current - Output (Max) | - |
| Voltage - Isolation-Efficiency-Operating Temperature-Features-Mounting Type-Size / Dimension- | Power (Watts) | - |
| Efficiency - Operating Temperature - Features - Mounting Type - Size / Dimension - | Applications | - |
| Operating Temperature - Features - Mounting Type - Size / Dimension - | Voltage - Isolation | - |
| Features - Mounting Type - Size / Dimension - | Efficiency | - |
| Mounting Type - Size / Dimension - | Operating Temperature | - |
| Size / Dimension - | Features | - |
| | Mounting Type | - |
| Report errors? | Size / Dimension | - |
| | | Report errors? |

PBA50F-5-RN1 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

PBA50F-5-RN1 Payment Methods



















PBA50F-5-RN1 Shipping Methods













If you have any question about PBA50F-5-RN1, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com