

PBC20DAFN

PBC20DAFN Information

litter	Rectangular Connectors - Headers, Male PinsiptionCONN HEADER .100 DUAL STR 40POS	
For Reference Only	Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



PBC20DAFN Specifications

Manufacturer Part Number	PBC20DAFN
Manufacturer	Sullins Connector Solutions
Category	Connectors, Interconnects
	Rectangular Connectors - Headers, Male Pins
Package	-
Series	-
Connector Type	Header, Breakaway
Contact Type	Male Pin
Pitch - Mating	0.100" (2.54mm)
Style	Board to Board or Cable
Shrouding	Unshrouded
Number of Positions	40
Number of Positions Loaded	All
Number of Rows	2
Row Spacing - Mating	0.100" (2.54mm)
Mounting Type	Through Hole
Termination	Solder
Fastening Type	Push-Pull
Contact Length - Mating	0.230" (5.84mm)
Contact Length - Post	0.620" (15.75mm)
Overall Contact Length	0.950" (24.13mm)
Insulation Height	0.100" (2.54mm)
Contact Shape	Square
Contact Finish - Mating	Gold

Contact Finish Thickness - Mating	10μin (0.25μm)
Contact Finish - Post	Tin
Contact Material	Phosphor Bronze
Insulation Material	Polybutylene Terephthalate (PBT)
Features	-
Operating Temperature	-65°C ~ 125°C
Ingress Protection	-
Material Flammability Rating	UL94 V-0
Insulation Color	Black
	Report errors?

PBC20DAFN Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANIEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

PBC20DAFN Payment Methods



If you have any question about PBC20DAFN, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com