

### **PC-120-8 Information**

Heisener.com

Part Number PC-120-8

Manufacturer Signal Transformer

Category Transformers **Power Transformers** 

**Description** XFRMR LAMINATED 1VA THRU HOLE

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **PC-120-8 Specifications**

Manufacturer Part NumberPC-120-8ManufacturerSignal TransformerCategoryTransformersPackage-SeriesPCTypeLaminated CoreVoltage - Primary115VVoltage - Secondary (Full Load)Parallel 60V, Series 120VCurrent - Output (Max)Parallel 16mA, Series 8mAPrimary Winding(s)SingleSecondary Winding(s)DualCenter TapNoPower - Max1 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension25.40mm L x 34.92mm WVoltage - Isolation1500VrmsWeight0.157 lb (71.21g)		
Category         Transformers           Package         -           Series         PC           Type         Laminated Core           Voltage - Primary         115V           Voltage - Secondary (Full Load)         Parallel 60V, Series 120V           Current - Output (Max)         Parallel 16mA, Series 8mA           Primary Winding(s)         Single           Secondary Winding(s)         Dual           Center Tap         No           Power - Max         1 VA           Mounting Type         Through Hole           Termination Style         PC Pin           Size / Dimension         25.40mm L x 34.92mm W           Height - Seated (Max)         21.08mm           Voltage - Isolation         1500Vrms           Weight         0.157 lb (71.21g)	Manufacturer Part Number	PC-120-8
Package         -           Series         PC           Type         Laminated Core           Voltage - Primary         115 V           Voltage - Secondary (Full Load)         Parallel 60V, Series 120 V           Current - Output (Max)         Parallel 16mA, Series 8mA           Primary Winding(s)         Single           Secondary Winding(s)         Dual           Center Tap         No           Power - Max         1 VA           Mounting Type         Through Hole           Termination Style         PC Pin           Size / Dimension         25.40mm L x 34.92mm W           Height - Seated (Max)         21.08mm           Voltage - Isolation         1500Vrms           Weight         0.157 lb (71.21g)	Manufacturer	Signal Transformer
Package-SeriesPCTypeLaminated CoreVoltage - Primary115VVoltage - Secondary (Full Load)Parallel 60V, Series 120VCurrent - Output (Max)Parallel 16mA, Series 8mAPrimary Winding(s)SingleSecondary Winding(s)DualCenter TapNoPower - Max1 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension25.40mm L x 34.92mm WHeight - Seated (Max)21.08mmVoltage - Isolation1500VrmsWeight0.157 lb (71.21g)	Category	Transformers
SeriesPCTypeLaminated CoreVoltage - Primary115VVoltage - Secondary (Full Load)Parallel 60V, Series 120VCurrent - Output (Max)Parallel 16mA, Series 8mAPrimary Winding(s)SingleSecondary Winding(s)DualCenter TapNoPower - Max1 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension25.40mm L x 34.92mm WHeight - Seated (Max)21.08mmVoltage - Isolation1500VrmsWeight0.157 lb (71.21g)		Power Transformers
Type Laminated Core  Voltage - Primary 115V  Voltage - Secondary (Full Load) Parallel 60V, Series 120V  Current - Output (Max) Parallel 16mA, Series 8mA  Primary Winding(s) Single  Secondary Winding(s) Dual  Center Tap No  Power - Max 1 VA  Mounting Type Through Hole  Termination Style PC Pin  Size / Dimension 25,40mm L x 34,92mm W  Height - Seated (Max) 21.08mm  Voltage - Isolation 1500Vrms  Weight 0.157 lb (71.21g)	Package	-
Voltage - Primary  Voltage - Secondary (Full Load)  Parallel 60V, Series 120V  Current - Output (Max)  Parallel 16mA, Series 8mA  Primary Winding(s)  Single  Secondary Winding(s)  Dual  Center Tap  No  Power - Max  1 VA  Mounting Type  Through Hole  Termination Style  Size / Dimension  PC Pin  Size / Dimension  25.40mm L x 34.92mm W  Height - Seated (Max)  Voltage - Isolation  Voltage - Isolation  Weight	Series	PC
Voltage - Secondary (Full Load)  Current - Output (Max)  Parallel 16mA, Series 8mA  Primary Winding(s)  Single  Secondary Winding(s)  Dual  Center Tap  No  Power - Max  1 VA  Mounting Type  Through Hole  Termination Style  Size / Dimension  25.40mm L x 34.92mm W  Height - Seated (Max)  Voltage - Isolation  Weight  Parallel 60V, Series 120V  Parallel 16mA, Series 8mA  Single  Dual  No  Poul  Popla  1 VA  No  1 VA  1 VA  1 VA  1 VA  PC Pin  25.40mm L x 34.92mm W  1 Size / Dimension  1 500Vrms  Voltage - Isolation  0 .157 lb (71.21g)	Туре	Laminated Core
Current - Output (Max)Parallel 16mA, Series 8mAPrimary Winding(s)SingleSecondary Winding(s)DualCenter TapNoPower - Max1 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension25.40mm L x 34.92mm WHeight - Seated (Max)21.08mmVoltage - Isolation1500VrmsWeight0.157 lb (71.21g)	Voltage - Primary	115V
Primary Winding(s) Secondary Winding(s) Dual Center Tap No Power - Max 1 VA Mounting Type Through Hole Termination Style Size / Dimension Size / Dimension 4 25.40mm L x 34.92mm W Height - Seated (Max) Voltage - Isolation 1500Vrms Weight 0.157 lb (71.21g)	Voltage - Secondary (Full Load)	Parallel 60V, Series 120V
Secondary Winding(s)DualCenter TapNoPower - Max1 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension25.40mm L x 34.92mm WHeight - Seated (Max)21.08mmVoltage - Isolation1500VrmsWeight0.157 lb (71.21g)	Current - Output (Max)	Parallel 16mA, Series 8mA
Center Tap No Power - Max 1 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 25.40mm L x 34.92mm W Height - Seated (Max) 21.08mm Voltage - Isolation 1500Vrms Weight 0.157 lb (71.21g)	Primary Winding(s)	Single
Power - Max 1 VA  Mounting Type Through Hole  Termination Style PC Pin  Size / Dimension 25.40mm L x 34.92mm W  Height - Seated (Max) 21.08mm  Voltage - Isolation 1500Vrms  Weight 0.157 lb (71.21g)	Secondary Winding(s)	Dual
Mounting Type Through Hole PC Pin Size / Dimension 25.40mm L x 34.92mm W Height - Seated (Max) 21.08mm Voltage - Isolation 1500Vrms Weight 0.157 lb (71.21g)	Center Tap	No
Termination Style PC Pin Size / Dimension 25.40mm L x 34.92mm W Height - Seated (Max) 21.08mm Voltage - Isolation 1500Vrms Weight 0.157 lb (71.21g)	Power - Max	1 VA
Size / Dimension 25.40mm L x 34.92mm W  Height - Seated (Max) 21.08mm  Voltage - Isolation 1500Vrms  Weight 0.157 lb (71.21g)	Mounting Type	Through Hole
Height - Seated (Max)  Voltage - Isolation  Veight  21.08mm  1500Vrms  0.157 lb (71.21g)	Termination Style	PC Pin
Voltage - Isolation 1500Vrms Weight 0.157 lb (71.21g)	Size / Dimension	25.40mm L x 34.92mm W
Weight 0.157 lb (71.21g)	Height - Seated (Max)	21.08mm
	Voltage - Isolation	1500Vrms
Report errors?	Weight	0.157 lb (71.21g)
		Report errors?

### PC-120-8 Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# **PC-120-8 Payment Methods**





















### **PC-120-8 Shipping Methods**













If you have any question about PC-120-8, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com