

PC-24-50B17 Information

Heisener.com

Part Number PC-24-50B17

Manufacturer Pulse Electronics Power

Category Transformers

Power Transformers

Description XFRMR LAMINATED 1.2VA THRU HOLE

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









PC-24-50B17 Specifications

| Manufacturer Part Number PC-24-50B17 Manufacturer Pulse Electronics Power Category Transformers Power Transformers Power Transformers Package - Series PC Plug-In Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Parallel 100mA, Series 50mA Primary Winding(s) Single Secondary Winding(s) Dual Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 1.500Vmms | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|-----------------------------|
| CategoryTransformersPackage-SeriesPC Plug-InTypeLaminated CoreVoltage - Primary115 VVoltage - Secondary (Full Load)Parallel 12V, Series 24 VCurrent - Output (Max)Parallel 100mA, Series 50mAPrimary Winding(s)SingleSecondary Winding(s)DualCenter TapNoPower - Max1.2 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension34.93mm L x 28.58mm WHeight - Seated (Max)30.18mm | Manufacturer Part Number | PC-24-50B17 |
| Package - Series PC Plug-In Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Parallel 100mA, Series 50mA Primary Winding(s) Single Secondary Winding(s) Dual Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm | Manufacturer | Pulse Electronics Power |
| Package-SeriesPC Plug-InTypeLaminated CoreVoltage - Primary115 VVoltage - Secondary (Full Load)Parallel 12V, Series 24VCurrent - Output (Max)Parallel 100mA, Series 50mAPrimary Winding(s)SingleSecondary Winding(s)DualCenter TapNoPower - Max1.2 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension34.93mm L x 28.58mm WHeight - Seated (Max)30.18mm | Category | Transformers |
| Series PC Plug-In Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Parallel 100mA, Series 50mA Primary Winding(s) Single Secondary Winding(s) Dual Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm | | Power Transformers |
| Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Parallel 100mA, Series 50mA Primary Winding(s) Single Secondary Winding(s) Dual Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm | Package | - |
| Voltage - Primary Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Parallel 100mA, Series 50mA Primary Winding(s) Secondary Winding(s) Dual Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) | Series | PC Plug-In |
| Voltage - Secondary (Full Load) Current - Output (Max) Parallel 100mA, Series 50mA Primary Winding(s) Secondary Winding(s) Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) | Type | Laminated Core |
| Current - Output (Max) Primary Winding(s) Secondary Winding(s) Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) Parallel 100mA, Series 50mA Single Dual Power - Max No 1.2 VA 30.18mm | Voltage - Primary | 115V |
| Primary Winding(s) Secondary Winding(s) Dual Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) Single Dual No Powar No 1.2 VA 1.2 VA 30.18mm | Voltage - Secondary (Full Load) | Parallel 12V, Series 24V |
| Secondary Winding(s)DualCenter TapNoPower - Max1.2 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension34.93mm L x 28.58mm WHeight - Seated (Max)30.18mm | Current - Output (Max) | Parallel 100mA, Series 50mA |
| Center Tap No Power - Max 1.2 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm | Primary Winding(s) | Single |
| Power - Max 1.2 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm | Secondary Winding(s) | Dual |
| Mounting Type Through Hole Termination Style PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm | Center Tap | No |
| Termination Style PC Pin Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm | Power - Max | 1.2 VA |
| Size / Dimension 34.93mm L x 28.58mm W Height - Seated (Max) 30.18mm | Mounting Type | Through Hole |
| Height - Seated (Max) 30.18mm | Termination Style | PC Pin |
| | Size / Dimension | 34.93mm L x 28.58mm W |
| Voltage Isolation 1500Vmms | Height - Seated (Max) | 30.18mm |
| voltage - Isolation 1500 vrms | Voltage - Isolation | 1500Vrms |
| Weight 0.188 lb (85.28g) | Weight | 0.188 lb (85.28g) |
| Report errors? | | Report errors? |

PC-24-50B17 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

PC-24-50B17 Payment Methods



















PC-24-50B17 Shipping Methods













If you have any question about PC-24-50B17, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com