



PCA.0S.304.CLLC37 Information

Heisener.com

Part Number PCA.0S.304.CLLC37

Manufacturer LEMO

Category Connectors, Interconnects

Circular Connectors

Description CONN INLINE RCPT 4SKT SLD CUP

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









PCA.0S.304.CLLC37 Specifications

Manufacturer Part NumberPCA.0S.304.CLLC37ManufacturerLEMOCategoryConnectors, InterconnectsPackage-Series0SConnector TypeReceptacle, Female Sockets and Male PinsNumber of Positions4Shell Size - Insert304Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypePush-Pull, Detent LockOrientationKeyedIngress ProtectionIP50 - Dust ProtectedShell Material, FinishBrass, Chrome PlatedContact FinishGoldFeaturesBackshell, Shielded		
Category Circular Connectors Package - Series OS Connector Type Receptacle, Female Sockets and Male Pins Number of Positions 4 Shell Size - Insert 304 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Backshell, Shielded	Manufacturer Part Number	PCA.0S.304.CLLC37
Circular Connectors Package - Series 0S Connector Type Receptacle, Female Sockets and Male Pins Number of Positions 4 Shell Size - Insert 304 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Backshell, Shielded	Manufacturer	LEMO
Package - OS Connector Type Receptacle, Female Sockets and Male Pins Number of Positions 4 Shell Size - Insert 304 Shell Size, MIL - Free Hanging (In-Line) Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Gold Features Backshell, Shielded	Category	Connectors, Interconnects
Series0SConnector TypeReceptacle, Female Sockets and Male PinsNumber of Positions4Shell Size - Insert304Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypePush-Pull, Detent LockOrientationKeyedIngress ProtectionIP50 - Dust ProtectedShell Material, FinishBrass, Chrome PlatedContact FinishGoldFeaturesBackshell, Shielded		Circular Connectors
Connector Type Receptacle, Female Sockets and Male Pins Number of Positions 4 Shell Size - Insert 304 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Backshell, Shielded	Package	-
Number of Positions Shell Size - Insert 304 Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Backshell, Shielded	Series	0S
Shell Size - Insert Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Backshell, Shielded	Connector Type	Receptacle, Female Sockets and Male Pins
Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Backshell, Shielded	Number of Positions	4
Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypePush-Pull, Detent LockOrientationKeyedIngress ProtectionIP50 - Dust ProtectedShell Material, FinishBrass, Chrome PlatedContact FinishGoldFeaturesBackshell, Shielded	Shell Size - Insert	304
Termination Solder Cup Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Backshell, Shielded	Shell Size, MIL	-
Fastening Type Push-Pull, Detent Lock Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Backshell, Shielded	Mounting Type	Free Hanging (In-Line)
Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Backshell, Shielded	Termination	Solder Cup
Ingress Protection IP50 - Dust Protected Shell Material, Finish Brass, Chrome Plated Contact Finish Gold Features Backshell, Shielded	Fastening Type	Push-Pull, Detent Lock
Shell Material, Finish Contact Finish Gold Features Backshell, Shielded	Orientation	Keyed
Contact Finish Gold Features Backshell, Shielded	Ingress Protection	IP50 - Dust Protected
Features Backshell, Shielded	Shell Material, Finish	Brass, Chrome Plated
	Contact Finish	Gold
	Features	Backshell, Shielded
Voltage - Rated -	Voltage - Rated	_
Current Rating 7A	Current Rating	7A
Report errors?		Report errors?

PCA.0S.304.CLLC37 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

PCA.0S.304.CLLC37 Payment Methods





















PCA.0S.304.CLLC37 Shipping Methods













If you have any question about PCA.0S.304.CLLC37, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com