

PI74FCT16244TAE

PI74FCT16244TAE Information

Wite Statistics		PI74FCT16244TAE Diodes Incorporated Integrated Circuits (ICs) Logic - Buffers, Drivers, Receivers, Transceivers IC BUFF DVR 16BIT N-INV 48TSSOP 48-TFSOP (0.240", 6.10mm Width) For the pricing/inventory/lead time, please contact us	
For Reference	Only	Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



PI74FCT16244TAE Specifications

ManufacturerDiodes IncorporatedCategoryIntegrated Circuits (ICs)Logic - Buffers, Drivers, Receivers, TransceiversPackage48-TFSOP (0.240", 6.10mm Width)Series74FCTLogic TypeBuffer, Non-InvertingNumber of Elements4Number of Bits per Element4Input Type-Output TypePush-PullCurrent - Output High, Low32mA, 64mAVoltage - Supply4.5 V ~ 5.5 VOperating Temperature40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case48-TFSOP (0.240", 6.10mm Width)Supplier Device Package48-TSSOP		
CategoryIntegrated Circuits (ICs)Logic - Buffers, Drivers, Receivers, TransceiversPackage48-TFSOP (0.240", 6.10mm Width)Series74FCTLogic TypeBuffer, Non-InvertingNumber of Elements4Number of Bits per Element4Input Type-Output TypePush-PullCurrent - Output High, Low32mA, 64mAVoltage - Supply4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case48-TFSOP (0.240", 6.10mm Width)Supplier Device Package48-TSSOP	Manufacturer Part Number	PI74FCT16244TAE
Logic - Buffers, Drivers, Receivers, TransceiversPackage48-TFSOP (0.240", 6.10mm Width)Series74FCTLogic TypeBuffer, Non-InvertingNumber of Elements4Number of Bits per Element4Input Type-Output TypePush-PullCurrent - Output High, Low32mA, 64mAVoltage - Supply-40°C ~ 85°C (TA)Operating Temperature40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case48-TFSOP (0.240", 6.10mm Width)Supplier Device Package48-TSSOP	Manufacturer	Diodes Incorporated
Package48-TFSOP (0.240", 6.10mm Width)Series74FCTLogic TypeBuffer, Non-InvertingNumber of Elements4Number of Bits per Element4Input Type-Output TypePush-PullCurrent - Output High, Low32mA, 64mAVoltage - Supply-40°C ~ 85°C (TA)Operating TemperatureSurface MountPackage / Case48-TFSOP (0.240", 6.10mm Width)	Category	Integrated Circuits (ICs)
Series74FCTLogic TypeBuffer, Non-InvertingNumber of Elements4Number of Bits per Element4Input Type-Output TypePush-PullCurrent - Output High, Low32mA, 64mAVoltage - Supply4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case48-TFSOP (0.240", 6.10mm Width)Supplier Device Package48-TSSOP		Logic - Buffers, Drivers, Receivers, Transceivers
Logic TypeBuffer, Non-InvertingNumber of Elements4Number of Bits per Element4Input Type-Output TypePush-PullCurrent - Output High, Low32mA, 64mAVoltage - Supply4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case48-TFSOP (0.240", 6.10mm Width)	Package	48-TFSOP (0.240", 6.10mm Width)
Number of Elements4Number of Bits per Element4Input Type-Output TypePush-PullCurrent - Output High, Low32mA, 64mAVoltage - Supply4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case48-TFSOP (0.240", 6.10mm Width)Supplier Device Package48-TSSOP	Series	74FCT
Number of Bits per Element4Input Type-Output TypePush-PullCurrent - Output High, Low32mA, 64mAVoltage - Supply4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case48-TFSOP (0.240", 6.10mm Width)Supplier Device Package48-TSSOP	Logic Type	Buffer, Non-Inverting
Input Type-Output TypePush-PullCurrent - Output High, Low32mA, 64mAVoltage - Supply4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case48-TFSOP (0.240", 6.10mm Width)Supplier Device Package48-TSSOP	Number of Elements	4
Output TypePush-PullCurrent - Output High, Low32mA, 64mAVoltage - Supply4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case48-TFSOP (0.240", 6.10mm Width)Supplier Device Package48-TSSOP	Number of Bits per Element	4
Current - Output High, Low32mA, 64mAVoltage - Supply4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case48-TFSOP (0.240", 6.10mm Width)Supplier Device Package48-TSSOP	Input Type	-
Voltage - Supply4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case48-TFSOP (0.240", 6.10mm Width)Supplier Device Package48-TSSOP	Output Type	Push-Pull
Operating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case48-TFSOP (0.240", 6.10mm Width)Supplier Device Package48-TSSOP	Current - Output High, Low	32mA, 64mA
Mounting TypeSurface MountPackage / Case48-TFSOP (0.240", 6.10mm Width)Supplier Device Package48-TSSOP	Voltage - Supply	4.5 V ~ 5.5 V
Package / Case48-TFSOP (0.240", 6.10mm Width)Supplier Device Package48-TSSOP	Operating Temperature	-40°C ~ 85°C (TA)
Supplier Device Package 48-TSSOP	Mounting Type	Surface Mount
	Package / Case	48-TFSOP (0.240", 6.10mm Width)
Report errors?	Supplier Device Package	48-TSSOP
		Report errors?

PI74FCT16244TAE Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

PI74FCT16244TAE Payment Methods



PI74FCT16244TAE Shipping Methods



If you have any question about PI74FCT16244TAE, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com