

PIC16F19186-I/PT

PIC16F19186-I/PT Information

www.million.com	 PIC16F19186-I/PT Microchip Technology Integrated Circuits (ICs) Embedded - Microcontrollers 28KB FLASH, 2KB RAM, 256KB EE, L 48-TQFP For the pricing/inventory/lead time, please contact us	
For Reference Only	Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



PIC16F19186-I/PT Specifications

Manufacturer Part NumberPIC16F19186-I/PTManufacturerMicrochip TechnologyCategoryIntegrated Circuits (ICs)CategoryEmbedded - MicrocontrollersPackage48-TQFPSeriesPIC® XLP™ 16FCore ProcessorPICCore Size8-BitSpeedS2MHzConnectivityFC, LINbus, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, LCD, POR, PWM, WDTProgram Memory Size28KB (16K x 14)	
CategoryIntegrated Circuits (ICs)Embedded - MicrocontrollersPackage48-TQFPSeriesPIC® XLP™ 16FCore ProcessorPICCore Size8-BitSpeed32MHzConnectivityPC, LINbus, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, LCD, POR, PWM, WDTNumber of I/O43Program Memory Size28KB (16K x 14)	
ImageEmbedded - MicrocontrollersPackage48-TQFPSeriesPIC® XLP™ 16FCore ProcessorPICCore Size8-BitSpeed32MHzConnectivityPC, LINbus, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, LCD, POR, PWM, WDTNumber of I/O43Program Memory Size28KB (16K x 14)	
Package48-TQFPSeriesPIC® XLPTM 16FCore ProcessorPICCore Size8-BitSpeed32MHzConnectivityPC, LINbus, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, LCD, POW, WDTNumber of I/O43Program Memory Size8KB (16K x 14)	
SeriesPIC® XLP™ 16FCore ProcessorPICCore Size8-BitSpeed32MHzConnectivityPC, LINbus, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, LCD, POR, PWM, WDTNumber of I/O43Program Memory Size28KB (16K x 14)	
Core ProcessorPICCore Size8-BitSpeed32MHzConnectivityPC, LINbus, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, LCD, POR, PWM, WDTNumber of I/O43Program Memory Size8KB (16K x 14)	
Core Size8-BitSpeed32MHzConnectivityPC, LINbus, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, LCD, POR, PWM, WDTNumber of I/O43Program Memory Size28KB (16K x 14)	
Speed32MHzConnectivityPC, LINbus, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, LCD, POR, PWM, WDTNumber of I/O43Program Memory Size28KB (16K x 14)	
ConnectivityIPC, LINbus, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, LCD, POR, PWM, WDTNumber of I/O43Program Memory Size28KB (16K x 14)	
PeripheralsBrown-out Detect/Reset, LCD, POR, PWM, WDTNumber of I/O43Program Memory Size28KB (16K x 14)	
Number of I/O43Program Memory Size28KB (16K x 14)	
Program Memory Size 28KB (16K x 14)	
Program Memory Type FLASH	
EEPROM Size 256 x 8	
RAM Size 2K x 8	
Voltage - Supply (Vcc/Vdd)2.3 V ~ 5.5 V	
Data ConvertersA/D 39x12b, D/A 1x5b	
Oscillator Type Internal	
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ (TA)	
Mounting Type -	
Package / Case 48-TQFP	
Supplier Device Package48-TQFP (7x7)	
Report	errors?

PIC16F19186-I/PT Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

PIC16F19186-I/PT Payment Methods



PIC16F19186-I/PT Shipping Methods



If you have any question about PIC16F19186-I/PT, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com