



PIC18F27K42-I/SP Information



For Reference Only

Part Number PIC18F27K42-I/SP

Manufacturer Microchip Technology

Category Integrated Circuits (ICs)
Embedded - Microcontrollers

Description IC MCU 8BIT 128KB FLASH 28SDIP

Package 28-DIP (0.300", 7.62mm)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









PIC18F27K42-I/SP Specifications

Manufacturer Part NumberPIC18F27K42-I/SPManufacturerMicrochip TechnologyCategoryIntegrated Circuits (ICs)Embedded - MicrocontrollersPackage28-DIP (0.300", 7.62mm)SeriesPIC® XLP™ 18KCore ProcessorPICCore Size8-BitSpeed64MHzConnectivityPC, LINbus, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, DMA, HLVD, POR, PWM, WDTNumber of I/O25Program Memory Size128KB (64K x 16)Program Memory TypeFLASH
Category Integrated Circuits (ICs) Embedded - Microcontrollers Package 28-DIP (0.300", 7.62mm) Series PIC® XLPTM 18K Core Processor PIC Core Size 8-Bit Speed 64MHz Connectivity PC, LINbus, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, HLVD, POR, PWM, WDT Number of I/O 25 Program Memory Size I28KB (64K x 16)
Embedded - Microcontrollers Package 28-DIP (0.300", 7.62mm) Series PIC® XLPTM 18K Core Processor PIC Core Size 8-Bit Speed 64MHz Connectivity I°C, LINbus, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, HLVD, POR, PWM, WDT Number of I/O 25 Program Memory Size 128KB (64K x 16)
Package 28-DIP (0.300", 7.62mm) Series PIC® XLP™ 18K Core Processor PIC Core Size 8-Bit Speed 64MHz Connectivity I²C, LINbus, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, HLVD, POR, PWM, WDT Number of I/O 25 Program Memory Size 128KB (64K x 16)
Series PIC® XLPTM 18K Core Processor PIC Core Size 8-Bit Speed 64MHz Connectivity I²C, LINbus, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, HLVD, POR, PWM, WDT Number of I/O 25 Program Memory Size 128KB (64K x 16)
Core Processor PIC Sore Size 8-Bit Speed 64MHz Connectivity 12°C, LINbus, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, HLVD, POR, PWM, WDT Number of I/O 25 Program Memory Size 128KB (64K x 16)
Core Size 8-Bit Speed 64MHz Connectivity 12C, LINbus, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, HLVD, POR, PWM, WDT Number of I/O 25 Program Memory Size 128KB (64K x 16)
Speed 64MHz Connectivity 12°C, LINbus, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, HLVD, POR, PWM, WDT Number of I/O 25 Program Memory Size 128KB (64K x 16)
Connectivity I ² C, LINbus, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, HLVD, POR, PWM, WDT Number of I/O 25 Program Memory Size 128KB (64K x 16)
Peripherals Brown-out Detect/Reset, DMA, HLVD, POR, PWM, WDT Number of I/O 25 Program Memory Size 128KB (64K x 16)
Number of I/O 25 Program Memory Size 128KB (64K x 16)
Program Memory Size 128KB (64K x 16)
Program Memory Type FI ASH
Togram Memory Type
EEPROM Size 1K x 8
RAM Size 8K x 8
Voltage - Supply (Vcc/Vdd) 2.3 V ~ 5.5 V
Data Converters A/D 24x12b, D/A 1x5b
Oscillator Type Internal
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C} \text{ (TA)}$
Mounting Type -
Package / Case 28-DIP (0.300", 7.62mm)
Supplier Device Package 28-SPDIP
Report errors?

PIC18F27K42-I/SP Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

PIC18F27K42-I/SP Payment Methods





















PIC18F27K42-I/SP Shipping Methods













If you have any question about PIC18F27K42-I/SP, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com