



PKG.M0.4SL.VZ Information

Heisener.com

Part Number PKG.M0.4SL.VZ

Manufacturer LEMO

Category Connectors, Interconnects

Circular Connectors

Description CONN PNL MNT RCPT 4SKT R/A PCB

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









PKG.M0.4SL.VZ Specifications

Manufacturer Part NumberPKG.M0.4SL.VZManufacturerLEMOCategoryConnectors, InterconnectsCircular ConnectorsPackage-Series1PConnector TypeReceptacle, Female SocketsNumber of Positions4Shell Size - InsertM04Shell Size, MIL-Mounting TypePanel Mount, Through Hole, Right AngleTerminationSolderFastening TypePush-Pull, Detent LockOrientationGIngress ProtectionIP50 - Dust ProtectedShell Material, FinishPolytherimide (PEI)		
Category Circular Connectors Package - Series IP Connector Type Receptacle, Female Sockets Number of Positions 4 Shell Size - Insert Mounting Type Panel Mount, Through Hole, Right Angle Termination Solder Fastening Type Push-Pull, Detent Lock Orientation Ingress Protection Shell Material, Finish Polyetherimide (PEI)	Manufacturer Part Number	PKG.M0.4SL.VZ
Package-Series1PConnector TypeReceptacle, Female SocketsNumber of Positions4Shell Size - InsertM04Shell Size, MIL-Mounting TypePanel Mount, Through Hole, Right AngleTerminationSolderFastening TypePush-Pull, Detent LockOrientationGIngress ProtectionIP50 - Dust ProtectedShell Material, FinishPolyetherimide (PEI)	Manufacturer	LEMO
Package - Series 1P Connector Type Receptacle, Female Sockets Number of Positions 4 Shell Size - Insert M04 Shell Size, MIL - Mounting Type Panel Mount, Through Hole, Right Angle Termination Solder Fastening Type Push-Pull, Detent Lock Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyetherimide (PEI)	Category	Connectors, Interconnects
Series 1P Connector Type Receptacle, Female Sockets Number of Positions 4 Shell Size - Insert M04 Shell Size, MIL - Mounting Type Panel Mount, Through Hole, Right Angle Termination Solder Fastening Type Push-Pull, Detent Lock Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyetherimide (PEI)		Circular Connectors
Connector TypeReceptacle, Female SocketsNumber of Positions4Shell Size - InsertM04Shell Size, MIL-Mounting TypePanel Mount, Through Hole, Right AngleTerminationSolderFastening TypePush-Pull, Detent LockOrientationGIngress ProtectionIP50 - Dust ProtectedShell Material, FinishPolyetherimide (PEI)	Package	-
Number of Positions4Shell Size - InsertM04Shell Size, MIL-Mounting TypePanel Mount, Through Hole, Right AngleTerminationSolderFastening TypePush-Pull, Detent LockOrientationGIngress ProtectionIP50 - Dust ProtectedShell Material, FinishPolyetherimide (PEI)	Series	1P
Shell Size - Insert Shell Size, MIL Mounting Type Panel Mount, Through Hole, Right Angle Termination Solder Fastening Type Push-Pull, Detent Lock Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyetherimide (PEI)	Connector Type	Receptacle, Female Sockets
Shell Size, MIL Mounting Type Panel Mount, Through Hole, Right Angle Termination Solder Fastening Type Push-Pull, Detent Lock Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyetherimide (PEI)	Number of Positions	4
Mounting Type Panel Mount, Through Hole, Right Angle Termination Solder Fastening Type Push-Pull, Detent Lock Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyetherimide (PEI)	Shell Size - Insert	M04
Termination Solder Fastening Type Push-Pull, Detent Lock Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyetherimide (PEI)	Shell Size, MIL	-
Fastening Type Push-Pull, Detent Lock Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyetherimide (PEI)	Mounting Type	Panel Mount, Through Hole, Right Angle
Orientation G Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyetherimide (PEI)	Termination	Solder
Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyetherimide (PEI)	Fastening Type	Push-Pull, Detent Lock
Shell Material, Finish Polyetherimide (PEI)	Orientation	G
	Ingress Protection	IP50 - Dust Protected
0.11	Shell Material, Finish	Polyetherimide (PEI)
Contact Finish Gold	Contact Finish	Gold
Features -	Features	-
Voltage - Rated -	Voltage - Rated	-
Current Rating 8A	Current Rating	8A
Report errors?		Report errors?

PKG.M0.4SL.VZ Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

PKG.M0.4SL.VZ Payment Methods



















PKG.M0.4SL.VZ Shipping Methods













If you have any question about PKG.M0.4SL.VZ, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com