



PLA.M1.0SL.NV Information

Heisener.com

Part Number PLA.M1.0SL.NV

Manufacturer LEMO

Category Connectors, Interconnects

Circular Connectors

Description CONN PNL MNT RCPT 10SKT STR PCB

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









PLA.M1.0SL.NV Specifications

Manufacturer Part NumberPLA.M1.0SL.NVManufacturerLEMOCategoryConnectors, InterconnectsPackage-Series1PConnector TypeReceptacle, Female SocketsNumber of Positions10Shell Size - InsertM10Shell Size, MIL-Mounting TypePanel Mount, Bulkhead; Through HoleTerminationSolderPastening TypePush-Pull, Detent LockOrientationAIngress ProtectionIP50 - Dust ProtectedShell Material, FinishPolyetherimide (PEI)Contact FinishGoldFeatures-Voltage - Rated-Current Rating3AReport errors?		
CategoryConnectors, InterconnectsPackage-Series1PConnector TypeReceptacle, Female SocketsNumber of Positions10Shell Size - InsertM10Shell Size, MIL-Mounting TypePanel Mount, Bulkhead; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationAIngress ProtectionIP50 - Dust ProtectedShell Material, FinishPolyetherimide (PEI)Contact FinishGoldFeatures-Voltage - Rated-Current Rating3A	Manufacturer Part Number	PLA.M1.0SL.NV
Package-Series1PConnector TypeReceptacle, Female SocketsNumber of Positions10Shell Size - InsertM10Shell Size, MIL-Mounting TypePanel Mount, Bulkhead; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationAIngress ProtectionIP50 - Dust ProtectedShell Material, FinishPolyetherimide (PEI)Contact FinishGoldFeatures-Voltage - Rated-Current Rating3A	Manufacturer	LEMO
Package-Series1PConnector TypeReceptacle, Female SocketsNumber of Positions10Shell Size - InsertM10Shell Size, MIL-Mounting TypePanel Mount, Bulkhead; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationAIngress ProtectionIP50 - Dust ProtectedShell Material, FinishPolyetherimide (PEI)Contact FinishGoldFeatures-Voltage - Rated-Current Rating3A	Category	Connectors, Interconnects
Series1PConnector TypeReceptacle, Female SocketsNumber of Positions10Shell Size - InsertM10Shell Size, MIL-Mounting TypePanel Mount, Bulkhead; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationAIngress ProtectionIP50 - Dust ProtectedShell Material, FinishPolyetherimide (PEI)Contact FinishGoldFeatures-Voltage - Rated-Current Rating3A		Circular Connectors
Connector TypeReceptacle, Female SocketsNumber of Positions10Shell Size - InsertM10Shell Size, MIL-Mounting TypePanel Mount, Bulkhead; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationAIngress ProtectionIP50 - Dust ProtectedShell Material, FinishPolyetherimide (PEI)Contact FinishGoldFeatures-Voltage - Rated-Current Rating3A	Package	-
Number of Positions10Shell Size - InsertM10Shell Size, MIL-Mounting TypePanel Mount, Bulkhead; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationAIngress ProtectionIP50 - Dust ProtectedShell Material, FinishPolyetherimide (PEI)Contact FinishGoldFeatures-Voltage - Rated-Current Rating3A	Series	1P
Shell Size - InsertM10Shell Size, MIL-Mounting TypePanel Mount, Bulkhead; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationAIngress ProtectionIP50 - Dust ProtectedShell Material, FinishPolyetherimide (PEI)Contact FinishGoldFeatures-Voltage - Rated-Current Rating3A	Connector Type	Receptacle, Female Sockets
Shell Size, MIL Mounting Type Panel Mount, Bulkhead; Through Hole Termination Solder Fastening Type Push-Pull, Detent Lock Orientation A Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyetherimide (PEI) Contact Finish Gold Features - Voltage - Rated - Current Rating 3A	Number of Positions	10
Mounting TypePanel Mount, Bulkhead; Through HoleTerminationSolderFastening TypePush-Pull, Detent LockOrientationAIngress ProtectionIP50 - Dust ProtectedShell Material, FinishPolyetherimide (PEI)Contact FinishGoldFeatures-Voltage - Rated-Current Rating3A	Shell Size - Insert	M10
Termination Solder Fastening Type Push-Pull, Detent Lock Orientation A Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyetherimide (PEI) Contact Finish Gold Features - Voltage - Rated - Current Rating 3A	Shell Size, MIL	-
Fastening Type Orientation A Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyetherimide (PEI) Contact Finish Gold Features - Voltage - Rated - Current Rating 3A	Mounting Type	Panel Mount, Bulkhead; Through Hole
Orientation A Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyetherimide (PEI) Contact Finish Gold Features - Voltage - Rated - Current Rating 3A	Termination	Solder
Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyetherimide (PEI) Contact Finish Gold Features - Voltage - Rated - Current Rating 3A	Fastening Type	Push-Pull, Detent Lock
Shell Material, Finish Polyetherimide (PEI) Contact Finish Gold Features - Voltage - Rated - Current Rating 3A	Orientation	A
Contact Finish Gold Features - Voltage - Rated - Current Rating 3A	Ingress Protection	IP50 - Dust Protected
Features - Voltage - Rated - Current Rating 3A	Shell Material, Finish	Polyetherimide (PEI)
Voltage - Rated - Current Rating 3A	Contact Finish	Gold
Current Rating 3A	Features	-
	Voltage - Rated	-
Report errors?	Current Rating	3A
		Report errors?

PLA.M1.0SL.NV Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

PLA.M1.0SL.NV Payment Methods



















PLA.M1.0SL.NV Shipping Methods













If you have any question about PLA.M1.0SL.NV, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com