



PLDS100-B-277PEB Information

Part Number PLDS100-B-277PEB

Manufacturer CUI Inc.

Category Power Supplies - External/Internal (Off-Board)

LED Drivers

Description LED DVR CC/CV AC/DC 13-24V 4.17A

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









PLDS100-B-277PEB Specifications

Manufacturer Part Number Manufacturer Cut Inc. Category Power Supplies - External/Internal (Off-Board) LED Drivers Package - Series PLDS100 Type Constant Current, Voltage Topology AC DC Converter Number of Outputs 1 Voltage - Input (Min) 90VAC Voltage - Input (Max) Voltage - Output 13 ~ 24 V Current - Output (Max) Power (Watts) Voltage - Isolation PLDS100 2 2 2 3 4 4 4 4 4 4 4 4 4 4 4 4	
Category Power Supplies - External/Internal (Off-Board) LED Drivers Package - Series PLDS 100 Type Constant Current, Voltage Topology AC DC Converter Number of Outputs 1 Voltage - Input (Min) 90VAC Voltage - Input (Max) 305VAC Voltage - Output 13 ~ 24 V Current - Output (Max) 4.17A Power (Watts) 100W	
LED Drivers	
Package - Series PLDS100 Type Constant Current, Voltage Topology AC DC Converter Number of Outputs 1 Voltage - Input (Min) 90VAC Voltage - Input (Max) 305VAC Voltage - Output 13 ~ 24 V Current - Output (Max) 4.17A Power (Watts) 100W	
Series PLDS100 Type Constant Current, Voltage Topology AC DC Converter Number of Outputs 1 Voltage - Input (Min) 90VAC Voltage - Input (Max) 305VAC Voltage - Output 13 ~ 24 V Current - Output (Max) 4.17A Power (Watts) 100W	
Type Constant Current, Voltage Topology AC DC Converter Number of Outputs 1 Voltage - Input (Min) 90VAC Voltage - Input (Max) 305VAC Voltage - Output 13 ~ 24 V Current - Output (Max) 4.17A Power (Watts) 100W	
Topology AC DC Converter Number of Outputs 1 Voltage - Input (Min) 90VAC Voltage - Input (Max) 305VAC Voltage - Output 13 ~ 24 V Current - Output (Max) 4.17A Power (Watts) 100W	
Number of Outputs 1 Voltage - Input (Min) 90VAC Voltage - Input (Max) 305VAC Voltage - Output 13 ~ 24 V Current - Output (Max) 4.17A Power (Watts) 100W	
Voltage - Input (Min) 90VAC Voltage - Input (Max) 305VAC Voltage - Output 13 ~ 24 V Current - Output (Max) 4.17A Power (Watts) 100W	
Voltage - Input (Max) 305VAC Voltage - Output 13 ~ 24 V Current - Output (Max) 4.17A Power (Watts) 100W	
Voltage - Output 13 ~ 24 V Current - Output (Max) 4.17A Power (Watts) 100W	
Current - Output (Max) 4.17A Power (Watts) 100W	
Power (Watts) 100W	
Voltage - Isolation 3.75kV (3750V)	
Dimming Analog, PWM	
Features OCP, OTP, OVP, SCP	
Ratings IP65	
Operating Temperature $-40^{\circ}\text{C} \sim 70^{\circ}\text{C}$	
Efficiency 89%	
Termination Style Wire Leads	
Size / Dimension 7.87" L x 1.02" W x 1.10" H (200.0mm x 26.0mm x 28.0mm)	
Report	t errors?

PLDS100-B-277PEB Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

PLDS100-B-277PEB Payment Methods



















PLDS100-B-277PEB Shipping Methods













If you have any question about PLDS100-B-277PEB, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com