



PM3GD12V Information

Heisener.com

Part Number PM3GD12V Manufacturer Bivar Inc.

Category Optoelectronics

Panel Indicators, Pilot Lights

Description PNL MNT W/ WIRE 568NM 25MCD GREE

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









PM3GD12V Specifications

Manufacturer Part Number PM3GD12V Manufacturer Bivar Inc. Category Optoelectronics Panel Indicators, Pilot Lights Package - Series PM3 Type LED Lamp Color Green Lens Color Green Lens Transparency Diffused Ratings DC Voltage 12V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.16" (4.06mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 25mcd Wavelength - Peak 568nm Viewing Angle 35° Termination Style - Ingress Protection - Features - Report errors?		
CategoryOptoelectronicsPackage-SeriesPM3TypeLEDLamp ColorGreenLens TransparencyDiffusedRatingsDCVoltage12VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.16" (4.06mm)Lens Style/SizeRound with Domed Top, 3mm (T-1)Millicandela Rating25mcdWavelength - Peak568nmViewing Angle35°Termination Style-Ingress Protection-Features-	Manufacturer Part Number	PM3GD12V
Package - Series PM3 Type LED Lamp Color Green Lens Transparency Diffused Ratings DC Voltage 12V Current 20mA Panel Cutout Dimensions 0.16" (4.06mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 25mcd Wavelength - Peak 568nm Viewing Angle 35° Termination Style Individual and a signal and a sign	Manufacturer	Bivar Inc.
Package - Series PM3 Type LED Lamp Color Green Lens Color Green Lens Transparency Diffused Ratings DC Voltage 12V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.16" (4.06mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 25mcd Wavelength - Peak 568nm Viewing Angle 35° Termination Style - Ingress Protection - Features -	Category	Optoelectronics
Series PM3 Type LED Lamp Color Green Lens Color Green Lens Transparency Diffused Ratings DC Voltage 12V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.16" (4.06mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 25mcd Wavelength - Peak 568nm Viewing Angle 35° Termination Style - Ingress Protection - Features -		Panel Indicators, Pilot Lights
TypeLEDLamp ColorGreenLens ColorGreenLens TransparencyDiffusedRatingsDCVoltage12VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.16" (4.06mm)Lens Style/SizeRound with Domed Top, 3mm (T-1)Millicandela Rating25mcdWavelength - Peak568nmViewing Angle35°Termination Style-Ingress Protection-Features-	Package	-
Lamp Color Lens Color Creen Cens Transparency Diffused DC Voltage DC Voltage 12V Current 20mA Panel Cutout Shape Panel Cutout Dimensions Cens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating Viewing Angle Sensor Viewing Angle Termination Style Ingress Protection Features Green Gr	Series	PM3
Lens ColorGreenLens TransparencyDiffusedRatingsDCVoltage12VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.16" (4.06mm)Lens Style/SizeRound with Domed Top, 3mm (T-1)Millicandela Rating25mcdWavelength - Peak568nmViewing Angle35°Termination Style-Ingress Protection-Features-	Type	LED
Lens TransparencyDiffusedRatingsDCVoltage12VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.16" (4.06mm)Lens Style/SizeRound with Domed Top, 3mm (T-1)Millicandela Rating25mcdWavelength - Peak568nmViewing Angle35°Termination Style-Ingress Protection-Features-	Lamp Color	Green
Ratings DC Voltage 12V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.16" (4.06mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 25mcd Wavelength - Peak 568nm Viewing Angle 35° Termination Style Ingress Protection Features - - - - - - - - - - - - -	Lens Color	Green
Voltage Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 25mcd Wavelength - Peak 568nm Viewing Angle 35° Termination Style Ingress Protection Features	Lens Transparency	Diffused
Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.16" (4.06mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 25mcd Wavelength - Peak 568nm Viewing Angle 35° Termination Style - Ingress Protection - Features -	Ratings	DC
Panel Cutout Shape Round Panel Cutout Dimensions 0.16" (4.06mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 25mcd Wavelength - Peak 568nm Viewing Angle 35° Termination Style Ingress Protection - Features	Voltage	12V
Panel Cutout Dimensions O.16" (4.06mm) Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 25mcd Wavelength - Peak 568nm Viewing Angle 35° Termination Style Ingress Protection Features	Current	20mA
Lens Style/Size Round with Domed Top, 3mm (T-1) Millicandela Rating 25mcd Wavelength - Peak 568nm Viewing Angle 35° Termination Style - Ingress Protection - Features -	Panel Cutout Shape	Round
Millicandela Rating Wavelength - Peak 568nm Viewing Angle Termination Style Ingress Protection Features 25mcd 568nm	Panel Cutout Dimensions	0.16" (4.06mm)
Wavelength - Peak Viewing Angle 35° Termination Style Ingress Protection Features 568nm - - - - - - - - - - - - -	Lens Style/Size	Round with Domed Top, 3mm (T-1)
Viewing Angle35°Termination Style-Ingress Protection-Features-	Millicandela Rating	25mcd
Termination Style - Ingress Protection - Features -	Wavelength - Peak	568nm
Ingress Protection - Features -	Viewing Angle	35°
Features -	Termination Style	-
	Ingress Protection	-
Report errors?	Features	-
		Report errors?

PM3GD12V Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

PM3GD12V Payment Methods





















PM3GD12V Shipping Methods













If you have any question about PM3GD12V, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com