

PM5-A12G12V Information



For Reference Only

Part Number PM5-A12G12V Manufacturer Bivar Inc.

Category Optoelectronics

Panel Indicators, Pilot Lights

Description PANEL MOUNT ASSEM GREEN, 6.1MM

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









PM5-A12G12V Specifications

Manufacturer Part Number PMS-A12G12V Manufacturer Bivar Inc. Category Optoelectronics Panel Indicators, Pilot Lights Package - Scries PM5 Type LED Lamp Color Green Lens Color Green Lens Transparency Fresnel Ratings DC Voltage 12V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Flat Top, 6.70mm Millicandela Rating 576mcd Wavelength - Peak 525nm Viewing Angle 120° Termination Style PC Pin Ingress Protection IP67 Features - Report errors?		
Category Package Package Perios Pinel Indicators, Pilot Lights Package - Series PM5 Type LED Lamp Color Green Lens Color Green Lens Transparency Fresnel Ratings DC Voltage 12V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Flat Top, 6.70mm Millicandela Rating Wavelength - Peak Viewing Angle 120° Termination Style Ingress Protection Pief7 Features - Optocolor JEDS Auticators, Pilot Lights PM5 Features PM5 Series Auticators, Pilot Lights Peres Auticators, Pilot Lights Peres Features PM5 Series Auticators, Pilot Lights Peres Foren Auticators, Pilot Lights Peres Features PM5 Series Features PM5 Series Auticators, Pilot Lights Peres Features PM5 Series Auticators, Pilot Lights Peres Features PM5 Series Auticators, Pilot Lights Peres Features PM5 Features Features PM5 Features PM5 Features PM5	Manufacturer Part Number	PM5-A12G12V
Package-SeriesPM5TypeLEDLamp ColorGreenLens ColorGreenLens TransparencyFresnelRatingsDCVoltage12VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.24" (6.10mm)Lens Style/SizeRound with Flat Top, 6.70mmMillicandela Rating576mcdWavelength - Peak525nmViewing Angle120°Termination StylePC PinIngress ProtectionIP67Features-	Manufacturer	Bivar Inc.
Package - Series PM5 Type LED Lamp Color Green Lens Color Green Lens Transparency Fresnel Ratings DC Voltage 12V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Flat Top, 6.70mm Millicandela Rating 576mcd Wavelength - Peak 525nm Viewing Angle 120° Termination Style PC Pin Ingress Protection IP67 Features -	Category	Optoelectronics
SeriesPM5TypeLEDLamp ColorGreenLens ColorGreenLens TransparencyFresnelRatingsDCVoltage12VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.24" (6.10mm)Lens Style/SizeRound with Flat Top, 6.70mmMillicandela Rating576mcdWavelength - Peak525nmViewing Angle120°Termination StylePC PinIngress ProtectionIP67Features-		Panel Indicators, Pilot Lights
TypeLEDLamp ColorGreenLens ColorGreenLens TransparencyFresnelRatingsDCVoltage12VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.24" (6.10mm)Lens Style/SizeRound with Flat Top, 6.70mmMillicandela Rating576mcdWavelength - Peak525nmViewing Angle120°Termination StylePC PinIngress ProtectionIP67Features-	Package	-
Lamp Color Lens Color Green Lens Transparency Fresnel Ratings DC Voltage 12V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Flat Top, 6.70mm Millicandela Rating S76mcd Wavelength - Peak 525nm Viewing Angle 120° Termination Style Ingress Protection Features - Green Gr	Series	PM5
Lens ColorGreenLens TransparencyFresnelRatingsDCVoltage12VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.24" (6.10mm)Lens Style/SizeRound with Flat Top, 6.70mmMillicandela Rating576mcdWavelength - Peak525nmViewing Angle120°Termination StylePC PinIngress ProtectionIP67Features-	Type	LED
Lens TransparencyFresnelRatingsDCVoltage12VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.24" (6.10mm)Lens Style/SizeRound with Flat Top, 6.70mmMillicandela Rating576mcdWavelength - Peak525nmViewing Angle120°Termination StylePC PinIngress ProtectionIP67Features-	Lamp Color	Green
Ratings DC Voltage 12V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Flat Top, 6.70mm Millicandela Rating 576mcd Wavelength - Peak 525nm Viewing Angle 120° Termination Style PC Pin Ingress Protection Features -	Lens Color	Green
Voltage 12V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Flat Top, 6.70mm Millicandela Rating 576mcd Wavelength - Peak 525nm Viewing Angle 120° Termination Style PC Pin Ingress Protection IP67 Features -	Lens Transparency	Fresnel
Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Flat Top, 6.70mm Millicandela Rating 576mcd Wavelength - Peak 525nm Viewing Angle 120° Termination Style PC Pin Ingress Protection IP67 Features -	Ratings	DC
Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Flat Top, 6.70mm Millicandela Rating 576mcd Wavelength - Peak 525nm Viewing Angle 120° Termination Style PC Pin Ingress Protection IP67 Features -	Voltage	12V
Panel Cutout Dimensions 0.24" (6.10mm) Lens Style/Size Round with Flat Top, 6.70mm Millicandela Rating 576mcd Wavelength - Peak 525nm Viewing Angle 120° Termination Style PC Pin Ingress Protection IP67 Features -	Current	20mA
Lens Style/SizeRound with Flat Top, 6.70mmMillicandela Rating576mcdWavelength - Peak525nmViewing Angle120°Termination StylePC PinIngress ProtectionIP67Features-	Panel Cutout Shape	Round
Millicandela Rating 576mcd Wavelength - Peak 525nm Viewing Angle 120° Termination Style PC Pin Ingress Protection IP67 Features -	Panel Cutout Dimensions	0.24" (6.10mm)
Wavelength - Peak Viewing Angle 120° Termination Style PC Pin Ingress Protection IP67 Features -	Lens Style/Size	Round with Flat Top, 6.70mm
Viewing Angle120°Termination StylePC PinIngress ProtectionIP67Features-	Millicandela Rating	576mcd
Termination Style PC Pin Ingress Protection IP67 Features -	Wavelength - Peak	525nm
Ingress Protection IP67 Features -	Viewing Angle	120°
Features -	Termination Style	PC Pin
	Ingress Protection	IP67
Report errors?	Features	-
		Report errors?

PM5-A12G12V Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

PM5-A12G12V Payment Methods



















PM5-A12G12V Shipping Methods













If you have any question about PM5-A12G12V, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com