



PM5-PRRD Information

Heisener.com

Part Number PM5-PRRD **Manufacturer** Bivar Inc.

Category Optoelectronics

Panel Indicators, Pilot Lights **Description** PNL MNT RED 9.1MM LENS NO WIRE

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









PM5-PRRD Specifications

Manufacturer Part Number PM5-PRRD Manufacturer Bivar Inc. Category Optoelectronics Panel Indicators, Pilot Lights Package - Series - Type LED Lamp Color Red Lens Color - Lens Transparency - Ratings AC/DC Voltage 8 V ~ 48 V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 14mcd Wavelength - Peak 645nm Viewing Angle 120° Termination Style - Ingress Protection IP67 Features - Report errors?		
Category Optoelectronics Panel Indicators, Pilot Lights Package - Series - Type LED Lamp Color Red Lens Color - Lens Transparency - Ratings AC/DC Voltage 8 V ~ 48 V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 14mcd Wavelength - Peak 645nm Viewing Angle 120° Termination Style - Ingress Protection IP67 Features -	Manufacturer Part Number	
Package - Series - Type LED Lamp Color Red Lens Color - Lens Transparency - Ratings AC/DC Voltage 8 V ~ 48 V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 14mcd Wavelength - Peak 645nm Viewing Angle 120° Termination Style - Ingress Protection IP67 Features -	Manufacturer	Bivar Inc.
Package - Series - Type LED Lamp Color Red Lens Color - Lens Transparency - Ratings AC/DC Voltage 8 V ~ 48 V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 14mcd Wavelength - Peak 645nm Viewing Angle 120° Termination Style - Ingress Protection IP67 Features -	Category	Optoelectronics
Series - Type LED Lamp Color Red Lens Color - Lens Transparency - Ratings AC/DC Voltage 8 V ~ 48 V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 14mcd Wavelength - Peak 645nm Viewing Angle 120° Termination Style - Ingress Protection IP67 Features -		Panel Indicators, Pilot Lights
TypeLEDLamp ColorRedLens Color-Lens Transparency-RatingsAC/DCVoltage8 V ~ 48 VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.39" (9.91mm)Lens Style/SizeRound with Domed Top, 9.10mmMillicandela Rating14mcdWavelength - Peak645nmViewing Angle120°Termination Style-Ingress ProtectionIP67Features-	Package	-
Lamp Color Lens Color Lens Transparency - Ratings AC/DC Voltage 8 V ~ 48 V Current 20mA Panel Cutout Shape Panel Cutout Dimensions Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 14mcd Wavelength - Peak 645nm Viewing Angle 120° Termination Style Ingress Protection Features - Ingress Protection Features	Series	-
Lens Color-Lens Transparency-RatingsAC/DCVoltage8 V ~ 48 VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.39" (9.91mm)Lens Style/SizeRound with Domed Top, 9.10mmMillicandela Rating14mcdWavelength - Peak645nmViewing Angle120°Termination Style-Ingress ProtectionIP67Features-	Туре	LED
Lens Transparency-RatingsAC/DCVoltage8 V ~ 48 VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.39" (9.91mm)Lens Style/SizeRound with Domed Top, 9.10mmMillicandela Rating14mcdWavelength - Peak645nmViewing Angle120°Termination Style-Ingress ProtectionIP67Features-	Lamp Color	Red
RatingsAC/DCVoltage8 V ~ 48 VCurrent20mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.39" (9.91mm)Lens Style/SizeRound with Domed Top, 9.10mmMillicandela Rating14mcdWavelength - Peak645nmViewing Angle120°Termination Style-Ingress ProtectionIP67Features-	Lens Color	-
Voltage 8 V ~ 48 V Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 14mcd Wavelength - Peak 645nm Viewing Angle 120° Termination Style - Ingress Protection IP67 Features -	Lens Transparency	-
Current 20mA Panel Cutout Shape Round Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 14mcd Wavelength - Peak 645nm Viewing Angle 120° Termination Style - Ingress Protection IP67 Features -	Ratings	AC/DC
Panel Cutout Shape Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 14mcd Wavelength - Peak 645nm Viewing Angle 120° Termination Style Ingress Protection IP67 Features -	Voltage	8 V ~ 48 V
Panel Cutout Dimensions 0.39" (9.91mm) Lens Style/Size Round with Domed Top, 9.10mm Millicandela Rating 14mcd Wavelength - Peak 645nm Viewing Angle 120° Termination Style Ingress Protection IP67 Features -	Current	20mA
Lens Style/SizeRound with Domed Top, 9.10mmMillicandela Rating14mcdWavelength - Peak645nmViewing Angle120°Termination Style-Ingress ProtectionIP67Features-	Panel Cutout Shape	Round
Millicandela Rating 14mcd Wavelength - Peak 645nm Viewing Angle 120° Termination Style - Ingress Protection IP67 Features -	Panel Cutout Dimensions	0.39" (9.91mm)
Wavelength - Peak Viewing Angle 120° Termination Style Ingress Protection IP67 Features - - - - - - - - - - - - -	Lens Style/Size	Round with Domed Top, 9.10mm
Viewing Angle120°Termination Style-Ingress ProtectionIP67Features-	Millicandela Rating	14mcd
Termination Style - Ingress Protection IP67 Features -	Wavelength - Peak	645nm
Ingress Protection IP67 Features -	Viewing Angle	120°
Features -	Termination Style	-
	Ingress Protection	IP67
Report errors?	Features	-
		Report errors?

PM5-PRRD Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

PM5-PRRD Payment Methods





















PM5-PRRD Shipping Methods













If you have any question about PM5-PRRD, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com