



## PPT0001DXF5VA Information

Heisener.com

Part Number PPT0001DXF5VA

Manufacturer Honeywell Microelectronics & Precision Sensors

Category Sensors, Transducers

Pressure Sensors, Transducers

**Description** PRESSURE TRANSDUCER

Package Module Cube

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# PPT0001DXF5VA Specifications

Manufacturer Part NumberPPT0001DXF5VAManufacturerHoneywell Microelectronics & Precision SensorsCategorySensors, TransducersPackageModule CubeSeries-Pressure TypeDifferentialOperating Pressure±1 PSI (±6.89 kPa)Output TypeAnalog, RS-485Output0 V ~ 5 VAccuracy±0.05%Voltage - Supply5.5 V ~ 30 VPort SizeFemale - 1/8" (3.18mm) Swagelok?, Filter
CategorySensors, TransducersPackageModule CubeSeries-Pressure TypeDifferentialOperating Pressure $\pm 1$ PSI ( $\pm 6.89$ kPa)Output TypeAnalog, RS-485Output $0 \text{ V} \sim 5 \text{ V}$ Accuracy $\pm 0.05\%$ Voltage - Supply $5.5 \text{ V} \sim 30 \text{ V}$
Pressure Sensors, Transducers  Package Module Cube  Series -  Pressure Type Differential  Operating Pressure  Output Type Analog, RS-485  Output $0 \lor 0 $
PackageModule CubeSeries-Pressure TypeDifferentialOperating Pressure $\pm 1$ PSI ( $\pm 6.89$ kPa)Output TypeAnalog, RS-485Output $0 \text{ V} \sim 5 \text{ V}$ Accuracy $\pm 0.05\%$ Voltage - Supply $5.5 \text{ V} \sim 30 \text{ V}$
Series-Pressure TypeDifferentialOperating Pressure $\pm 1$ PSI ( $\pm 6.89$ kPa)Output TypeAnalog, RS-485Output $0$ V ~ $5$ VAccuracy $\pm 0.05\%$ Voltage - Supply $5.5$ V ~ $30$ V
Pressure Type Differential  Operating Pressure $\pm 1 \text{ PSI } (\pm 6.89 \text{ kPa})$ Output Type Analog, RS-485 Output $0 \text{ V} \sim 5 \text{ V}$ Accuracy $\pm 0.05\%$ Voltage - Supply $5.5 \text{ V} \sim 30 \text{ V}$
Operating Pressure $\pm 1 \text{ PSI } (\pm 6.89 \text{ kPa})$ Output Type Analog, RS-485 Output $0 \text{ V} \sim 5 \text{ V}$ Accuracy $\pm 0.05\%$ Voltage - Supply $5.5 \text{ V} \sim 30 \text{ V}$
Output Type Analog, RS-485 Output $0 \text{ V} \sim 5 \text{ V}$ Accuracy $\pm 0.05\%$ Voltage - Supply $5.5 \text{ V} \sim 30 \text{ V}$
Output $0 \text{ V} \sim 5 \text{ V}$ Accuracy $\pm 0.05\%$ Voltage - Supply $5.5 \text{ V} \sim 30 \text{ V}$
Accuracy $\pm 0.05\%$ Voltage - Supply $5.5 \text{ V} \sim 30 \text{ V}$
Voltage - Supply 5.5 V ~ 30 V
Port Size Female - 1/8" (3.18mm) Swagelok?, Filter
(
Port Style Filtered, Threaded
Features -
Termination Style Connector
Maximum Pressure $\pm 3 \text{ PSI } (\pm 20.68 \text{ kPa})$
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$
Package / Case Module Cube
Supplier Device Package -
Report errors

#### **PPT0001DXF5VA Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# PPT0001DXF5VA Payment Methods





















### PPT0001DXF5VA Shipping Methods













If you have any question about PPT0001DXF5VA, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com