

# PPT0002GRX5VB

#### **PPT0002GRX5VB Information**

Contract territor com	 PPT0002GRX5VB Honeywell Microelectronics & Precision Sensors Sensors, Transducers Pressure Sensors, Transducers PRESSURE TRANSDUCER Module Cube For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



### **PPT0002GRX5VB Specifications**

Manufacturer Part NumberPPT0002GRX5VBManufacturerHoneywell Microelectronics & Precision SensorsCategorySensors, TransducersPackageModule CubePressure TypeVented GaugeOperating Pressure2PSI (13.79 kPa)Output TypeOv > 5 VAccuracy±0.05%Voltage - Supply5.5 V ~ 30 VPort SizeFenale - 1/8" (3.18mm) Swagelok?, Male - 0.13" (3.18mm) TubePort SizeGaudeFort SizeSizeFort SizeGaudeFort SizeSizeFort Size
CategorySensors, TransducersPackageModule CubeSeries-Pressure TypeVented GaugeOperating Pressure2 PSI (13.79 kPa)Output TypeAnalog, RS-485Output0 V ~ 5 VAccuracy±0.05%Yoltage - Supply5.5 V ~ 30 VPort SizeBarbed, ThreadedPort StyleBarbed, ThreadedFeatures-Comment Comparison-Features-Comector-C
Pressure Sensors, TransducersPackageModule CubeSeries-Pressure TypeVented GaugeOperating Pressure2 PSI (13.79 kPa)Output TypeAnalog, RS-485Output0 V ~ 5 VAccuracy±0.05%Voltage - Supply5.5 V ~ 30 VPort SizeFemale - 1/8" (3.18mm) Swagelok?, Male - 0.13" (3.18mm) TubePort Stylearbed, ThreadedFeatures-Termination StyleConnector
PackageModule CubeSeries-Pressure TypeVented GaugeOperating Pressure2 PSI (13.79 kPa)Output TypeAnalog RS-485Output0 V ~ 5 VAccuracy±0.05%Voltage - Supply5.5 V ~ 30 VPort SizeFemale - 1/8" (3.18mm) Swagelok?, Male - 0.13" (3.18mm) TubePort StyleJarbed, ThreadedFeatures-ConnectorConnector
Series-Pressure TypeVented GaugeOperating Pressure2 PSI (13.79 kPa)Output TypeAnalog, RS-485Output0 V ~ 5 VAccuracy±0.05%Voltage - Supply5.5 V ~ 30 VPort SizeFemale - 1/8" (3.18mm) Swagelok?, Male - 0.13" (3.18mm) TubePort Style3arbed, ThreadedFeatures-Termination StyleConnector
Pressure TypeVented GaugeOperating Pressure2 PSI (13.79 kPa)Output TypeAnalog, RS-485Output0 V ~ 5 VAccuracy±0.05%Voltage - Supply5.5 V ~ 30 VPort SizeFemale - 1/8" (3.18mm) Swagelok?, Male - 0.13" (3.18mm) TubePort Style3.Features-Termination StyleConnector
Operating Pressure2 PSI (13.79 kPa)Output TypeAnalog, RS-485Output0 V ~ 5 VAccuracy±0.05%Voltage - Supply5.5 V ~ 30 VPort SizeFemale - 1/8" (3.18mm) Swagelok?, Male - 0.13" (3.18mm) TubePort StyleBarbed, ThreadedFeatures-Termination StyleConnector
Output TypeAnalog, RS-485Output0 V ~ 5 VAccuracy±0.05%Voltage - Supply5.5 V ~ 30 VPort SizeFemale - 1/8" (3.18mm) Swagelok?, Male - 0.13" (3.18mm) TubePort StyleBarbed, ThreadedFeatures-Termination StyleConnector
Output0 V ~ 5 VAccuracy±0.05%Voltage - Supply5.5 V ~ 30 VPort SizeFemale - 1/8" (3.18mm) Swagelok?, Male - 0.13" (3.18mm) TubePort StyleBarbed, ThreadedFeatures-Termination StyleConnector
Accuracy±0.05%Voltage - Supply5.5 V ~ 30 VPort SizeFemale - 1/8" (3.18mm) Swagelok?, Male - 0.13" (3.18mm) TubePort StyleBarbed, ThreadedFeatures-Termination StyleConnector
Voltage - Supply5.5 V ~ 30 VPort SizeFemale - 1/8" (3.18mm) Swagelok?, Male - 0.13" (3.18mm) TubePort StyleBarbed, ThreadedFeatures-Termination StyleConnector
Port SizeFemale - 1/8" (3.18mm) Swagelok?, Male - 0.13" (3.18mm) TubePort StyleBarbed, ThreadedFeatures-Termination StyleConnector
Port StyleBarbed, ThreadedFeatures-Termination StyleConnector
Features-Termination StyleConnector
Termination Style Connector
· · · · · · · · · · · · · · · · · · ·
Maximum Pressure 6 PSI (41.37 kPa)
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$
Package / Case Module Cube
Supplier Device Package -
Report error

#### **PPT0002GRX5VB** Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

### **PPT0002GRX5VB** Payment Methods



### **PPT0002GRX5VB Shipping Methods**



If you have any question about PPT0002GRX5VB, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com