



PPT0300DXX5VA Information

Heisener.com

Part Number PPT0300DXX5VA

Manufacturer Honeywell Microelectronics & Precision Sensors

Category Sensors, Transducers

Pressure Sensors, Transducers

Description PRESSURE TRANSDUCER

Package Module Cube

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









PPT0300DXX5VA Specifications

| Manufacturer Part NumberPPT0300DXX5VAManufacturerHoneywell Microelectronics & Precision SensorsCategorySensors, TransducersPressure Sensors, TransducersPackageModule CubeSeries-Pressure TypeDifferentialOperating Pressure±300 PSI (±2068.43 kPa)Output TypeAnalog, RS-485Output0 V ~ 5 VAccuracy±0.05% |
|---|
| Category Sensors, Transducers Pressure Sensors, Transducers Package Module Cube Series - Pressure Type Differential Operating Pressure ±300 PSI (±2068.43 kPa) Output Type Analog, RS-485 Output Accuracy ±0.05% |
| Pressure Sensors, Transducers Package Module Cube Series - Pressure Type Differential Operating Pressure $\pm 300 \text{ PSI } (\pm 2068.43 \text{ kPa})$ Output Type Analog, RS-485 Output $\pm 50.05\%$ |
| PackageModule CubeSeries-Pressure TypeDifferentialOperating Pressure $\pm 300 \text{ PSI } (\pm 2068.43 \text{ kPa})$ Output TypeAnalog, RS-485Output $0 \text{ V} \sim 5 \text{ V}$ Accuracy $\pm 0.05\%$ |
| Series-Pressure TypeDifferentialOperating Pressure $\pm 300 \text{ PSI } (\pm 2068.43 \text{ kPa})$ Output TypeAnalog, RS-485Output $0 \text{ V} \sim 5 \text{ V}$ Accuracy $\pm 0.05\%$ |
| Pressure Type Differential Operating Pressure $\pm 300 \text{ PSI } (\pm 2068.43 \text{ kPa})$ Output Type Analog, RS-485 Output $0 \text{ V} \sim 5 \text{ V}$ Accuracy $\pm 0.05\%$ |
| Operating Pressure $\pm 300 \text{ PSI } (\pm 2068.43 \text{ kPa})$ Output Type Analog, RS-485 Output $0 \text{ V} \sim 5 \text{ V}$ Accuracy $\pm 0.05\%$ |
| Output Type Analog, RS-485 Output $0 \text{ V} \sim 5 \text{ V}$ Accuracy $\pm 0.05\%$ |
| Output $0 \text{ V} \sim 5 \text{ V}$ Accuracy $\pm 0.05\%$ |
| Accuracy ±0.05% |
| · |
| |
| Voltage - Supply $5.5 \text{ V} \sim 30 \text{ V}$ |
| Port Size Female - 1/8" (3.18mm) Swagelok?, Dual |
| Port Style Threaded |
| Features - |
| Termination Style Connector |
| Maximum Pressure $\pm 600 \text{ PSI } (\pm 4136.85 \text{ kPa})$ |
| Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ |
| Package / Case Module Cube |
| Supplier Device Package - |
| Report errors |

PPT0300DXX5VA Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

PPT0300DXX5VA Payment Methods



















PPT0300DXX5VA Shipping Methods













If you have any question about PPT0300DXX5VA, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com