



### **PSC5A10A-7LIRCD Information**

Heisener.com

**Part Number** PSC5A10A-7LIRCD **Manufacturer** Bel Power Solutions

Category Power Supplies - External/Internal (Off-Board)

DC DC Converters

**Description** REGULATOR SWITCHING 5V 10A

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **PSC5A10A-7LIRCD Specifications**

Manufacturer         PSCSA10A-7LIRCD           Manufacturer         Bel Power Solutions           Category         Power Supplies - External/Internal (Off-Board)           DC DC Converters           Package         -           Series         *           Type         -           Voltage - Input (Min)         -           Voltage - Input (Max)         -           Number of Outputs         -           Voltage - Output 1         -           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         -           Power (Watts)         -           Applications         -           Operating Temperature         -           Efficiency         -           Mounting Type         -           Package / Case         -           Size / Dimension         -           Report errors?		
Category         Power Supplies - External/Internal (Off-Board)           DC DC Converters           Package         -           Series         *           Type         -           Voltage - Input (Min)         -           Voltage - Output (Max)         -           Voltage - Output 1         -           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         -           Power (Watts)         -           Applications         -           Operating Temperature         -           Efficiency         -           Mounting Type         -           Package / Case         -           Size / Dimension         -	Manufacturer Part Number	PSC5A10A-7LIRCD
Package         -           Series         *           Type         -           Voltage - Input (Min)         -           Voltage - Input (Max)         -           Number of Outputs         -           Voltage - Output 1         -           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         -           Power (Watts)         -           Applications         -           Operating Temperature         -           Efficiency         -           Mounting Type         -           Package / Case         -           Size / Dimension         -	Manufacturer	Bel Power Solutions
Package         -           Series         *           Type         -           Voltage - Input (Min)         -           Voltage - Input (Max)         -           Number of Outputs         -           Voltage - Output 1         -           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         -           Power (Wats)         -           Applications         -           Operating Temperature         -           Efficiency         -           Mounting Type         -           Package / Case         -           Size / Dimension         -	Category	Power Supplies - External/Internal (Off-Board)
Series         *           Type         -           Voltage - Input (Min)         -           Voltage - Input (Max)         -           Number of Outputs         -           Voltage - Output 1         -           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         -           Power (Watts)         -           Applications         -           Operating Temperature         -           Efficiency         -           Mounting Type         -           Package / Case         -           Size / Dimension         -		DC DC Converters
Type         -           Voltage - Input (Min)         -           Voltage - Input (Max)         -           Number of Outputs         -           Voltage - Output 1         -           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         -           Power (Watts)         -           Applications         -           Operating Temperature         -           Efficiency         -           Mounting Type         -           Package / Case         -           Size / Dimension         -	Package	-
Voltage - Input (Min)-Voltage - Input (Max)-Number of Outputs-Voltage - Output 1-Voltage - Output 2-Voltage - Output 3-Voltage - Output 4-Current - Output (Max)-Power (Watts)-Applications-Operating Temperature-Efficiency-Mounting Type-Package / Case-Size / Dimension-	Series	*
Voltage - Input (Max)-Number of Outputs-Voltage - Output 1-Voltage - Output 2-Voltage - Output 3-Voltage - Output 4-Current - Output (Max)-Power (Watts)-Applications-Operating Temperature-Efficiency-Mounting Type-Package / Case-Size / Dimension-	Type	-
Number of Outputs  Voltage - Output 1  Voltage - Output 2  Voltage - Output 3  Voltage - Output 4  Current - Output (Max)  Power (Watts)  Applications  Operating Temperature  Efficiency  Mounting Type  Package / Case  Size / Dimension	Voltage - Input (Min)	-
Voltage - Output 1-Voltage - Output 2-Voltage - Output 3-Voltage - Output 4-Current - Output (Max)-Power (Watts)-Applications-Operating Temperature-Efficiency-Mounting Type-Package / Case-Size / Dimension-	Voltage - Input (Max)	-
Voltage - Output 2  Voltage - Output 3  - Voltage - Output 4  - Current - Output (Max)  Power (Watts)  Applications  Operating Temperature  Efficiency  Mounting Type  Package / Case  Size / Dimension  -  -  -  -  -  -  -  -  -  -  -  -  -	Number of Outputs	-
Voltage - Output 3  Voltage - Output 4  Current - Output (Max)  Power (Watts)  Applications  Operating Temperature  Efficiency  Mounting Type  Package / Case  Size / Dimension	Voltage - Output 1	-
Voltage - Output 4-Current - Output (Max)-Power (Watts)-Applications-Operating Temperature-Efficiency-Mounting Type-Package / Case-Size / Dimension-	Voltage - Output 2	-
Current - Output (Max) - Power (Watts) - Applications - Operating Temperature - Efficiency - Mounting Type - Package / Case - Size / Dimension -	Voltage - Output 3	-
Power (Watts) - Applications - Operating Temperature - Efficiency - Mounting Type - Package / Case - Size / Dimension -	Voltage - Output 4	-
Applications - Operating Temperature - Efficiency - Mounting Type - Package / Case - Size / Dimension -	Current - Output (Max)	-
Operating Temperature - Efficiency - Mounting Type - Package / Case - Size / Dimension -	Power (Watts)	-
Efficiency - Mounting Type - Package / Case - Size / Dimension -	Applications	-
Mounting Type - Package / Case - Size / Dimension -	Operating Temperature	-
Package / Case - Size / Dimension -	-	-
Size / Dimension -		-
	Package / Case	-
Report errors?	Size / Dimension	-
		Report errors?

#### **PSC5A10A-7LIRCD Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# PSC5A10A-7LIRCD Payment Methods



















## PSC5A10A-7LIRCD Shipping Methods













If you have any question about PSC5A10A-7LIRCD, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com