



PT00002R Information

Heisener.com

Part Number PT00002R

Manufacturer Red Lion Controls

Category Sensors, Transducers

Pressure Sensors, Transducers

Description 2 WIRE RELATIVE BAR 0-1.6 PSI

Package Cylinder

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









PT00002R Specifications

Manufacturer Part NumberPT00002RManufacturerRed Lion ControlsCategorySensors, TransducersPackageCylinderSeries-Pressure Type-Operating Pressure23.21 PSI (160 kPa)Output Type-Output4 mA ~ 20 mAAccuracy±0.3%Voltage - Supply8 V ~ 33 VPort SizeMale - 1/4" (6.35mm) BSPPort StyleThreadedFeatures-
Category Sensors, Transducers Pressure Sensors, Transducers Package Cylinder Series - Pressure Type - Operating Pressure 23.21 PSI (160 kPa) Output Type - Output 4 mA ~ 20 mA Accuracy ±0.3% Voltage - Supply 8 V ~ 33 V Port Size Male - 1/4" (6.35mm) BSP Port Style Threaded
Package Cylinder Series - Pressure Type - Operating Pressure 23.21 PSI (160 kPa) Output Type - Output 4 mA ~ 20 mA Accuracy ±0.3% Voltage - Supply 8 V ~ 33 V Port Size Male - 1/4" (6.35mm) BSP Port Style Threaded
Package Cylinder Series - Pressure Type - Operating Pressure 23.21 PSI (160 kPa) Output Type - Output Type - Output 4 mA ~ 20 mA Accuracy ±0.3% Voltage - Supply 8 V ~ 33 V Port Size Male - 1/4" (6.35mm) BSP Port Style Type Threaded
Series - Pressure Type - Operating Pressure 23.21 PSI (160 kPa) Output Type - Output 4 mA ~ 20 mA Accuracy ±0.3% Voltage - Supply 8 V ~ 33 V Port Size Male - 1/4" (6.35mm) BSP Port Style Threaded
Pressure Type - Operating Pressure 23.21 PSI (160 kPa) Output Type - Output 4 mA ~ 20 mA Accuracy ±0.3% Voltage - Supply 8 V ~ 33 V Port Size Male - 1/4" (6.35mm) BSP Port Style Threaded
Operating Pressure 23.21 PSI (160 kPa) Output Type - Output 4 mA ~ 20 mA Accuracy ±0.3% Voltage - Supply 8 V ~ 33 V Port Size Male - 1/4" (6.35mm) BSP Port Style Threaded
Output Type-Output $4 \text{ mA} \sim 20 \text{ mA}$ Accuracy $\pm 0.3\%$ Voltage - Supply $8 \text{ V} \sim 33 \text{ V}$ Port SizeMale - $1/4$ " (6.35mm) BSPPort StyleThreaded
Output $4 \text{ mA} \sim 20 \text{ mA}$ Accuracy $\pm 0.3\%$ Voltage - Supply $8 \text{ V} \sim 33 \text{ V}$ Port Size $Male - 1/4$ " (6.35mm) BSP Port Style Threaded
Accuracy $\pm 0.3\%$ Voltage - Supply $8 \text{ V} \sim 33 \text{ V}$ Port Size $\text{Male - 1/4" (6.35mm) BSP}$ Port Style Threaded
Voltage - Supply Port Size Male - 1/4" (6.35mm) BSP Port Style Threaded
Port Size Male - 1/4" (6.35mm) BSP Port Style Threaded
Port Style Threaded
·
Features -
Termination Style M12
Maximum Pressure -
Operating Temperature $-40^{\circ}\text{C} \sim 150^{\circ}\text{C}$
Package / Case Cylinder
Supplier Device Package -
Report errors?

PT00002R Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

PT00002R Payment Methods





















PT00002R Shipping Methods













If you have any question about PT00002R, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com