

# PT00CP-10-98P(351)

### PT00CP-10-98P(351) Information

Heisener.com Ental server state terr	PT00CP-10-98P(351) Amphenol Industrial Operations Connectors, Interconnects Circular Connectors CONN RCPT 6POS WALL MNT PIN - For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



## PT00CP-10-98P(351) Specifications

Manufacturer Part NumberPT00CP-10-98P(351)ManufacturerAmphenol Industrial OperationsCategoryConnectors, InterconnectsPackage-SeriesMIL-DTL-26482 Series I, PTConnector TypeReceptacle, Male PinsNumber of Positions6Shell Size - Insert10-98Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientation.Shell Material, Finish-Contact Finish-Shell Material, Finish-Contact Finish		
CategoryConnectors, Interconnects Circular ConnectorsPackage-SeriesMIL-DTL-26482 Series I, PTConnector TypeReceptacle, Male PinsNumber of Positions6Shell Size - Insert10-98Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientation.Shell Material, Finish-Contact Finish-FeaturesPottedVoltage - Rated6Orient Ating.Shell Material, Finish-Shell Size, MIL-Shell Material, Finish-Shell Material-Shell Material-Shell Material-Shell Material-Shell Material-Shell Material- <t< td=""><td>Manufacturer Part Number</td><td>PT00CP-10-98P(351)</td></t<>	Manufacturer Part Number	PT00CP-10-98P(351)
Initial ConnectorsPackage-SeriesMIL-DTL-26482 Series I, PTConnector TypeReceptacle, Male PinsNumber of Positions6Shell Size - Insert10-98Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientation.Shell Material, Finish-Shell Material, FinishSeriesFastensOttoFastens-Shell Material, Finish-Shell States-Fastens-Stell Material, Finish-Stell Stell Series-Stell Series-Stell Series-Stell Material, Finish-Stell Series-Stell Series-Stell Series-Stell Material, Finish-Stell Series-Stell Series-Stel	Manufacturer	Amphenol Industrial Operations
Package.SeriesMIL-DTL-26482 Series I, PTConnector TypeReceptacle, Male PinsNumber of Positions6Shell Size - Insert10-98Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientation.Ingress Protection-Shell Material, Finish-Contact Finish-FeaturesPotedVoltage - RatedMOVACKontage Series-Statemant	Category	Connectors, Interconnects
SeriesMIL-DTL-26482 Series I, PTConnector TypeReceptacle, Male PinsNumber of Positions6Shell Size - Insert10-98Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientation.Ingress Protection-Shell Material, Finish-Contact Finish-FeaturesPottedVotage - Rated60VACCurrent Rating7.5A		Circular Connectors
Connector TypeReceptacle, Male PinsNumber of Positions6Shell Size - Insert10-98Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, Finish-Contact Finish-FotaterPotedVoltage - Rated600VACCurrent Rating7.5A	Package	-
Number of Positions6Number of Positions10-98Shell Size - Insert-Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, Finish-FeaturesPotedVoltage - Rated600VACCurrent Rating7.5A	Series	MIL-DTL-26482 Series I, PT
Shell Size - Insert10-98Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, Finish-Contact Finish-FeaturesPotedVoltage - Rated600VACCurrent Rating7.5A	Connector Type	Receptacle, Male Pins
Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN(Normal)Ingress Protection-Shell Material, Finish-Contact Finish-FeaturesPotedYoldge - Rated600VACCurrent Rating7.5A	Number of Positions	6
Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN(Normal)Ingress Protection-Shell Material, Finish-Contact Finish-FeaturesPottedVoltage - Rated600VACCurrent Rating7.5A	Shell Size - Insert	10-98
TerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, Finish-Contact Finish-FeaturesPottedVoltage - Rated600VACCurrent Rating7.5A	Shell Size, MIL	-
Fastening TypeBayonet LockOrientationN(Normal)Ingress Protection-Shell Material, Finish-Contact Finish-FeaturesPottedVoltage - Rated600VACCurrent Rating7.5A	Mounting Type	Panel Mount, Flange
OrientationN (Normal)Ingress Protection-Shell Material, Finish-Contact Finish-FeaturesPottedVoltage - Rated600VACCurrent Rating7.5A	Termination	Crimp
Ingress Protection-Shell Material, Finish-Contact Finish-FeaturesPottedVoltage - Rated600VACCurrent Rating7.5A	Fastening Type	Bayonet Lock
Shell Material, Finish-Contact Finish-FeaturesPottedVoltage - Rated600VACCurrent Rating7.5A	Orientation	N (Normal)
Contact Finish-FeaturesPottedVoltage - Rated600VACCurrent Rating7.5A	Ingress Protection	-
FeaturesPottedVoltage - Rated600VACCurrent Rating7.5A	Shell Material, Finish	-
Voltage - Rated600VACCurrent Rating7.5A	Contact Finish	-
Current Rating 7.5A	Features	Potted
-	Voltage - Rated	600VAC
Report errors?	Current Rating	7.5A
		Report errors?

#### PT00CP-10-98P(351) Guarantees



**Quality Guarantees** 

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE BUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

#### PT00CP-10-98P(351) Payment Methods



## PT00CP-10-98P(351) Shipping Methods



If you have any question about PT00CP-10-98P(351), please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com