

PT06P-8-4P(027) Information

Heisener.com

Part Number PT06P-8-4P(027)

Manufacturer Amphenol Industrial Operations

Category Connectors, Interconnects

Circular Connectors

Description CONN PLUG 4POS INLINE PIN

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









PT06P-8-4P(027) Specifications

| Manufacturer Part Number PT06P-8-4P(027) Manufacturer Amphenol Industrial Operations Category Connectors, Interconnects Package - Series MIL-DTL-26482 Series I, PT Connector Type Plug, Male Pins Number of Positions 4 Shell Size - Insert 8-4 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection - Shell Material, Finish Aluminum, Black Zinc Cobalt Plated Contact Finish Gold Features Potted Voltage - Rated 600VAC Current Rating 7.5A | | |
|---|--------------------------|------------------------------------|
| CategoryConnectors, InterconnectsPackage-SeriesMIL-DTL-26482 Series I, PTConnector TypePlug, Male PinsNumber of Positions4Shell Size - Insert8-4Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, FinishAluminum, Black Zinc Cobalt PlatedContact FinishGoldFeaturesPottedVoltage - Rated600 VACCurrent Rating7.5A | Manufacturer Part Number | PT06P-8-4P(027) |
| Package-SeriesMIL-DTL-26482 Series I, PTConnector TypePlug, Male PinsNumber of Positions4Shell Size - Insert8-4Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, FinishAluminum, Black Zinc Cobalt PlatedContact FinishGoldFeaturesPottedVoltage - Rated600VACCurrent Rating7.5A | Manufacturer | Amphenol Industrial Operations |
| Package-SeriesMIL-DTL-26482 Series I, PTConnector TypePlug, Male PinsNumber of Positions4Shell Size - Insert8-4Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, FinishAluminum, Black Zinc Cobalt PlatedContact FinishGoldFeaturesPottedVoltage - Rated600VACCurrent Rating7.5A | Category | Connectors, Interconnects |
| SeriesMIL-DTL-26482 Series I, PTConnector TypePlug, Male PinsNumber of Positions4Shell Size - Insert8-4Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, FinishAluminum, Black Zinc Cobalt PlatedContact FinishGoldFeaturesPottedVoltage - Rated600VACCurrent Rating7.5A | | Circular Connectors |
| Connector TypePlug, Male PinsNumber of Positions4Shell Size - Insert8-4Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, FinishAluminum, Black Zinc Cobalt PlatedContact FinishGoldFeaturesPottedVoltage - Rated600VACCurrent Rating7.5A | Package | - |
| Number of Positions Shell Size - Insert 8-4 Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Shell Material, Finish Aluminum, Black Zinc Cobalt Plated Contact Finish Gold Features Potted Voltage - Rated Current Rating 7.5A | Series | MIL-DTL-26482 Series I, PT |
| Shell Size - Insert8-4Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, FinishAluminum, Black Zinc Cobalt PlatedContact FinishGoldFeaturesPottedVoltage - Rated600VACCurrent Rating7.5A | Connector Type | Plug, Male Pins |
| Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection - Shell Material, Finish Aluminum, Black Zinc Cobalt Plated Contact Finish Features Potted Voltage - Rated 600VAC Current Rating - | Number of Positions | 4 |
| Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection - Shell Material, Finish Aluminum, Black Zinc Cobalt Plated Contact Finish Gold Features Potted Voltage - Rated 600VAC Current Rating 7.5A | Shell Size - Insert | 8-4 |
| Termination Solder Cup Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection - Shell Material, Finish Aluminum, Black Zinc Cobalt Plated Contact Finish Gold Features Potted Voltage - Rated 600VAC Current Rating 7.5A | Shell Size, MIL | - |
| Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection - Shell Material, Finish Aluminum, Black Zinc Cobalt Plated Contact Finish Gold Features Potted Voltage - Rated 600VAC Current Rating 7.5A | Mounting Type | Free Hanging (In-Line) |
| Orientation N (Normal) Ingress Protection - Shell Material, Finish Aluminum, Black Zinc Cobalt Plated Contact Finish Gold Features Potted Voltage - Rated 600VAC Current Rating 7.5A | Termination | Solder Cup |
| Ingress Protection - Shell Material, Finish Aluminum, Black Zinc Cobalt Plated Contact Finish Gold Features Potted Voltage - Rated 600VAC Current Rating 7.5A | Fastening Type | Bayonet Lock |
| Shell Material, Finish Contact Finish Gold Features Potted Voltage - Rated Current Rating Aluminum, Black Zinc Cobalt Plated Gold Potted 7.5A | Orientation | N (Normal) |
| Contact Finish Gold Features Potted Voltage - Rated 600VAC Current Rating 7.5A | Ingress Protection | - |
| Features Potted Voltage - Rated 600VAC Current Rating 7.5A | Shell Material, Finish | Aluminum, Black Zinc Cobalt Plated |
| Voltage - Rated 600VAC Current Rating 7.5A | Contact Finish | Gold |
| Current Rating 7.5A | Features | Potted |
| | Voltage - Rated | 600VAC |
| Report errors? | Current Rating | 7.5A |
| | | Report errors? |

PT06P-8-4P(027) Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

PT06P-8-4P(027) Payment Methods





















PT06P-8-4P(027) Shipping Methods













If you have any question about PT06P-8-4P(027), please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com