

**PTCCL09H471DTE Information**


For Reference Only

**Part Number** [PTCCL09H471DTE](#)  
**Manufacturer** Vishay BC Components  
**Category** Circuit Protection  
[PTC Resettable Fuses](#)  
**Description** THERMISTOR 2.5 OHM 30V PTC  
**Package** Radial, Disc  
 For the pricing/inventory/lead time, please contact us  
 Website: <https://www.heisener.com>  
 E-mail: [salesdept@heisener.com](mailto:salesdept@heisener.com)


[Request a Quote](#)
**Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.


**PTCCL09H471DTE Specifications**

Manufacturer Part Number	<a href="#">PTCCL09H471DTE</a>
Manufacturer	Vishay BC Components
Category	Circuit Protection <a href="#">PTC Resettable Fuses</a>
Package	Radial, Disc
Series	PTCCL
Type	Ceramic
Voltage - Max	30V
Current - Max	5A
Current - Hold (Ih) (Max)	470mA
Current - Trip (It)	705mA
Time to Trip	-
Resistance - Initial (Ri) (Min)	-
Resistance - Post Trip (R1) (Max)	-
Resistance - 25°C (Typ)	2.5 Ohms
Operating Temperature	-40°C ~ 85°C
Ratings	-
Mounting Type	Through Hole
Package / Case	Radial, Disc
Size / Dimension	0.335" Dia x 0.197" W (8.50mm x 5.00mm)
Height - Seated (Max)	0.532" (13.50mm)
Thickness (Max)	-
Lead Spacing	0.197" (5.00mm)
	<a href="#">Report errors?</a>

## PTCCL09H471DTE Guarantees



### Quality Guarantees

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



### Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## PTCCL09H471DTE Payment Methods



## PTCCL09H471DTE Shipping Methods



If you have any question about PTCCL09H471DTE, please do not hesitate to contact us!

Website: <https://www.heisener.com>

E-mail: [salesdept@heisener.com](mailto:salesdept@heisener.com)