


# PWRACAWALL16V1A

## **PWRACAWALL16V1A Information**



# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.

# **PWRACAWALL16V1A Specifications**

Manufacturer Part NumberPWRACAWALL16V1AManufacturerLix Technologies Inc.CategoryPower Supplies - External/Internal (Off-Board)Package-Package-Series-Region UtilizedNorth AmericaFormWall MountInput Type-Voltage - Input-Voltage - Output-Output Maxing-Power (Watts)-No Load Power Consumption-Polarization-Applications-Efficiency-Operating Temperature-Output Connector-Output Connector-Output Connector-Seri Dipolo Connector-Operating Temperature-Output Connector-Siz / Dimension-Siz / Dimension <th></th> <th></th>		
CategoryPower Supplie's - External/Internal (Off-Board)AC DC Desktop, Wall AdaptersPackage-Series-Region UtilizedNorth AmericaFormWall MountInput TypeFixed BladeVoltage - Input-Voltage - Output (Max)16VCurrent - Output (Max)16WPower (Watts)-No Load Power Consumption-Applications-Efficiency-Operating Temperature-Output ConnectorBarel Plug, 2.5mm I.D.x. 5.5mm O.D.x. 9.5mmSize / Dimension-	Manufacturer Part Number	PWRACAWALL16V1A
<table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container>	Manufacturer	Linx Technologies Inc.
Package-Series-Region UtilizedNorth AmericaFormWall MountInput TypeFixed BladeVoltage - Input-Voltage - Output16VCurrent - Output (Maxy)16WPower (Watts)-No Load Power Consumption-Applications-Efficiency-Operating Temperature-Output Connector-Size / Dimension-Size / Dimension-Si	Category	Power Supplies - External/Internal (Off-Board)
Series-Region UtilizedNorth AmericaFormWall MountInput TypeFixed BladeVoltage - Input-Voltage - Output16VCurrent - Output (Max)1APower (Wats)-No Load Power Consumption-PolarizationTE (Commercial)Applications17E (Commercial)Operating Temperature-Output ConnectorBarrel Plug, 2.5mm I.D. x. 9.5mm O.D. x. 9.5mmSize / Dimension-		AC DC Desktop, Wall Adapters
Region UtilizedNorth AmericaFormWall MountInput TypeFixed BladeVoltage - Input-Voltage - Output16VCurrent - Output (Max)1APower (Watts)-No Load Power Consumption-Polarization-ApplicationsITE (Commercial)Operating Temperature-Output ConnectorBarel Plug 2.5mm I.D. x. 5.5mm O.D. x. 9.5mmSize / Dimension-	Package	-
FormWall MountInput TypeFixed BladeVoltage - Input-Voltage - Output16VCurrent - Output (Max)IAPower (Watts)16WNo Load Power Consumption-Polarization-ApplicationsTIE (Commercial)Efficiency-Operating Temperature-Output ConnectorBarrel Plug, 2.5mm I.D. x. 9.5mm O.D. x. 9.5mmSize / Dimension-	Series	-
Input TypeFixed BladeInput TypeFixed BladeVoltage - Input-Voltage - Output16VCurrent - Output (Max)1APower (Watts)16WNo Load Power Consumption-Polarization-ApplicationsITE (Commercial)Efficiency-Operating Temperature-Output ConnectorBarrel Plug, 2.5mm I.D. x. 5.5mm O.D. x. 9.5mmSize / Dimension-	Region Utilized	North America
Yoltage - Input-Voltage - Output16VCurrent - Output (Max)1APower (Watts)16WNo Load Power Consumption-Polarization-ApplicationsITE (Commercial)Efficiency-Operating Temperature-Output ConnectorBarrel Plug, 2.5mm I.D. x 5.5mm O.D. x 9.5mmSize / Dimension-	Form	Wall Mount
Voltage - Output16VCurrent - Output (Max)1APower (Watts)16WNo Load Power Consumption-Polarization-Applications-Efficiency-Operating Temperature-Output ConnectorBarrel Plug, 2.5mm I.D. x 5.5mm O.D. x 9.5mmSize / Dimension-	Input Type	Fixed Blade
Current - Output (Max)IAPower (Watts)16WNo Load Power Consumption-Polarization-ApplicationsITE (Commercial)Efficiency-Operating Temperature-Output ConnectorBarrel Plug, 2.5mm I.D. x 5.5mm O.D. x 9.5mmSize / Dimension-	Voltage - Input	-
Power (Watts)16WNo Load Power Consumption-Polarization-ApplicationsITE (Commercial)Efficiency-Operating Temperature-Output ConnectorBarrel Plug, 2.5mm I.D. x 5.5mm O.D. x 9.5mmSize / Dimension-	Voltage - Output	16V
No Load Power Consumption-Polarization-ApplicationsITE (Commercial)Efficiency-Operating Temperature-Output ConnectorBarrel Plug, 2.5mm I.D. x 5.5mm O.D. x 9.5mmSize / Dimension-	Current - Output (Max)	1A
Polarization-ApplicationsITE (Commercial)Efficiency-Operating Temperature-Output ConnectorBarrel Plug, 2.5mm I.D. x 5.5mm O.D. x 9.5mmSize / Dimension-	Power (Watts)	16W
ApplicationsITE (Commercial)Efficiency-Operating Temperature-Output ConnectorBarrel Plug, 2.5mm I.D. x 5.5mm O.D. x 9.5mmSize / Dimension-	No Load Power Consumption	-
Efficiency-Operating Temperature-Output ConnectorBarrel Plug, 2.5mm I.D. x 5.5mm O.D. x 9.5mmSize / Dimension-	Polarization	-
Operating Temperature-Output ConnectorBarrel Plug, 2.5mm I.D. x 5.5mm O.D. x 9.5mmSize / Dimension-	Applications	ITE (Commercial)
Output ConnectorBarrel Plug, 2.5mm I.D. x 5.5mm O.D. x 9.5mmSize / Dimension-	Efficiency	-
Size / Dimension -	Operating Temperature	-
	Output Connector	Barrel Plug, 2.5mm I.D. x 5.5mm O.D. x 9.5mm
Report errors?	Size / Dimension	-
		Report errors?

# **PWRACAWALL16V1A Guarantees**



**Quality Guarantees** 

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

DISCOVER

# **PWRACAWALL16V1A Payment Methods**





# **PWRACAWALL16V1A Shipping Methods**



If you have any question about PWRACAWALL16V1A, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com